

Ship sensor data collected along the track during R/V Seward Johnson cruise SJ9505 in the Gulf of Maine and Georges Bank in 1995 as part of the U.S. GLOBEC program (GB project)

Website: <https://www.bco-dmo.org/dataset/2415>

Data Type: Cruise Results

Version: 1

Version Date: 2005-09-15

Project

» [U.S. GLOBEC Georges Bank](#) (GB)

Program

» [U.S. GLOBal ocean ECosystems dynamics](#) (U.S. GLOBEC)

| Contributors | Affiliation | Role |
|-----------------------------------|--|------------------------|
| Manning, James P. | Northeast Fisheries Science Center - Woods Hole (NOAA NEFSC) | Principal Investigator |
| Allison, Dicky | Woods Hole Oceanographic Institution (WHOI BCO-DMO) | BCO-DMO Data Manager |

Abstract

Ship sensor data collected along the track during R/V Seward Johnson cruise SJ9505 in the Gulf of Maine and Georges Bank in 1995 as part of the U.S. GLOBEC program (GB project)

Table of Contents

- [Coverage](#)
 - [Dataset Description](#)
 - [Methods & Sampling](#)
 - [Data Files](#)
 - [Parameters](#)
 - [Instruments](#)
 - [Deployments](#)
 - [Project Information](#)
 - [Program Information](#)
 - [Funding](#)
-

Coverage

Spatial Extent: N:42.0019 E:-66.3169 S:40.53809 W:-70.1018

Temporal Extent: 1995-04-07 - 1995-04-19

Dataset Description

Seward Johnson Cruises: 9505 Shipboard meteorology and sea surface measurements along the ship's track

Note: As noted below, these data are uncalibrated and should be used accordingly.

Data submitted by:

Jim Manning
National Marine Fisheries Service
NOAA
Woods Hole, MA 02543

These data are accessed under the the GLOBEC homepage-->data-->process-->{year}-->alongtrack

1. These are stored as single ascii files per cruise with several variables merged to one minute (interpolated) time steps.
2. The first column is the time stamp which, for Albatross convention, is "yrday0_gmt" which means, for example, that a time of "0.5" represents local noontime on Jan 1st.
3. We all understand this data (shipboard temp, salt, wind, etc.) should be treated as uncalibrated records and **should not be used other than exploratory purposes.**

updated 09/15/05; gfh w/ input by J.Manning

Methods & Sampling

GLOBEC Georges Bank Cruises Shipboard Sensor Data. Cleaned and merged to 5 minute intervals.

[[table of contents](#) | [back to top](#)]

Data Files

| File |
|--|
| sj_shipdata_9505.csv (Comma Separated Values (.csv), 530.38 KB) MD5:bbb7139064bb95c4a878221c30339bb8 |
| Primary data file for dataset ID 2415 |

[[table of contents](#) | [back to top](#)]

Parameters

| Parameter | Description | Units |
|--------------|---|-----------------|
| year | year | |
| ship | ship name as a code, sj = Seward Johnson | |
| cruiseid | cruise identification | |
| yrday0_gmt | yearday/time, gmt, where yearday 0.5 = Jan 1 at 1200 hrs | dec. yearday |
| lat | latitude, negative = South | decimal degrees |
| lon | longitude, negative = West | decimal degrees |
| temp_air | air temperature | degrees C |
| temp_ss5 | sea surface temperature at 5meters, hull intake | degrees C |
| sal | sea surface salinity, hull intake | PSU |
| flvolt | fluorescence | volts |
| wind_vel_u | eastward component of wind velocity, oceanographic convention | m/sec |
| wind_vel_v | northward component of wind velocity, oceanographic convention | m/sec |
| par_v | | |
| press_bar | barometric pressure | unknown |
| wind_dir | wind direction reports as compass degrees, using meteorologic convention of "from" not "to" | degrees |
| wind_spd | wind speed, in m/s | m/sec |
| month_gmt | month, UTC | unitless |
| day_gmt | day of month, UTC | unitless |
| time_gmt | time, UTC | unitless |
| ISO_DateTime | UTC date and time in ISO format: yyyy-mm-ddTHH:MM:SSZ | unitless |

[[table of contents](#) | [back to top](#)]

Instruments

| | |
|---|--|
| Dataset-specific Instrument Name | Thermosalinograph |
| Generic Instrument Name | Thermosalinograph |
| Dataset-specific Description | Thermosalinograph used to obtain a continuous record of sea surface temperature and salinity. |
| Generic Instrument Description | A thermosalinograph (TSG) is used to obtain a continuous record of sea surface temperature and salinity. On many research vessels the TSG is integrated into the ship's underway seawater sampling system and reported with the underway or alongtrack data. |

[[table of contents](#) | [back to top](#)]

Deployments

SJ9505

| | |
|--------------------|---|
| Website | https://www.bco-dmo.org/deployment/57484 |
| Platform | R/V Seward Johnson |
| Report | http://globec.who.edu/globec-dir/reports/sj9505/sj9505.html |
| Start Date | 1995-04-07 |
| End Date | 1995-04-21 |
| Description | Process cruise looking for cod and haddock larvae. Methods & Sampling GLOBEC Georges Bank Cruises Shipboard Sensor Data. Cleaned and merged to 5 minute intervals. |

[[table of contents](#) | [back to top](#)]

Project Information

U.S. GLOBEC Georges Bank (GB)

Website: http://globec.who.edu/globec_program.html

Coverage: Georges Bank, Gulf of Maine, Northwest Atlantic Ocean

The U.S. GLOBEC [Georges Bank](#) Program is a large multi-disciplinary multi-year oceanographic effort. The proximate goal is to understand the population dynamics of key species on the Bank - Cod, [Haddock](#), and two species of zooplankton ([Calanus finmarchicus](#) and [Pseudocalanus](#)) - in terms of their coupling to the physical environment and in terms of their [predators and prey](#). The ultimate goal is to be able to predict changes in the distribution and abundance of these species as a result of changes in their physical and biotic environment as well as to anticipate how their populations might respond to climate change.

The effort is substantial, requiring broad-scale surveys of the entire Bank, and process studies which focus both on the links between the target species and their physical environment, and the determination of fundamental aspects of these species' life history (birth rates, growth rates, death rates, etc).

Equally important are the modelling efforts that are ongoing which seek to provide realistic predictions of the flow field and which utilize the life history information to produce an integrated view of the dynamics of the populations.

The U.S. GLOBEC Georges Bank [Executive Committee \(EXCO\)](#) provides program leadership and effective communication with the funding agencies.

[[table of contents](#) | [back to top](#)]

Program Information

U.S. GLOBAL ocean ECosystems dynamics (U.S. GLOBEC)

Website: <http://www.usglobec.org/>

Coverage: Global

U.S. GLOBEC (GLOBAL ocean ECosystems dynamics) is a research program organized by oceanographers and

fisheries scientists to address the question of how global climate change may affect the abundance and production of animals in the sea.

The U.S. GLOBEC Program currently had major research efforts underway in the Georges Bank / Northwest Atlantic Region, and the Northeast Pacific (with components in the California Current and in the Coastal Gulf of Alaska). U.S. GLOBEC was a major contributor to International GLOBEC efforts in the Southern Ocean and Western Antarctic Peninsula (WAP).

[[table of contents](#) | [back to top](#)]

Funding

| Funding Source | Award |
|--|---------------------------------|
| National Science Foundation (NSF) | unknown GB NSF |
| National Oceanic and Atmospheric Administration (NOAA) | unknown GB NOAA |

[[table of contents](#) | [back to top](#)]