

# Zooplankton data from MOCNESS samples (Excel files) from R/V Roger Revelle cruises: KIWI6 and KIWI8 in the Southern Ocean in 1998 (U.S. JGOFS AESOPS project)

**Website:** <https://www.bco-dmo.org/dataset/2717>

**Version:** final

**Version Date:** 2002-12-16

## Project

» [U.S. JGOFS Antarctic Environment and Southern Ocean Process Study](#) (AESOPS)

## Program

» [U.S. Joint Global Ocean Flux Study](#) (U.S. JGOFS)

Contributors	Affiliation	Role
<a href="#">Huntley, Mark</a>	University of Hawaii at Manoa (SOEST)	Principal Investigator
<a href="#">Zhou, Meng</a>	University of Massachusetts Boston (UMB-SMS)	Co-Principal Investigator
<a href="#">Chandler, Cynthia L.</a>	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

## Table of Contents

- [Dataset Description](#)
- [Parameters](#)
- [Instruments](#)
- [Deployments](#)
- [Project Information](#)
- [Program Information](#)

## Dataset Description

Zooplankton data from MOCNESS samples as downloadable Excel files

[ [table of contents](#) | [back to top](#) ]

## Parameters

*Parameters for this dataset have not yet been identified*

[ [table of contents](#) | [back to top](#) ]

## Instruments

<b>Dataset-specific Instrument Name</b>	MOCNESS
<b>Generic Instrument Name</b>	MOCNESS
<b>Generic Instrument Description</b>	The Multiple Opening/Closing Net and Environmental Sensing System or MOCNESS is a family of net systems based on the Tucker Trawl principle. There are currently 8 different sizes of MOCNESS in existence which are designed for capture of different size ranges of zooplankton and micro-nekton Each system is designated according to the size of the net mouth opening and in two cases, the number of nets it carries. The original MOCNESS (Wiebe et al, 1976) was a redesigned and improved version of a system described by Frost and McCrone (1974).(from MOCNESS manual) This designation is used when the specific type of MOCNESS (number and size of nets) was not specified by the contributing investigator.

[ [table of contents](#) | [back to top](#) ]

## Deployments

### KIWI6

<b>Website</b>	<a href="https://www.bco-dmo.org/deployment/57724">https://www.bco-dmo.org/deployment/57724</a>
<b>Platform</b>	R/V Roger Revelle
<b>Report</b>	<a href="http://usjgofs.whoi.edu/aesops/RRs1.html">http://usjgofs.whoi.edu/aesops/RRs1.html</a>
<b>Start Date</b>	1997-10-20
<b>End Date</b>	1997-11-24
<b>Description</b>	Polar Front Survey I  <b>Methods &amp; Sampling</b> PI: Mark Huntley and Meng Zhou of: Scripps Institution of Oceanography (Huntley) University of Minnesota, Duluth (Zhou) dataset: Zooplankton data from MOCNESS samples dates: October 20, 1997 to February 8, 1998 project/cruise: AESOPS/KIWI-6 APFZ Survey Cruise 1 AESOPS/KIWI-8 APFZ Survey Cruise 2 ship: R/V Roger Revelle Methodology

### KIWI8

<b>Website</b>	<a href="https://www.bco-dmo.org/deployment/57726">https://www.bco-dmo.org/deployment/57726</a>
<b>Platform</b>	R/V Roger Revelle
<b>Report</b>	<a href="http://usjgofs.whoi.edu/aesops/RRs2.html">http://usjgofs.whoi.edu/aesops/RRs2.html</a>
<b>Start Date</b>	1998-01-08
<b>End Date</b>	1998-02-08
<b>Description</b>	Polar Front Survey II  <b>Methods &amp; Sampling</b> PI: Mark Huntley and Meng Zhou of: Scripps Institution of Oceanography (Huntley) University of Minnesota, Duluth (Zhou) dataset: Zooplankton data from MOCNESS samples dates: October 20, 1997 to February 8, 1998 project/cruise: AESOPS/KIWI-6 APFZ Survey Cruise 1 AESOPS/KIWI-8 APFZ Survey Cruise 2 ship: R/V Roger Revelle Methodology

[ [table of contents](#) | [back to top](#) ]

## Project Information

### U.S. JGOFS Antarctic Environment and Southern Ocean Process Study (AESOPS)

**Website:** <http://usjgofs.whoi.edu/research/aesops.html>

**Coverage:** Southern Ocean, Ross Sea

The U.S. Southern Ocean JGOFS program, called Antarctic Environment and Southern Ocean Process Study (AESOPS), began in August 1996 and continued through March 1998. The U.S. JGOFS AESOPS program focused on two regions in the Southern Ocean: an east/west section of the Ross-Sea continental shelf along 76.5°S, and a second north/south section of the Southern Ocean spanning the Antarctic Circumpolar Current (ACC) at ~170°W (identified as the Polar Front). The science program, coordinated by Antarctic Support Associates (ASA), comprised eleven cruises using the R.V.I.B Nathaniel B. Palmer and R/V Roger Revelle as observational platforms and for deployment and recovery of instrumented moorings and sediment-trap arrays. The Ross-Sea region was occupied on six occasions and the Polar Front five times. Mapping data were obtained from SeaSoar, ADCP, and bathymetric systems. Satellite coverage was provided by the NASA SeaWiFS and the NOAA/NASA Pathfinder programs.

[ [table of contents](#) | [back to top](#) ]

---

## Program Information

### U.S. Joint Global Ocean Flux Study (U.S. JGOFS)

**Website:** <http://usjgofs.whoi.edu/>

**Coverage:** Global

The United States Joint Global Ocean Flux Study was a national component of international JGOFS and an integral part of global climate change research.

The U.S. launched the Joint Global Ocean Flux Study (JGOFS) in the late 1980s to study the ocean carbon cycle. An ambitious goal was set to understand the controls on the concentrations and fluxes of carbon and associated nutrients in the ocean. A new field of ocean biogeochemistry emerged with an emphasis on quality measurements of carbon system parameters and interdisciplinary field studies of the biological, chemical and physical process which control the ocean carbon cycle. As we studied ocean biogeochemistry, we learned that our simple views of carbon uptake and transport were severely limited, and a new "wave" of ocean science was born. U.S. JGOFS has been supported primarily by the U.S. National Science Foundation in collaboration with the National Oceanic and Atmospheric Administration, the National Aeronautics and Space Administration, the Department of Energy and the Office of Naval Research. U.S. JGOFS, ended in 2005 with the conclusion of the Synthesis and Modeling Project (SMP).

[ [table of contents](#) | [back to top](#) ]