Dissolved organic carbon (DOC) from bottle casts from RVIB Nathaniel B. Palmer NBP-96-4A, NBP-97-1, NBP-97-8 cruises in the Southern Ocean in 1997 (U.S. JGOFS AESOPS project)

Website: https://www.bco-dmo.org/dataset/2740

Data Type: Cruise Results

Version: 1

Version Date: 1999-04-27

Project

» U.S. IGOFS Antarctic Environment and Southern Ocean Process Study (AESOPS)

Program

» U.S. Joint Global Ocean Flux Study (U.S. JGOFS)

Contributors	Affiliation	Role
Hansell, Dennis	University of Miami Rosenstiel School of Marine and Atmospheric Science (UM-RSMAS)	Principal Investigator
Carlson, Craig A.	University of California-Santa Barbara (UCSB)	Co-Principal Investigator
Chandler, Cynthia L.	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Abstract

Dissolved organic carbon (DOC) from bottle casts from RVIB Nathaniel B. Palmer NBP-96-4A, NBP-97-1, NBP-97-8 cruises in the Southern Ocean in 1997.

Table of Contents

- Dataset Description
- <u>Parameters</u>
- Instruments
- <u>Deployments</u>
- Project Information
- Program Information

Dataset Description

Dissolved organic carbon (DOC) from bottle casts from RVIB Nathaniel B. Palmer NBP-96-4A, NBP-97-1, NBP-97-8 cruises in the Southern Ocean in 1997.

To access data, check the deployments below.

[table of contents | back to top]

Parameters

Parameter	Description	Units
event	event number, from event log	
sta	station number, from event log	
cast	CTD cast number consecutive within station	
bot	CTD rosette bottle number	
press_n	nominal pressure	decibars
DOC	dissolved organic carbon	micromoles C/liter
DOC_sd	DOC standard deviation	micromoles C/liter

[table of contents | back to top]

Instruments

Dataset- specific Instrument Name	Niskin Bottle
Generic Instrument Name	Niskin bottle
Dataset- specific Description	CTD clean rosette (Niskin) bottles were used to collect water samples.
Generic Instrument	A Niskin bottle (a next generation water sampler based on the Nansen bottle) is a cylindrical, non-metallic water collection device with stoppers at both ends. The bottles can be attached individually on a hydrowire or deployed in 12, 24, or 36 bottle Rosette systems mounted on a frame and combined with a CTD. Niskin bottles are used to collect discrete water samples for a range of measurements including pigments, nutrients, plankton, etc.

[table of contents | back to top]

Deployments

NBP-96-04A

Website	https://www.bco-dmo.org/deployment/57718
Platform	RVIB Nathaniel B. Palmer
Report	http://usjgofs.whoi.edu/aesops/p1.html
Start Date	1996-10-02
End Date	1996-11-08
Description	Ross Sea Process Study 1 Methods & Sampling PI: Dennis Hansell and Craig Carlson of: Bermuda Biological Station for Research dataset: Dissolved organic carbon (DOC) from CTD casts dates: October 11, 1996 to November 06, 1996 location: N: -68.3335 S: -76.562 W: 169.0185 E: -177.8953 project/cruise: AESOPS/NBP- 96-4A - Ross Sea Process 1 Cruise ship: R/V Nathaniel B. Palmer Methodology

Website	https://www.bco-dmo.org/deployment/57720
Platform	RVIB Nathaniel B. Palmer
Report	http://usjgofs.whoi.edu/aesops/p2.html
Start Date	1997-01-13
End Date	1997-02-11
Description	Ross Sea Process Study 2 Methods & Sampling PI: Dennis Hansell and Craig Carlson of: Bermuda Biological Station for Research dataset: Dissolved organic carbon (DOC) from CTD casts dates: January 13, 1997 to February 06, 1997 location: N: -74.0029 S: -78.0414 W: 163.3383 E: -173.9992 project/cruise: AESOPS/NBP-97-1 - Ross Sea Process 2 Cruise ship: R/V Nathaniel B. Palmer Methodology

NBP-97-08

Website	https://www.bco-dmo.org/deployment/57722
Platform	RVIB Nathaniel B. Palmer
Report	http://usjgofs.whoi.edu/aesops/p4.html
Start Date	1997-11-05
End Date	1997-12-13
Description	Ross Sea Process Study 4 SeaWiFS transmits images to U.S. JGOFS scientists aboard the Palmer, for first time on November 23, 1997. Methods & Sampling dataset: Dissolved organic carbon (DOC) from CTD casts dates: November 16, 1997 to December 11, 1997 location: N: -76.4637 S: -76.6252 W: 168.9907 E: -178.0022
	project/cruise: AESOPS/NBP-97-8 - Ross Sea Process 4 Cruise ship: R/V Nathaniel B. Palmer Methodology

[table of contents | back to top]

Project Information

U.S. JGOFS Antarctic Environment and Southern Ocean Process Study (AESOPS)

Website: http://usjgofs.whoi.edu/research/aesops.html

Coverage: Southern Ocean, Ross Sea

The U.S. Southern Ocean JGOFS program, called Antarctic Environment and Southern Ocean Process Study (AESOPS), began in August 1996 and continued through March 1998. The U.S. JGOFS AESOPS program focused on two regions in the Southern Ocean: an east/west section of the Ross-Sea continental shelf along 76.5°S, and a second north/south section of the Southern Ocean spanning the Antarctic Circumpolar Current (ACC) at ~170°W (identified as the Polar Front). The science program, coordinated by Antarctic Support Associates (ASA), comprised eleven cruises using the R.V.I.B Nathaniel B. Palmer and R/V Roger Revelle as observational platforms and for deployment and recovery of instrumented moorings and sediment-trap arrays. The Ross-Sea region was occupied on six occasions and the Polar Front five times. Mapping data were obtained from SeaSoar, ADCP, and bathymetric systems. Satellite coverage was provided by the NASA SeaWiFS and the NOAA/NASA Pathfinder programs.

Program Information

U.S. Joint Global Ocean Flux Study (U.S. JGOFS)

Website: http://usjgofs.whoi.edu/

Coverage: Global

The United States Joint Global Ocean Flux Study was a national component of international JGOFS and an integral part of global climate change research.

The U.S. launched the Joint Global Ocean Flux Study (JGOFS) in the late 1980s to study the ocean carbon cycle. An ambitious goal was set to understand the controls on the concentrations and fluxes of carbon and associated nutrients in the ocean. A new field of ocean biogeochemistry emerged with an emphasis on quality measurements of carbon system parameters and interdisciplinary field studies of the biological, chemical and physical process which control the ocean carbon cycle. As we studied ocean biogeochemistry, we learned that our simple views of carbon uptake and transport were severely limited, and a new "wave" of ocean science was born. U.S. JGOFS has been supported primarily by the U.S. National Science Foundation in collaboration with the National Oceanic and Atmospheric Administration, the National Aeronautics and Space Administration, the Department of Energy and the Office of Naval Research. U.S. JGOFS, ended in 2005 with the conclusion of the Synthesis and Modeling Project (SMP).

[table of contents | back to top]