

# Bacterial Productivity and Photosynthesis Rates from R/V Cape Henlopen BAMS-multi in the Chesapeake Bay from 2001-2004 (BAMS project)

Website: <https://www.bco-dmo.org/dataset/2859>

Version: 19 November 2008

Version Date: 2008-11-19

## Project

» [Biocomplexity of Aquatic Microbial Systems](#) (BAMS)

Contributors	Affiliation	Role
<a href="#">Ward, Bess B.</a>	University of Maryland Center for Environmental Science (UMCES/HPL)	Principal Investigator, Contact
<a href="#">Collier, Jackie L.</a>	Stony Brook University (SUNY Stony Brook)	Co-Principal Investigator
<a href="#">Cornwell, Jeffrey</a>	University of Maryland Center for Environmental Science (UMCES/HPL)	Co-Principal Investigator
<a href="#">Glibert, Patricia A.</a>	University of Maryland Center for Environmental Science (UMCES/HPL)	Co-Principal Investigator
<a href="#">Jackson, George A.</a>	Texas A&M University (TAMU)	Co-Principal Investigator
<a href="#">Kana, Todd</a>	University of Maryland Center for Environmental Science (UMCES/HPL)	Co-Principal Investigator
<a href="#">Voytek, Mary A.</a>	United States Geological Survey (USGS)	Co-Principal Investigator
<a href="#">Zehr, Jonathan P.</a>	University of California-Santa Cruz (UCSC)	Co-Principal Investigator
<a href="#">Gegg, Stephen R.</a>	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

## Table of Contents

- [Dataset Description](#)
  - [Methods & Sampling](#)
  - [Data Processing Description](#)
- [Data Files](#)
- [Parameters](#)
- [Deployments](#)
- [Project Information](#)
- [Funding](#)

---

## Dataset Description

**BAMS - Bacterial Productivity and Photosynthesis Rates for 2001, 2002, 2003, 2004**

## Methods & Sampling

(none provided to date)

## Data Processing Description

Bacterial Productivities: Leucine incorporation (Kirchman, et al. 1985. Appl. Environm. Microbiol. 49: 599-607)

Photosynthesis: Carbon-14 incorporation (1 hr incubation) in Photosynthetron light gradient. Alpha and Pmax determined from hyperbolic curve fit.

[ [table of contents](#) | [back to top](#) ]

---

## Data Files

File
<b>BactProductivity.csv</b> (Comma Separated Values (.csv), 23.37 KB) MD5:2aa6e2b1270c3374cb2a32bbb777a191
Primary data file for dataset ID 2859

[ [table of contents](#) | [back to top](#) ]

---

## Parameters

Parameter	Description	Units
alpha	BIOCOMPLEXITY -- P-I Curve Parameter Summary: $\alpha$ (alpha) Alpha determined from hyperbolic curve fit	(mgC/chla/h)/(uE/m <sup>2</sup> /s)-1
date	BCO-DMO formatted sample date	YYYYMMDD
Production	Bacterial Productivities: Leucine incorporation (Kirchman, et al. 1985. Appl. Environm. Microbiol. 49: 599-607)	micromoles C L-1 hr-1
Site_Name	Alphanumeric string used as the ID for a sampling site	(none)
Site_Desig	sampling site designation code	dimensionless
Depth_Loc	Alphanumeric string describing depth at which a sample was collected (Surf, Deep). No actual depth (m) of collection provided.	(none)
Pmax	BIOCOMPLEXITY -- P-I Curve Parameter Summary: Pmax in volume units Pmax determined from hyperbolic curve fit	micromoles C L-1 hr-1
Chl	Chlorophyll	micromoles C L-1 hr-1
Year	Year of sample collection	YYYY
Month	Text string with month of sample collection	(none)
depth	Depth of sample	meters
lat	latitude, negative denotes South	decimal degrees
lon	longitude, negative denotes West	decimal degrees

[ [table of contents](#) | [back to top](#) ]

---

## Deployments

### BAMS-multi

<b>Website</b>	<a href="https://www.bco-dmo.org/deployment/57844">https://www.bco-dmo.org/deployment/57844</a>
<b>Platform</b>	R/V Cape Henlopen
<b>Start Date</b>	2001-04-04
<b>End Date</b>	2004-10-06
<b>Description</b>	<p>Multiple year sampling at sites in the Chesapeake Bay, one of its branches, the Choptank River, and the open ocean of the Sargasso Sea.</p> <p><b>Methods &amp; Sampling</b> (none provided to date)</p> <p><b>Processing Description</b> Bacterial Productivities: Leucine incorporation (Kirchman, et al. 1985. Appl. Environm. Microbiol. 49: 599-607) Photosynthesis: Carbon-14 incorporation (1 hr incubation) in Photosynthetron light gradient. Alpha and Pmax determined from hyperbolic curve fit.</p>

[ [table of contents](#) | [back to top](#) ]

---

## Project Information

### Biocomplexity of Aquatic Microbial Systems (BAMS)

**Website:** <http://geoweb.princeton.edu/research/biocomplexity/index.html>

**Coverage:** Chesapeake Bay, one of its branches, the Choptank River, and the open ocean of the Sargasso Sea

### NSF: Collaborative Research: Biocomplexity of Aquatic Microbial Systems: Relating Diversity of Microorganisms to Ecosystem Function

The "Biocomplexity of Aquatic Microbial Systems: Relating Diversity of Microorganisms to Ecosystem Function" Project was funded by the US NSF in 2000 as one of several collaborative research initiatives comprising the NSF Biocomplexity program. Microbial biogeochemical cycling of the elements regulates a dynamic environment in which the cycles of different elements are linked through the physiology of microorganisms. While a certain degree of understanding can be gained through physical/chemical approaches to measurement and modeling of the net transformations, these approaches necessarily rely on gross simplifications about the role and regulation of the various functional groups (guilds) involved. The nutrient elements, such as carbon, nitrogen, phosphorous and several important metals, occur in ecosystems in many different forms (e.g., organic carbon and carbon dioxide; nitrate, nitrite, nitrous oxide, organic nitrogen and nitrogen gas, etc.). The transformations between different forms, and the distributions of the various compounds, are largely controlled by microbes. Thus the physiology of bacteria and phytoplankton is largely responsible for the chemistry of natural systems, through what we call microbial biogeochemical cycling.

Our present understanding of elemental cycling is partly derived from measurements and modeling of the distribution of chemical compounds, and the measurement of the rates of transfer of compounds from one form to another. This approach has led to an appreciation of the overwhelming importance of microbes in regulating ecosystem biogeochemistry. But they still represent a great oversimplification of the complexities of microbial processes. Recent advances in molecular microbial ecology have shown the microbial world to contain immense diversity and complexity at every level: redundancy and duplication of functional genes within a single organism; molecular diversity among functional genes that encode the same process in different organisms; large genetic diversity among different organisms apparently engaged in the same biogeochemical function within single communities; great variability in the species composition of different communities that apparently perform equally well.

The goal of this project is to investigate the functional relationship between complexity in microbial communities and the physical/chemical environment at a range of biological and ecological scales. Previously, such analysis was technologically limited by the inability to assay large numbers of samples simultaneously for a large

number of genes and phylotypes. Using gene array technology, the researchers will be able to detect the distribution and differential expression of functional genes in natural systems.

The results of this study constitute the first step towards application of DNA chip technology for gene expression of "exotic" (i.e., not of biomedical importance) processes and organisms in the environment. The gene arrays, along with a full suite of ecosystem process measurements, were applied and assessed along a transect that spans the eutrophic - oligotrophic gradient from the inland waters of the Chesapeake Bay out to the Sargasso Sea. The study area included sites in the Chesapeake Bay, one of its branches, the Choptank River, and the open ocean of the Sargasso Sea, which is the major ocean basin into which water from the Chesapeake Bay flows. Experiments and functional gene studies focused on key transformations in the carbon and nitrogen cycles (C fixation, N fixation, nitrification, denitrification, urea assimilation). The diversity of guilds are being interpreted in terms of ecosystem function, assessed using geochemical data and tracer experiments. In addition to field studies designed to investigate and dissect the natural system, the group of collaborating scientists also performed perturbation experiments using mesocosms. The goal of these experiments was to determine how microbial species diversity affects the major energy and nutrient flows within ecosystems, and to assess the degree of stability or instability associated with changes in redundancy within guilds of microorganisms responsible for major nitrogen and carbon pathways.

The complexity of microbial guilds and microbial processes and the attendant diversity of functional genes and organisms were represented in two parallel investigative themes:

1. Diversity of functional genes: Previously, such analysis was technologically limited by the inability to assay large numbers of samples simultaneously for a large number of genes and organisms. Using gene array technology, we were able to detect the distribution and differential expression of functional genes in natural systems. The results of this study constitutes the first step towards application of DNA chip technology for gene expression of processes and organisms in the natural environment.

2. Rates of biogeochemical processes: Studies focused on key transformations in the carbon and nitrogen cycles (C fixation, N fixation, nitrification, denitrification, urea assimilation). The diversity of microbial guilds were interpreted in terms of ecosystem function, assessed using the physical/chemical data mentioned above and tracer experiments to estimate actual transformation rates.

Station Identifications, locations, and sample depths

Location	ID	Latitude	Longitude	Shallow (m)	Deep (m)
Upper Choptank	CT100	N 38° 48.356'	W 75° 54.625'	1	5
Lower Choptank	CT200	N 38° 37.215'	W 76° 08.189'	1	8
Upper Bay	CB100	N 39° 20.9'	W 76° 10.9'	1	10
Mid Bay	CB200	N 38° 34.1'	W 76° 26.6'	1	21
Lower Bay	CB300	N 37° 16.1'	W 76° 09.0'	1	12
Plume	PL100	N 36° 52'	W 75° 55'	1	14
Sargasso	SS100	N 36° 24'	W 72° 00'	1	2000+

Bacterial Productivities: Leucine incorporation (Kirchman, et al. 1985. Appl. Environm. Microbiol. 49: 599-607)

Photosynthesis: Carbon-14 incorporation (1 hr incubation) in Photosynthetron light gradient. Alpha and Pmax determined from hyperbolic curve fit.

Data supplied by Todd Kana, Horn Point Laboratory, Cambridge, MD.

[ [table of contents](#) | [back to top](#) ]

## Funding

Funding Source	Award
<a href="#">NSF Division of Ocean Sciences (NSF OCE)</a>	<a href="#">OCE-9981482</a>
<a href="#">NSF Division of Ocean Sciences (NSF OCE)</a>	<a href="#">OCE-9981617</a>

[ [table of contents](#) | [back to top](#) ]