

# Sampler Sled data profiles from R/V Oceanus OC415-02, OC415-04 cruises in the Sargasso Sea in 2005 (EDDIES project)

**Website:** <https://www.bco-dmo.org/dataset/3054>

**Version:** 30 October 2007

**Version Date:** 2007-10-30

## Project

» [Eddies Dynamics, Mixing, Export, and Species composition](#) (EDDIES)

## Program

» [Ocean Carbon and Biogeochemistry](#) (OCB)

Contributors	Affiliation	Role
<a href="#">Ledwell, James R.</a>	Woods Hole Oceanographic Institution (WHOI)	Principal Investigator
<a href="#">Chandler, Cynthia L.</a>	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

---

## Table of Contents

- [Dataset Description](#)
- [Parameters](#)
- [Deployments](#)
- [Project Information](#)
- [Program Information](#)

---

## Dataset Description

The sampling and processing are described in a separate documents, one for each cruise (see [T1 cruise](#) and [T2 cruise](#)). The OCB DMO used MATLAB to extract data from original files as submitted by the PI.

Change history:

070604: downloaded original data from EDDIES data web site

071030: prepared for and uploaded to OCB database by Nancy Copley (BCO-DMO) and Cyndy Chandler (BCO-DMO)

Note that the data include some bad lat/lon values.

[ [table of contents](#) | [back to top](#) ]

---

## Parameters

Parameter	Description	Units
profile_ID	profile identification number	dimensionless
cast	cast number	dimensionless
profile_type	profile type (up, down, flight)	dimensionless
SID_sled	scan id number	dimensionless
yrday	time in decimal days, referenced to 0 at start of 2005	decimal day
lon	longitude, negative denotes West	decimal degrees
lat	latitude, negative denotes South	decimal degrees
press	pressure	decibars
temp0	temperature, primary sensor of pair (T90)	degrees Celsius
temp1	temperature, secondary sensor of pair (T90)	degrees Celsius
sal0	salinity, from primary temperature and conductivity of the sensor pairs	dimensionless
sal1	salinity, calculated from secondary temperature and conductivity sensor pairs	dimensionless
cond0	conductivity, primary sensor of the pair	Siemens/meter
cond1	conductivity, secondary sensor of the pair	Siemens/meter
volts_WetI	WET Labs fluorometer voltage	volts
fluor_WetI	Chlorophyll from fluorometer voltage	milligrams/meter <sup>3</sup>
sampl	Sampler status: 1=ON; 0=OFF	dimensionless
fluor_V_Ch	Chelsea Instruments fluorometer voltage	volts
fluor_chla	Chlorophyll from Chelsea fluorometer	milligrams/meter <sup>3</sup>

[ [table of contents](#) | [back to top](#) ]

## Deployments

### OC415-02

<b>Website</b>	<a href="https://www.bco-dmo.org/deployment/57964">https://www.bco-dmo.org/deployment/57964</a>
<b>Platform</b>	R/V Oceanus
<b>Start Date</b>	2005-07-18
<b>End Date</b>	2005-08-04
<b>Description</b>	EDDIES project 2005 Tracer 1 cruise Funded by: NSF OCE-0241310 Original cruise data are available from the NSF R2R data catalog

### OC415-04

<b>Website</b>	<a href="https://www.bco-dmo.org/deployment/57967">https://www.bco-dmo.org/deployment/57967</a>
<b>Platform</b>	R/V Oceanus
<b>Report</b>	<a href="http://ocb.whoi.edu/EDDIES/CRUISES/2005/OC415-4_cruise_report.pdf">http://ocb.whoi.edu/EDDIES/CRUISES/2005/OC415-4_cruise_report.pdf</a>
<b>Start Date</b>	2005-08-29
<b>End Date</b>	2005-09-15
<b>Description</b>	EDDIES project 2005 Tracer 2 cruise Funded by: NSF OCE-0241310 The cruise end date was originally entered as 9/14/2005 (source: UNOLS final ship schedule), but this was changed in February 2015 to end date 9/15/2005. The official record from the vessel operator shows the end date being 9/15/2015. Original cruise data are available from the NSF R2R data catalog

[ [table of contents](#) | [back to top](#) ]

---

## Project Information

### Eddies Dynamics, Mixing, Export, and Species composition (EDDIES)

**Website:** [http://science.whoi.edu/users/olga/eddies/EDDIES\\_Project.html](http://science.whoi.edu/users/olga/eddies/EDDIES_Project.html)

**Coverage:** Sargasso Sea

The original title of this project from the NSF award is: Collaborative Research: Impacts of Eddies and Mixing on Plankton Community Structure and Biogeochemical Cycling in the Sargasso Sea".

Prior results have documented eddy-driven transport of nutrients into the euphotic zone and the associated accumulation of chlorophyll. However, several key aspects of mesoscale upwelling events remain unresolved by the extant database, including: (1) phytoplankton physiological response, (2) changes in community structure, (3) impact on export out of the euphotic zone, (4) rates of mixing between the surface mixed layer and the base of the euphotic zone, and (5) implications for biogeochemistry and differential cycling of carbon and associated bioactive elements. This leads to the following hypotheses concerning the complex, non-linear biological regulation of elemental cycling in the ocean:

H1: Eddy-induced upwelling, in combination with diapycnal mixing in the upper ocean, introduces new nutrients into the euphotic zone.

H2: The increase in inorganic nutrients stimulates a physiological response within the phytoplankton community.

H3: Differing physiological responses of the various species bring about a shift in community structure.

H4: Changes in community structure lead to increases in export from, and changes in biogeochemical cycling within, the upper ocean.

### Publications

Andrews, J.E., Hartin, C., and Buesseler, K.O.. "7Be Analyses in Seawater by Low Background Gamma-Spectroscopy," Journal of Radioanalytical and Nuclear Chemistry, v.277, 2008, p. 253.

Andrews, J.E., Hartin, C., Buesseler, K.O.. "7Be Analyses in Seawater by Low Background Gamma-Spectroscopy," Journal of Radioanalytical and Nuclear Chemistry, v.277, 2008, p. 253.

Benitez-Nelson, C.R. and McGillicuddy, D.J.. "Mesoscale Physical-Biological-Biogeochemical Linkages in the Open Ocean: An Introduction to the Results of the E-Flux and EDDIES Programs.," Deep Sea Research II, v.55, 2008, p. 1133.

Benitez-Nelson, C.R. and McGillicuddy, D.J.. "Mesoscale Physical-Biological-Biogeochemical Linkages in the Open Ocean: An Introduction to the Results of the E-Flux and EDDIES Programs," Deep-Sea Research II, v.55, 2008,

p. 1133.

Bibby, T.S., Gorbunov, M.Y., Wyman, K.W., Falkowski, P.G.. "Photosynthetic community responses to upwelling in mesoscale eddies in the subtropical North Atlantic and Pacific Oceans," *Deep-Sea Research Part II: Topical Studies in Oceanography*, v.55, 2008, p. 1310.

Buesseler, K.O., Lamborg, C., Cai, P., Escoube, R., Johnson, R., Pike, S., Masque, P., McGillicuddy, D.J., Verdeny, E.. "Particle Fluxes Associated with Mesoscale Eddies in the Sargasso Sea," *Deep Sea Research II*, v.55, 2008, p. 1426.

Carlson, C.A., del Giorgio, P., Herdl, G.. "Microbes and the dissipation of energy and respiration: From cells to ecosystems," *Oceanography*, v.20, 2007, p. 89.

Davis, C.S., and McGillicuddy, D.J.. "Transatlantic Abundance of the N<sub>2</sub>-Fixing Colonial Cyanobacterium *Trichodesmium*," *Science*, v.312, 2006, p. 1517.

Ewart, C.S., Meyers, M.K., Wallner, E., McGillicuddy, D.J., Carlson, C.A.. "Microbial Dynamics in Cyclonic and Anticyclonic Mode-Water Eddies in the Northwestern Sargasso Sea," *Deep Sea Research II*, v.55, 2008, p. 1334.

Ewart, C.S., Meyers, M.K., Wallner, E., McGillicuddy, D.J., Carlson, C.A.. "Microbial Dynamics in Cyclonic and Anticyclonic Mode-Water Eddies in the Northwestern Sargasso Sea," *Deep-Sea Research II*, v.55, 2008, p. 1334.

Goldthwait, S.A. and Steinberg, D.K.. "Elevated biomass of mesozooplankton and enhanced fecal pellet flux in cyclonic and mode-water eddies in the Sargasso Sea," *Deep-Sea Research Part II: Topical Studies in Oceanography*, v.55, 2008, p. 1360.

Greenan, B.J.W.. "Shear and Richardson number in a mode-water eddy," *Deep-Sea Research Part II: Topical Studies in Oceanography*, v.55, 2008, p. 1161.

Jenkins, W.J., McGillicuddy, D.J., and Lott III, D.E.. "The Distributions of, and Relationship Between <sup>3</sup>He and Nitrate in Eddies," *Deep Sea Research II*, v.55, 2008, p. 1389.

Jenkins, W.J., McGillicuddy, D.J., Lott III, D.E.. "The Distributions of, and Relationship Between <sup>3</sup>He and Nitrate in Eddies," *Deep-Sea Research II*, v.55, 2008, p. 1389.

Ledwell, J.R., McGillicuddy, D.J., and Anderson, L.A.. "Nutrient Flux into an Intense Deep Chlorophyll Layer in a Mode-water Eddy," *Deep Sea Research II*, v.55, 2008, p. 1139.

Ledwell, J.R., McGillicuddy, D.J., Anderson, L.A.. "Nutrient Flux into an Intense Deep Chlorophyll Layer in a Mode-water Eddy," *Deep-Sea Research II*, v.55, 2008, p. 1139.

Li, Q.P. and Hansell, D.A.. "Intercomparison and coupling of MAGIC and LWCC techniques for trace analysis of phosphate in seawater," *Analytical Chemica Acta*, v.611, 2008, p. 68.

Li, Q.P., Hansell, D.A., McGillicuddy, D.J., Bates, N.R., Johnson, R.J.. "Tracer-based assessment of the origin and biogeochemical transformation of a cyclonic eddy in the Sargasso Sea," *Journal of Geophysical Research*, v.113, 2008, p. 10006.

Li, Q.P., Hansell, D.A., Zhang, J.-Z.. "Underway monitoring of nanomolar nitrate plus nitrite and phosphate in oligotrophic seawater," *Limnology and Oceanography: Methods*, v.6, 2008, p. 319.

Li, Q.P., Zhang, J.-Z., Millero, F.J., Hansell, D.A.. "Continuous colorimetric determination of trace ammonium in seawater with a long-path liquid waveguide capillary cell," *Marine Chemistry*, v.96, 2005, p. 73.

McGillicuddy, D.J., et. al.. "Eddy/Wind Interactions Stimulate Extraordinary Mid-Ocean Plankton Blooms," *Science*, v.316, 2007, p. 1021.

McGillicuddy, D.J., Ledwell, J.R., and Anderson, L.A.. "Response to Comment on "Eddy/Wind Interactions Stimulate Extraordinary Mid-Ocean Plankton Bloom",," *Science*, v.320, 2008.

McGillicuddy, D.J., Ledwell, J.R., Anderson, L.A.. "Response to Comment on "Eddy/Wind Interactions Stimulate Extraordinary Mid-Ocean Plankton Bloom",," *Science*, v.320, 2008.

McGillicuddy, et. al.. "Eddy/Wind Interactions Stimulate Extraordinary Mid-Ocean Plankton Blooms.," *Science*,

[ [table of contents](#) | [back to top](#) ]

---

## **Program Information**

### **Ocean Carbon and Biogeochemistry (OCB)**

**Website:** <http://us-ocb.org/>

**Coverage:** Global

The Ocean Carbon and Biogeochemistry (OCB) program focuses on the ocean's role as a component of the global Earth system, bringing together research in geochemistry, ocean physics, and ecology that inform on and advance our understanding of ocean biogeochemistry. The overall program goals are to promote, plan, and coordinate collaborative, multidisciplinary research opportunities within the U.S. research community and with international partners. Important OCB-related activities currently include: the Ocean Carbon and Climate Change (OCCC) and the North American Carbon Program (NACP); U.S. contributions to IMBER, SOLAS, CARBOOCEAN; and numerous U.S. single-investigator and medium-size research projects funded by U.S. federal agencies including NASA, NOAA, and NSF.

The scientific mission of OCB is to study the evolving role of the ocean in the global carbon cycle, in the face of environmental variability and change through studies of marine biogeochemical cycles and associated ecosystems.

The overarching OCB science themes include improved understanding and prediction of: 1) oceanic uptake and release of atmospheric CO<sub>2</sub> and other greenhouse gases and 2) environmental sensitivities of biogeochemical cycles, marine ecosystems, and interactions between the two.

The OCB Research Priorities (updated January 2012) include: ocean acidification; terrestrial/coastal carbon fluxes and exchanges; climate sensitivities of and change in ecosystem structure and associated impacts on biogeochemical cycles; mesopelagic ecological and biogeochemical interactions; benthic-pelagic feedbacks on biogeochemical cycles; ocean carbon uptake and storage; and expanding low-oxygen conditions in the coastal and open oceans.

[ [table of contents](#) | [back to top](#) ]