Radiometer data from autonomous buoy 07949 from ARSV Laurence M. Gould LMG0106 in the Southern Ocean from Aug. to Nov. 2001 (SOGLOBEC project, Sea Ice Microbes project)

Website: https://www.bco-dmo.org/dataset/3117

Data Type: Cruise Results

Version: 1

Version Date: 2013-05-24

Project

» U.S. GLOBEC Southern Ocean (SOGLOBEC)

» GLOBEC: Sea Ice Microbial Communities (Sea Ice Microbes)

Programs

- » <u>U.S. GLOBal ocean ECosystems dynamics</u> (U.S. GLOBEC)
- » <u>U.S. GLOBal ocean ECosystems dynamics</u> (U.S. GLOBEC)

Contributors	Affiliation	Role
Costa, Daniel P.	University of California-Santa Cruz (UCSC)	Principal Investigator
Fritsen, Chris H.	Desert Research Institute (DRI)	Co-Principal Investigator
Copley, Nancy	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Abstract

Radiometer data from autonomous buoy 07949 from ARSV Laurence M. Gould LMG0106 in the Southern Ocean from Aug. to Nov. 2001 (SOGLOBEC project, Sea Ice Microbes project)

Table of Contents

- Coverage
- Dataset Description
 - Methods & Sampling
- Data Files
- Parameters
- Instruments
- <u>Deployments</u>
- Project Information
- Program Information
- Funding

Coverage

Spatial Extent: N:-67.889 E:-69.552 S:-68.717 W:-72.355

Temporal Extent: 2001-08-06 - 2001-11-10

Dataset Description

Related datasets:

buoy position Autonomous buoy position data, Aug. - Nov. 2001

<u>buoy_temp_barom</u> Air temperature and barometric pressure results from autonomous buoys, Aug. - Nov. 2001


buoy therm Thermistor data at 10 cm intervals in air, ice, water from autonomous buoys, Aug. - Nov. 2001

Methods & Sampling

During the July-September 2001 Southern Globec cruises of the Palmer and Gould we installed four buoys. Two of the buoys (07413, 07440) were standard off-the-shelf Met-Ocean Ice buoys (see above photograph). These buoys measured barometric pressure, air temperature, and GPS position. The data were transmitted via ARGOS. A radar reflector was mounted on a wooden 4×4 to help find the site if there was an opportunity to return, however the reflector return was difficult to discern among all the backscatter clutter caused by deformed ice and icebergs.

The other two buoys (07949, 07950) were custom made CRREL ice mass balance buoys (photo on right). These buoys reported barometric pressure, Argos position, and air temperature. In addition they had a thermistor string that measured a vertical profile of temperature, at 10 cm spacing, from the air, through the snow and ice, and into the upper ocean. There were acoustic sensors measuring the positions of the snow surface and ice bottom. A fluorometer was mounted under the ice. One of the buoys (07949) had three spectroradiometers; one mounted about the ice, one mounted directly below the ice, and one a few meters deep in the upper ocean. Results from all buoys are compared.

Tracks from all 2001 buoys:



[table of contents | back to top]

Data Files

File

buoy_radm.csv(Comma Separated Values (.csv), 122.01 KB)
MD5:021e0a2c028957228ce09f36383bb8ca

Primary data file for dataset ID 3117

[table of contents | back to top]

Parameters

Parameter	Description	Units
yrday_gmt	GMT day and decimal time, as 326.5 for the 326th day of the year, or November 22 at 1200 hours (noon)	
date_gmt	gmt month, day and year, usually as a text string, e.g. feb10_1995.	
year	year, reported as YYYY, e.g. 1995	
month_gmt	month of year, GMT time , i.e. 01-12	
day_gmt	day, GMT time e.g. 22.	
time_gmt	time of day, reported in GMT time, 24 hour clock	
location	location of thermister: air, ice or water	
rad_412_3	spectroradiometer readings at wavelength 412.3	mW nm-1 cm-2
rad_442_8	spectroradiometer readings at wavelength 442.8	mW nm-1 cm-2
rad_490_6	spectroradiometer readings at wavelength 490.6	mW nm-1 cm-2
rad_555	spectroradiometer readings at wavelength 555	mW nm-1 cm-2
lat	latitude, North is positive	decimal degrees
lon	longitude, east is positive	decimal degrees
buoy_id	buoy identification number	

[table of contents | back to top]

Instruments

Dataset- specific Instrument Name	Drifter Buoy
Generic Instrument Name	Drifter Buoy
Dataset- specific Description	Two of the buoys (07413, 07440) were standard off-the-shelf Met-Ocean Ice buoys. These buoys measured barometric pressure, air temperature, and GPS position. The data were transmitted via ARGOS. The other two buoys (07949, 07950) were custom made CRREL ice mass balance buoys (photo on right). These buoys reported barometric pressure, Argos position, and air temperature. In addition they had a thermistor string that measured a vertical profile of temperature. There were acoustic sensors measuring the positions of the snow surface and ice bottom. A fluorometer was mounted under the ice. One of the buoys (07949) had three spectroradiometers; one mounted about the ice, one mounted directly below the ice, and one a few meters deep in the upper ocean.
Generic Instrument Description	Drifting buoys are free drifting platforms with a float or buoy that keep the drifter at the surface and underwater sails or socks that catch the current. These instruments sit at the surface of the ocean and are transported via near-surface ocean currents. They are not fixed to the ocean bottom, therefore they "drift" with the currents. For this reason, these instruments are referred to as drifters, or drifting buoys. The surface float contains sensors that measure different parameters, such as sea surface temperature, barometric pressure, salinity, wave height, etc. Data collected from these sensors are transmitted to satellites passing overhead, which are then relayed to land-based data centers. definition sources: https://mmisw.org/ont/ioos/platform/drifting_buoy and https://www.aoml.noaa.gov/phod/gdp/faq.php#drifter1

[table of contents | back to top]

Deployments

LMG0106

Website	https://www.bco-dmo.org/deployment/57639	
Platform	ARSV Laurence M. Gould	
Report	http://www.ccpo.odu.edu/Research/globec/cruises01/lmg0106_menu.html	
Start Date	2001-07-21	
End Date	2001-09-01	

[table of contents | back to top]

Project Information

U.S. GLOBEC Southern Ocean (SOGLOBEC)

Website: http://www.ccpo.odu.edu/Research/globec_menu.html

Coverage: Southern Ocean

The fundamental objectives of United States Global Ocean Ecosystems Dynamics (U.S. GLOBEC) Program are dependent upon the cooperation of scientists from several disciplines. Physicists, biologists, and chemists must make use of data collected during U.S. GLOBEC field programs to further our understanding of the interplay of physics, biology, and chemistry. Our objectives require quantitative analysis of interdisciplinary data

sets and, therefore, data must be exchanged between researchers. To extract the full scientific value, data must be made available to the scientific community on a timely basis.

GLOBEC: Sea Ice Microbial Communities (Sea Ice Microbes)

Coverage: Southern Ocean

The U.S. Global Ocean Ecosystems Dynamics (U.S. GLOBEC) program has the goal of understanding and ultimately predicting how populations of marine animal species respond to natural and anthropogenic changes in climate. Research in the Southern Ocean (SO) indicates strong coupling between climatic processes and ecosystem dynamics via the annual formation and destruction of sea ice. The Southern Ocean GLOBEC Program (SO GLOBEC) will investigate the dynamic relationship between physical processes and ecosystem responses through identification of critical parameters that affect the distribution, abundance and population dynamics of target species. The overall goals of the SO GLOBEC program are to elucidate shelf circulation processes and their effect on sea ice formation and krill distribution, and to examine the factors which govern krill survivorship and availability to higher trophic levels, including penguins, seals and whales. The focus of the U.S. contribution to the international SO GLOBEC program will be on winter processes. This component will focus on the distribution and activities of sea ice microbial communities. This will be accomplished using an integrated combination of sampling (vertical profiles, horizontal surveys, and under-ice surveys) and observational protocols. Experiments will be designed to estimate microbial activity within the sea ice and at the ice-seawater interface. The research will be coordinated with components studying the water column productivity and the sea ice habitat. The result of the integrated SO GLOBEC program will be to improve the predictability of living marine resources, especially with respect to local and global climatic shifts.

[table of contents | back to top]

Program Information

U.S. GLOBal ocean ECosystems dynamics (U.S. GLOBEC)

Website: http://www.usglobec.org/

Coverage: Global

U.S. GLOBEC (GLOBal ocean ECosystems dynamics) is a research program organized by oceanographers and fisheries scientists to address the question of how global climate change may affect the abundance and production of animals in the sea.

The U.S. GLOBEC Program currently had major research efforts underway in the Georges Bank / Northwest Atlantic Region, and the Northeast Pacific (with components in the California Current and in the Coastal Gulf of Alaska). U.S. GLOBEC was a major contributor to International GLOBEC efforts in the Southern Ocean and Western Antarctic Peninsula (WAP).

U.S. GLOBal ocean ECosystems dynamics (U.S. GLOBEC)

Website: http://www.usglobec.org/

Coverage: Global

U.S. GLOBEC (GLOBal ocean ECosystems dynamics) is a research program organized by oceanographers and

fisheries scientists to address the question of how global climate change may affect the abundance and production of animals in the sea.

The U.S. GLOBEC Program currently had major research efforts underway in the Georges Bank / Northwest Atlantic Region, and the Northeast Pacific (with components in the California Current and in the Coastal Gulf of Alaska). U.S. GLOBEC was a major contributor to International GLOBEC efforts in the Southern Ocean and Western Antarctic Peninsula (WAP).

[table of contents | back to top]

Funding

Funding Source	Award
NSF Antarctic Sciences (NSF ANT)	ANT-9910098

[table of contents | back to top]