

# Discrete samples of particulate phosphorus from R/V Kilo Moana KM0715, R/V Melville MV1015 in the N. Pacific Subtropical Gyre north of Hawaii and S. Pacific from Arica, Chile to Easter Island, 2007-2010 (C-MORE project)

**Website:** <https://www.bco-dmo.org/dataset/3271>

**Version:** (See Platform Deployments)

**Version Date:** 2012-01-09

## Project

» [Center for Microbial Oceanography: Research and Education](#) (C-MORE)

Contributors	Affiliation	Role
<a href="#">Letelier, Ricardo</a>	Oregon State University (OSU-CEOAS)	Principal Investigator
<a href="#">White, Angelique E.</a>	Oregon State University (OSU-CEOAS)	Principal Investigator, Contact
<a href="#">Nahorniak, Jasmine</a>	Oregon State University (OSU-CEOAS)	Data Manager
<a href="#">Gegg, Stephen R.</a>	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

## Table of Contents

- [Dataset Description](#)
  - [Methods & Sampling](#)
  - [Data Processing Description](#)
- [Parameters](#)
- [Deployments](#)
- [Project Information](#)
- [Funding](#)

---

## Dataset Description

C-MORE Discrete PP  
Discrete samples of Particulate Phosphorus

## Methods & Sampling

See Platform Deployments for cruise specific documentation

## Data Processing Description

See Platform Deployments for cruise specific documentation

[ [table of contents](#) | [back to top](#) ]

---

## Parameters

<b>Parameter</b>	<b>Description</b>	<b>Units</b>
date	date	YYYYMMDD
lat	latitude	decimal degrees
lon	longitude	decimal degrees
sta	station number	dimensionless
cast	cast number	dimensionless
depth	depth	meters
bot	rosette bottle number	dimensionless
TPP	total particulate phosphorus concentration	nanomoles/liter
activity_and_comments	comments	text

[ [table of contents](#) | [back to top](#) ]

---

## **Deployments**

**KM0715**

<b>Website</b>	<a href="https://www.bco-dmo.org/deployment/57999">https://www.bco-dmo.org/deployment/57999</a>
<b>Platform</b>	R/V Kilo Moana
<b>Report</b>	<a href="ftp://ftp.soest.hawaii.edu/dkarl/cmore/Cruise_Reports/bloomer1/Letelier_cm2_rpt.pdf">ftp://ftp.soest.hawaii.edu/dkarl/cmore/Cruise_Reports/bloomer1/Letelier_cm2_rpt.pdf</a>
<b>Start Date</b>	2007-08-09
<b>End Date</b>	2007-08-21
<b>Description</b>	<p>C-MORE BLOOMER (BLOOM Ecological Reconnaissance) C-MORE 2 cruise C-MORE August 2007 cruise objectives and logistics downloaded from C-MORE site 'Cruise objectives' document, 14 September 2009 GENERAL CRUISE OBJECTIVES The primary goal this year will be the characterization of the microbial assemblage and biogeochemical fluxes associated to summer increases in cyanobacterial biomass in the vicinity of Station ALOHA. This characterization will be compared to a sampling site where no biomass increase is detected. In addition, we will try to establish transects across a bloom region, or try to sample distinct areas where blooms are detected from remote sensing and SeaGliders, to assess the spatial heterogeneity of these blooms. GENERAL CRUISE PLAN: August 8th: Loading day August 9th, 8:00 Departure from Snug. 1st scenario: If a boom is remotely detected within 100km of Station ALOHA August 9th to August 10th at 5AM: Transit to the bloom station August 10th to August 13th in the morning: Sample and carry experiments within the bloom (considers the deployment of sediment traps for at least 72 hours on August 10th and carrying on deck incubation time series for 5 days [August 15th]) August 13th noon to August 14th evening: Series of stations to characterize the spatial heterogeneity of the bloom. August 14th evening to August 15th 5AM: Transit toward Station ALOHA or a site within 100km of this site not displaying high accumulation of chlorophyll in surface waters. August 15th to August 18th in the morning: Sample and carry experiments outside the bloom. August 19th is left as a buffer and could be used to revisit the sampling site. August 20th early morning - noon: start transit back to Honolulu. 2nd scenario: If blooms are not detected in the vicinity of Station ALOHA: August 9th to August 10th at 5AM: Transit to 24N, 158W where increase sea surface chlorophyll concentration was observed on July 18 to 28. This location could change once we have developed the full MODIS chlorophyll statistics for the month of July for the study region. We will use these statistics to assess the station that has had the largest change in chlorophyll concentration as well as the station that has not seen significant chlorophyll fluctuation within 100 to 200km radius north of Station ALOHA. These will represent our primary sampling sites, replacing the bloom and non bloom sites in the 1st scenario. As in the first scenario, we will devote August 13th and August 14th to assess the spatial heterogeneity of the sampling region. 3rd scenario: A bloom develops during the cruise. We will modify the cruise plan accordingly in order to characterize the bloom evolution. C-MORE 2 BLOOMER Cruise Reports Cruise reports available from the C-MORE ftp site: <a href="ftp://ftp.soest.hawaii.edu/dkarl/cmore/Cruise_Reports/bloomer1/">ftp://ftp.soest.hawaii.edu/dkarl/cmore/Cruise_Reports/bloomer1/</a> each investigator contributed a separate report. Related information sources from the C-MORE Web Site: Homepage: <a href="http://cmore.soest.hawaii.edu/cruises/cm2/index.htm">http://cmore.soest.hawaii.edu/cruises/cm2/index.htm</a> Data: <a href="http://hahana.soest.hawaii.edu/cm2bloomer/cm2bloomer.html">http://hahana.soest.hawaii.edu/cm2bloomer/cm2bloomer.html</a> Cruise track: <a href="http://hahana.soest.hawaii.edu/cm2bloomer/cm2LocMap.gif">http://hahana.soest.hawaii.edu/cm2bloomer/cm2LocMap.gif</a> Cruise objectives: <a href="http://hahana.soest.hawaii.edu/cm2bloomer/cm2_objectives_logistics...">http://hahana.soest.hawaii.edu/cm2bloomer/cm2_objectives_logistics...</a> Cruise event sheet: <a href="http://hahana.soest.hawaii.edu/cm2bloomer/cm2_final_master_event_s...">http://hahana.soest.hawaii.edu/cm2bloomer/cm2_final_master_event_s...</a> Cruise information and original data are available from the NSF R2R data catalog.</p> <p><b>Methods &amp; Sampling</b> (tbd)</p> <p><b>Processing Description</b> # Discrete samples of PP # CMORE/BLOOMER # Ocean Microbial Ecology Laboratory # Ricardo Letelier # 2009 # original file: White_KM0715_Summary.xls # date ingested into BCO-DMO: September 28, 2009 # date updated: December 7, 2009 # date updated: December 7, 2011 (format change only - data values unchanged) #</p>

<b>Website</b>	<a href="https://www.bco-dmo.org/deployment/58647">https://www.bco-dmo.org/deployment/58647</a>
<b>Platform</b>	R/V Melville
<b>Report</b>	<a href="http://cmore.soest.hawaii.edu/cruises/big_rapa/">http://cmore.soest.hawaii.edu/cruises/big_rapa/</a>
<b>Start Date</b>	2010-11-18
<b>End Date</b>	2010-12-14
<b>Description</b>	<p>The South East Pacific (SEP) is characterized by very high nutrient concentrations in the waters adjacent to the Chilean coast, but very low nutrient concentrations (oligotrophic) in the mid- South Pacific Subtropical Gyre (SPSG), near Easter Island. The steep gradient in nutrient concentrations across the region affects the level of marine production, the composition of the microbial community, and the operation of major biogeochemical cycles in ways that are not fully understood. Despite the remarkable diversity of trophic conditions, strong gradients and even some unique singularities, the SEP is still the most sparsely sampled oceanic region of the global ocean from hydrodynamic, biological and biogeochemical points of view. The SPSG is also the most oligotrophic of all sub-tropical gyres. Previous expeditions and remote sensing studies have describes the nutrient and chlorophyll field, but there have been few simultaneous measurements of chemical properties with microbial community structure and function. This expedition is designed to investigate the impact of elemental nutrient (nitrogen, phosphorus, iron, silicon, carbon) ratios on marine productivity and microbial community composition. We propose to sample along a line extending from the Chilean coast near Arica to Easter Island. We will occupy three major "process" stations for up to five days each; a high productivity, near shore station, a mid-cruise station in the nutrient transition zone, and a low productivity, mid-gyre station near Easter Island. In between these stations, we will briefly sample at additional "survey" stations at lower intensity along the cruise track. Cruise information and original data are available from the NSF R2R data catalog. BiG RAPA Home project Web site with additional information</p> <p><b>Methods &amp; Sampling</b>  PP Analysis: Samples for PP (particulate phosphorus) are collected on acid washed combusted 25mm glass fiber filters (GF/F) and stored in a -80 freezer until analysis. Samples are further analyzed using a CARY UV-VIS Spectrophotometer following the combustion and acid hydrolysis method of Karl, et al. (1991).</p> <p><b>Processing Description</b>  # Discrete samples of PP # CMORE/BiG RAPA # Ocean Microbial Ecology Laboratory # Ricardo Letelier # 2010 # original file: BIGRAPA_ELEMENTS_Post.xlsx # date ingested into BCO-DMO: January 9, 2012 #</p>

[ [table of contents](#) | [back to top](#) ]

## Project Information

**Center for Microbial Oceanography: Research and Education (C-MORE)**

**Website:** <http://cmore.soest.hawaii.edu/>

**Coverage:** North Pacific Subtropical Gyre (large region around 22 45 N, 158 W)

## Project summary

The **Center for Microbial Oceanography: Research and Education (C-MORE)** is a recently established (August 2006; NSF award: EF-0424599) NSF-sponsored Science and Technology Center designed to facilitate a more comprehensive understanding of the diverse assemblages of microorganisms in the sea, ranging from the genetic basis of marine microbial biogeochemistry including the metabolic regulation and environmental controls of gene expression, to the processes that underpin the fluxes of carbon, related bioelements and energy in the marine environment. Stated holistically, C-MORE's primary mission is: *Linking Genomes to Biomes*.

We believe that the time is right to address several major, long-standing questions in microbial oceanography. Recent advances in the application of molecular techniques have provided an unprecedented view of the structure, diversity and possible function of sea microbes. By combining these and other novel approaches with more well-established techniques in microbiology, oceanography and ecology, it may be possible to develop a meaningful predictive understanding of the ocean with respect to energy transduction, carbon sequestration, bioelement cycling and the probable response of marine ecosystems to global environmental variability and climate change. The strength of C-MORE resides in the synergy created by bringing together experts who traditionally have not worked together and this, in turn, will facilitate the creation and dissemination of new knowledge on the role of marine microbes in global habitability.

The new Center will design and conduct novel research, broker partnerships, increase diversity of human resources, implement education and outreach programs, and utilize comprehensive information about microbial life in the sea. The Center will bring together teams of scientists, educators and community members who otherwise do not have an opportunity to communicate, collaborate or design creative solutions to long-term ecosystem scale problems. The Center's research will be organized around four interconnected themes:

- (Theme I) microbial biodiversity,
- (Theme II) metabolism and C-N-P-energy flow,
- (Theme III) remote and continuous sensing and links to climate variability, and
- (Theme IV) ecosystem modeling, simulation and prediction.

Each theme will have a leader to help coordinate the research programs and to facilitate interactions among the other related themes. The education programs will focus on pre-college curriculum enhancements, in service teacher training and formal undergraduate/graduate and post-doctoral programs to prepare the next generation of microbial oceanographers. The Center will establish and maintain creative outreach programs to help diffuse the new knowledge gained into society at large including policymakers. The Center's activities will be dispersed among five partner institutions:

- Massachusetts Institute of Technology,
- Woods Hole Oceanographic Institution,
- Monterey Bay Aquarium Research Institute,
- University of California at Santa Cruz and
- Oregon State University

and will be coordinated at the University of Hawaii at Manoa.

#### **Related Files:**

[Strategic plan \(PDF file\)](#)

[ [table of contents](#) | [back to top](#) ]

---

## **Funding**

<b>Funding Source</b>	<b>Award</b>
<a href="#">NSF Division of Biological Infrastructure (NSF DBI)</a>	<a href="#">DBI-0424599</a>

[ [table of contents](#) | [back to top](#) ]