

Cruise track position data from R/V Thomas G. Thompson cruise TN210 in the Gulf of Alaska, North Pacific in 2007 (Northern Gulf of Alaska Phytoplankton project)

Website: <https://www.bco-dmo.org/dataset/3607>

Version: 24 January 2012

Version Date: 2012-01-24

Project

» [Influence of continental margin iron on phytoplankton species composition and production in the northern Gulf of Alaska](#) (Northern Gulf of Alaska Phytoplankton)

Contributors	Affiliation	Role
Bruland, Kenneth W.	University of California-Santa Cruz (UCSC)	Principal Investigator, Contact
Gegg, Stephen R.	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Table of Contents

- [Dataset Description](#)
 - [Methods & Sampling](#)
 - [Data Processing Description](#)
- [Data Files](#)
- [Parameters](#)
- [Instruments](#)
- [Deployments](#)
- [Project Information](#)
- [Funding](#)

Dataset Description

Cruise tracks generated from nav file downloaded from the [Marine Geoscience Data System](#)
Cruise_Id, Date, Time, Lat, Lon
1 minute fixes

Methods & Sampling

Cruise tracks generated by BCO-DMO staff from nav file downloaded from the [Marine Geoscience Data System](#)

Data Processing Description

Cruise tracks generated by BCO-DMO staff from nav file downloaded from the [Marine Geoscience Data System](#)

BCO-DMO Processing/Edits

- Generated from original file "TN210.nav.gz" downloaded from the [Marine Geoscience Data System](#)
- Awk script "Decimate_CruiseTrack_csv.awk" generated to reformat and decimate the data

- Parameter names changed to conform to BCO-DMO parameter naming convention
- Cruise Id added
- Date reformatted to YYYYMMDD
- Time reformatted to HHMMSS

Data Files

File
TN210_CruiseTrack.csv (Comma Separated Values (.csv), 2.05 MB) MD5:ebf2edaebdbcbcc6743cd70be52b5ed5
Primary data file for dataset ID 3607

Parameters

Parameter	Description	Units
date	date (GMT)	YYYYMMDD
time	time (GMT)	HHMMSS
lon	Station longitude (West is negative)	decimal degrees
lat	Station latitude (South is negative)	decimal degrees
cruise_id	cruise_id	text

Instruments

Dataset-specific Instrument Name	R/V Thomas G. Thompson Navigation System
Generic Instrument Name	Global Positioning System Receiver
Dataset-specific Description	R/V Thomas G. Thompson Navigation System
Generic Instrument Description	The Global Positioning System (GPS) is a U.S. space-based radionavigation system that provides reliable positioning, navigation, and timing services to civilian users on a continuous worldwide basis. The U.S. Air Force develops, maintains, and operates the space and control segments of the NAVSTAR GPS transmitter system. Ships use a variety of receivers (e.g. Trimble and Ashtech) to interpret the GPS signal and determine accurate latitude and longitude.

Deployments

TN210

Website	https://www.bco-dmo.org/deployment/58769
Platform	R/V Thomas G. Thompson
Start Date	2007-08-15
End Date	2007-09-21
Description	USGS Info Bank for TN210 Cruise information and original data are available from the NSF R2R data catalog.

[[table of contents](#) | [back to top](#)]

Project Information

Influence of continental margin iron on phytoplankton species composition and production in the northern Gulf of Alaska (Northern Gulf of Alaska Phytoplankton)

Website: <http://oceandatacenter.ucsc.edu/home/index.html>

Coverage: Gulf of Alaska

Influence of continental margin iron on phytoplankton species composition and production in the northern Gulf of Alaska (part of Enhanced Phytoplankton Biomass-Northwest Gulf of Alaska)

The northern Gulf of Alaska (GOA) is among the ocean's most productive ecosystems and supports a rich coastal fisheries. Although strong cross-shelf gradients in phytoplankton (chlorophyll decreasing offshore) have been identified, yet the specific factors that regulate and control primary production have only been hypothesized. Cross-shelf patterns in primary production/species composition are consistent with a gradient of iron availability (Strom et al., in press), but this has yet to be rigorously tested. In collaboration with the NSF-funded project Mixing of iron-rich coastal waters with nutrient-rich HNLC waters leading to enhanced phytoplankton biomass: a focus on the northwest Gulf of Alaska (K. Bruland), this project will examine the influence of cross-shelf exchange and physico-chemical gradients on phytoplankton distributions, physiology, and assemblage structure in the northern GOA, making use of complementary high-resolution iron data and building on the results from previous studies. The proposed work directly complements studies accomplished by the US GLOBEC Coastal Gulf of Alaska (CGOA) program, and is essential to link Bruland's study of trace metal dynamics and speciation to key biological processes. Bruland's project seeks to quantify the inputs of iron from the Copper River, AK, and to characterize and assess the interactions among river inputs and shelf/offshore systems. The quasi-synoptic sampling scheme enables characterization at the mesoscale, the dominant scale of variability in the region. The station grid allows quasi-synoptic sampling while remaining flexible to take advantage of interesting mesoscale features. Should a mesoscale eddy be present, the study will focus on the role that eddy circulation plays in facilitating the offshore transport (suggested by Stabeno et al., 2004) of bio-active trace metals.

This project aims to provide a detailed examination of the phytoplankton rates, assemblage structure, and response to cross-shelf transport/ mixing across gradients in iron and light to better parameterize satellite observations and future modeling efforts. Specific questions include: 1) Do cross-shelf gradients in iron correspond to patterns of carbon assimilation, nutrient uptake, new production, and species composition of phytoplankton in the northern GOA? 2) Do iron and light interact to structure species assemblages and patterns of carbon assimilation? 3) How do frontal regions influence phytoplankton distributions and physiology? 4) What bio-optical properties characterize the different water masses (inshore/offshore), and how well do satellite observations describe phytoplankton standing stocks and rates? 5) What chemical characteristics define the deep Fe-source identified by Lam et al. (2006), and what is the bioavailability of this material when mixed with near-surface waters? This study will provide the first concurrent measurements of iron concentration and phytoplankton physiological parameters in the waters of the northern GOA.

Broader Impacts. The proposed work will be extremely valuable in testing hypotheses arising from many years of effort by GLOBEC CGOA. Data from this study will further our understanding of ocean-climate interactions in an economically and ecologically important region. The results could have far-reaching implications for our

basic understanding of coupled biogeochemical cycles in shelf ecosystems. This will have both direct and indirect impacts on our understanding of carbon cycling, as well as how other researchers parameterize regional and global biogeochemical models.

[[table of contents](#) | [back to top](#)]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-0726858

[[table of contents](#) | [back to top](#)]