Control point navigation from R/V Atlantis AT16 from the Northwest Atlantic Margin; 5000 m water depth off Nova Scotia, off Cape Cod, and off Cape Hatteras (Carbon Export project)

Website: https://www.bco-dmo.org/dataset/3679 Version: 25 July 2012 Version Date: 2012-07-25

Project

» Particle Transport and Carbon Export over the Northwest Atlantic Margin (Carbon Export)

Program

» Ocean Carbon and Biogeochemistry (OCB)

Contributors	Affiliation	Role
Eglinton, Timothy I.	Woods Hole Oceanographic Institution (WHOI)	Chief Scientist
Chandler, Cynthia L.	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Table of Contents

- Dataset Description
- Data Files
- Parameters
- Deployments
- <u>Project Information</u>
- Program Information
- Funding

Dataset Description

This is control point navigation from AT16. It was downloaded from the R2R website.

[table of contents | back to top]

Data Files

File
Shiptracknav.csv(Comma Separated Values (.csv), 3.00 KB)
MD5:eb3a7241a1d708b1bba42333081302e3
Primary data file for dataset ID 3679

[table of contents | back to top]

Parameters

Parameter	Description	Units
date	the date.	yyyymmdd
time	24-hr time	hhmm
lat	latitude in decimal degrees	decimal degrees
lon	longitude in decimal degrees. West is negative.	decimal degrees

Deployments

AT16		
Website	https://www.bco-dmo.org/deployment/58835	
Platform	R/V Atlantis	
Start Date	2010-09-10	
End Date	2010-10-05	
Description	Science Objectives The overall goal of the project is to examine the transport and export of particulate organic carbon (POC) over the northwest Atlantic Ocean margin. Specific objectives are to examine the role of the Deep Western Boundary Current in along-margin transport of POC. It is hypothesized that along- and across-margin transport of POC is important for supply of organic carbon to deep-ocean sediments. Geochemical investigations of organic matter entrained in bottom and intermediate depth suspended particle (nepheloid) layers as well as sinking particles are planned as well as hydrographic surveys in order to place findings within the context of regional physical oceanography. Hydrographic surveys and sampling will occur along 3 across-margin transpects in each case extending from the shelf-break to ~ 5000 m water depth (off Nova Scotia, off Cape Cod, and off Cape Hatteras). The assessments of particle dynamics will be coupled to an existing hydrographic observation program along an ocean section between Cape Cod and Bermuda ('Line W'). The 'Line W' program is focused on the physical characteristics of the region, and provides an accompanying framework for the study of carbon dynamics. A series of 3 across-margin transects are designed to capture the sources and movement of particulate matter. The proposed sampling program includes CTD hydrocasts and large-volume (up to 1000L) in-situ filtration with McLane submersible pumps. The science plan also calls for deployment of 2 sediment trap moorings and perhaps some sediment coring (multicorer). The intent is to obtain high vertical and spatial resolution filter samples for detailed analysis of particle abundance and characteristics within intermediate-depth and bottom nepheloid layers. The science implementation plan includes deployment of: Sea-Bird Electronics, Inc. CTD rosette equipped with transmissometer and optical back scatter sensor; Gilder Autonomous Underwater Vehicle (AUV) equipped with CTD and optical backscatter sensor; Sea floor-tethered moo	

[table of contents | back to top]

Project Information

Particle Transport and Carbon Export over the Northwest Atlantic Margin (Carbon Export)

Coverage: Nova Scotian continental slope waters; Cape Hatteras margin slope waters

This award is funded under the American Recovery and Reinvestment Act of 2009 (Public Law 111-5).

In this project researchers at the Woods Hole Oceanographic Institution (WHOI) seek to address two primary questions regarding the transport of organic carbon over the New England continental margin. Their first question addresses the relative importance of intermediate nepheloid layers versus benthic nepheloid layers for organic carbon transport. Their second question focuses on assessing the importance of interannual variability on particle transport. The researchers will collect both settling and suspended particles along the NW Atlantic ocean margin, and they will utilize both novel and established tracers of material transport to address their primary research questions. Their assessments of particle dynamics will be coupled to an existing hydrographic observation program along an ocean section between Cape Cod and Bermuda (Line W). This

program is focused on the physical characteristics of the region, and provides an accompanying framework for the study of carbon dynamics.

The importance of the work to global carbon cycling lies in the fact that continental margins generally maintain high biological production and are physically dynamic environments. One potential fate of the biologically produced carbon is that it may be exported to the deep ocean, yet the magnitude of that exported carbon is generally not well defined. Over the Northwest Atlantic margin, large-scale currents have the potential to be an important dispersal mechanism for organic carbon to the ocean interior. In a prior research project, the investigators hypothesized that the lateral transport of particulate organic carbon occurs via a bottom nepheloid layer (BNL) maintained by the Deep Western Boundary Current (DWBC). Although their research supports the notion that the DWBC transports a significant amount of organic carbon, their observations also indicate that intermediate nepheloid layers (INLs) emanating from the shelf-slope break and upper slope of the Mid Atlantic Bight may also be important vectors for carbon export.

[table of contents | back to top]

Program Information

Ocean Carbon and Biogeochemistry (OCB)

Website: http://us-ocb.org/

Coverage: Global

The Ocean Carbon and Biogeochemistry (OCB) program focuses on the ocean's role as a component of the global Earth system, bringing together research in geochemistry, ocean physics, and ecology that inform on and advance our understanding of ocean biogeochemistry. The overall program goals are to promote, plan, and coordinate collaborative, multidisciplinary research opportunities within the U.S. research community and with international partners. Important OCB-related activities currently include: the Ocean Carbon and Climate Change (OCCC) and the North American Carbon Program (NACP); U.S. contributions to IMBER, SOLAS, CARBOOCEAN; and numerous U.S. single-investigator and medium-size research projects funded by U.S. federal agencies including NASA, NOAA, and NSF.

The scientific mission of OCB is to study the evolving role of the ocean in the global carbon cycle, in the face of environmental variability and change through studies of marine biogeochemical cycles and associated ecosystems.

The overarching OCB science themes include improved understanding and prediction of: 1) oceanic uptake and release of atmospheric CO2 and other greenhouse gases and 2) environmental sensitivities of biogeochemical cycles, marine ecosystems, and interactions between the two.

The OCB Research Priorities (updated January 2012) include: ocean acidification; terrestrial/coastal carbon fluxes and exchanges; climate sensitivities of and change in ecosystem structure and associated impacts on biogeochemical cycles; mesopelagic ecological and biogeochemical interactions; benthic-pelagic feedbacks on biogeochemical cycles; ocean carbon uptake and storage; and expanding low-oxygen conditions in the coastal and open oceans.

[table of contents | back to top]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	<u>OCE-0851350</u>
NSF Division of Ocean Sciences (NSF OCE)	<u>OCE-0726720</u>

[table of contents | back to top]