MOCNESS tow physical parameter data from R/V New Horizon cruise NH1008 in Monterey Bay, near MBARI buoy M1 (36.747? N, 122.022?W); 2010 (GATEKEEPERS project)

Website: https://www.bco-dmo.org/dataset/3731 Version: 24 September 2012 Version Date: 2012-09-24

Project

» Zooplankton feeding at the base of the particle maximum: Gatekeepers of the Vertical Flux? (GATEKEEPERS)

Contributors	Affiliation	Role
<u>Checkley, David M.</u>	University of California-San Diego (UCSD-SIO)	Principal Investigator, Contact
<u>Dagg, Michael</u>	Louisiana Universities Marine Consortium (LUMCON)	Co-Principal Investigator
Jackson, George <u>A.</u>	Texas A&M University (TAMU)	Co-Principal Investigator
<u>Gegg, Stephen R.</u>	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Table of Contents

- Dataset Description
 - <u>Methods & Sampling</u>
 - Data Processing Description
- Data Files
- Parameters
- Instruments
- Deployments
- Project Information
- Funding

Dataset Description

MOCNESS - Data time pres echo temp theta sal sigma angle flow hzvel vtvel vol net fluor ptran oxycurrent oxytemp oxygen lat lon

Methods & Sampling

(In Progress)

Data Processing Description

BCO-DMO Processing/Edits

- Generated from MOCNESS data (MN_XX.txt files) contributed by Jessica Forrest-Baldini

- Awk routine "NewHorizon_MN_2_BCODMO.awk" generated to convert MN_XX.txt files to bco-dmo formatted files

- Spaces converted to tabs

- BCO-DMO compatible parameter header generated

Data Files

File

MOCNESS_Data.csv(Comma Separated Values (.csv), 2.17 MB) MD5:adb5e5c911d98724d94848fb646622ac

Primary data file for dataset ID 3731

[table of contents | back to top]

Parameters

Parameter	Description	Units
MN_Tow	MOCNESS Tow Number	Dimensionless
Event	Event Number	Dimensionless
Station	Station Number/Id	Dimensionless
ISO_DateTime_Local_Deployed	Deployment Date/Time (PDT) ISO formatted	YYYY-MM- DDTHH:MM:SS.xx[+/- TZ]
Date_Deployed	Deployment Date (PDT)	YYYYMMDD
Time_Deployed	Deployment Time (PDT)	HHMMSS
Latitude_Deployed	Deployment Latitude (South is negative)	decimal degrees
Longitude_Deployed	Deployment Longitude (West is negative)	decimal degrees
ISO_DateTime_Local_Recovered	Recovery Date/Time (PDT) ISO formatted	YYYY-MM- DDTHH:MM:SS.xx[+/- TZ]
Date_Recovered	Recovery Date (PDT)	YYYYMMDD
Time_Recovered	Recovery Time (PDT)	HHMMSS
Latitude_Recovered	Recovery Latitude (South is negative)	decimal degrees
Longitude_Recovered	Recovery Longitude (West is negative)	decimal degrees
time	Julian day and hours/minutes expressed as decimalNote: GMT day number is off by one day (GMT Day Reported > GMT Day actual by one day)	decimal days
pres	pressure decibars = depth (m)	decibars
echo	echo	kHz
temp	temperature	Degrees celsius
theta	Theta - potential temperature	nd
sal	salinity	PSU
sigma	sigma t (density)	kg/m3
angle	angle of net frame relative to vertical	degrees
flow	flow	nd
hzvel	horizontal velocity	meters/min(?/)
vtvel	verticle velocity	meters/min(??)
vol	volume filtered	m3
net	sequential MOCNESS net number	dimensionless
fluor	fluorescence	volts
ptran	transmissometer(??)	nd
oxycurrent	oxygen sensor current	nd
oxytemp	oxygen sensor temperature	nd
oxygen	dissolved oxygen	mL/L
lat	Data Latitude (South is negative)	decimal degrees
lon	Data Longitude (West is negative)	decimal degrees

Instruments

Dataset- specific Instrument Name	MOCNESS
Generic Instrument Name	MOCNESS
Generic Instrument Description	The Multiple Opening/Closing Net and Environmental Sensing System or MOCNESS is a family of net systems based on the Tucker Trawl principle. There are currently 8 different sizes of MOCNESS in existence which are designed for capture of different size ranges of zooplankton and micro-nekton Each system is designated according to the size of the net mouth opening and in two cases, the number of nets it carries. The original MOCNESS (Wiebe et al, 1976) was a redesigned and improved version of a system described by Frost and McCrone (1974).(from MOCNESS manual) This designation is used when the specific type of MOCNESS (number and size of nets) was not specified by the contributing investigator.

[table of contents | back to top]

Deployments

NH1008

Website	https://www.bco-dmo.org/deployment/58852
Platform	R/V New Horizon
Report	http://bcodata.whoi.edu/GATEKEEPERS/cruise_plan_checkley_nh_8_25_jul_10_v3.pdf
Start Date	2010-07-08
End Date	2010-07-25
Description	Collaborative Research: Zooplankton at the Base of the Particle Maximum: Gatekeepers of the Vertical Flux?: Deployment and recovery of SOLOPCs in Monterey Bay, plus CTD and MOCNESS deployments in Monterey Bay Cruise information and original data are available from the NSF R2R data catalog. Figure 1. R/V New Horizon Cruise NH1008 GATEKEEPERS [click on the image to view a larger version]

[table of contents | back to top]

Project Information

Zooplankton feeding at the base of the particle maximum: Gatekeepers of the Vertical Flux? (GATEKEEPERS)

Website: http://iod.ucsd.edu/gatekeeper/

Coverage: Monterey Bay, CA and waters offshore

Zooplankton feeding at the base of the particle maximum: Gatekeepers of the Vertical Flux?

A range of observations suggest that zooplankton act as gatekeepers for material leaving the euphotic zone. This study will investigate the interactions of zooplankton with other particles using a suite of autonomous and tethered instruments in conjunction with finescale water sampling. The SOLOPC (Sounding Oceanographic Observer with Laser Optical Plankton Counter) will be the autonomous instrument and provide hourly profiles of zooplankton and other particles. Previous sampling with the SOLOPC indicated a diel cycle of production and abundance of particles in the euphotic zone and their sinking and consumption, presumably by zooplankton observed at the base of the particle abundance maximum. The SOLOPC senses particles, including zooplankton and aggregates, and measures their equivalent spherical diameters which can be used to compute particle size spectra. However, it is difficult to use the SOLOPC to distinguish among particle types, such as copepods, larvaceans, and aggregates, particularly if they are small. The research will include an intensive field study that will take place in Monterey Bay and use adaptive sampling to observe near SOLOPCs with a new, AUV-borne imaging system, ship-based CTD and MOCNESS sampling, and MBARI's ROV Ventana. The investigators will alter a SOLOPC to be stationary relative to an isopycnal and use the particle counts that it accumulates to calculate a flux spectrum. They will combine the flux and concentration spectra to estimate particle sinking velocities as a function of particle diameter. Zooplankton nets and by counting the distribution of fecal pellets in water samples. Results will enhance the understanding of the role of the zooplankton as gatekeepers in the vertical flux of particles and, hence, the biological pump. The study will also provide new insight into factors that affect zooplankton behavior and ecology.

Collaborating institutions include SIO, TAMU, LUMCON, MBARI, BIO, and Université Paris VI. The SOLOPC, modified to measure flux as well as profile, and REFLICS are intended for acquisition and use by other researchers worldwide. The understanding we gain of role of the zooplankton as gatekeepers of the vertical flux will contribute valuably to understanding of the biological pump and the carbon cycle.

PUBLICATIONS PRODUCED AS A RESULT OF THIS RESEARCH

Jackson, GA and DM Checkley Jr. "Particle size distributions in the upper 100 m water column and their implications for animal feeding in the plankton," *Deep-Sea Research*, 2011.

Figure 1. R/V New Horizon Cruise NH1008 GATEKEEPERS [click on the image to view a larger version]

[table of contents | back to top]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	<u>OCE-0927863</u>
NSF Division of Ocean Sciences (NSF OCE)	OCE-0928139
NSF Division of Ocean Sciences (NSF OCE)	OCE-0928425

[table of contents | back to top]