

CTD profile data from R/V Oceanus cruise OC468-02 in the Gulf of Mexico in 2010 (GoMX - N2 Fixation project)

Website: <https://www.bco-dmo.org/dataset/4068>

Version: 04 April 2013

Version Date: 2013-04-04

Project

» [Nitrogen fixation, nutrient supply and biological production in the Gulf of Mexico](#) (GoMX - N2 Fixation)

Programs

» [Gulf of Mexico - Deepwater Horizon Oil Spill](#) (GoMX - DHOS)

» [Ocean Carbon and Biogeochemistry](#) (OCB)

Contributors	Affiliation	Role
Montoya, Joseph	Georgia Institute of Technology (GA Tech)	Principal Investigator, Contact
Gegg, Stephen R.	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Table of Contents

- [Dataset Description](#)
 - [Data Processing Description](#)
- [Data Files](#)
- [Parameters](#)
- [Instruments](#)
- [Deployments](#)
- [Project Information](#)
- [Program Information](#)
- [Funding](#)

Dataset Description

CTD profile data - OC468-02

Data Processing Description

BCO-DMO Processing Notes

Original file: "OC468_allcast.xls.zip" contributed by Joseph Montoya

- Header records generated

- Parameter names edited to conform to BCO-DMO parameter naming conventions

[[table of contents](#) | [back to top](#)]

Data Files

File
CTD_Profiles_OC468-02.csv (Comma Separated Values (.csv), 21.91 MB) MD5:7e663f6d4f7e120ebaec37889a11d74
Primary data file for dataset ID 4068

[[table of contents](#) | [back to top](#)]

Parameters

Parameter	Description	Units
CruiseId	Cruise Id	text
Op_Number	Operation Number	xxx.xx
Stn	Station Number (First 3 digits of Op_Number)	dimensionless
Evt	Event Number (Last digits after decimal point of Op_Number)	dimensionless
Date_Local	Date Local	YYYYMMDD
Time_Local	Time Local	HHMM
ISO_DateTime_UTC	Date/Time UTC	YYYY-MM-DDTHH:MM:SS.00Z
Latitude	Latitude (South is negative)	decimal degrees
Longitude	Longitude (West is negative)	decimal degrees
Lease_Block	Lease Block	text
Operation	Operation	text
Seq_Number	Sequence Number	dimensionless
BCO_DMO_Note	BCO-DMO Data Manager note relating to CTD Profile data	text
Notes	Activity and Comments	text
DepSM	Depth	meters
TimeS	Elapsed Time	seconds
PrDM	Pressure	decibars
AltM	Altitude	meters

Lat	Latitude (South is negative)	decimal degrees
Lon	Longitude (West is negative)	decimal degrees
T0	Temp 0 - ITS-90	Degrees Celsius
T1	Temp 1 - ITS-90	Degrees Celsius
C0	Conductivity 0	Siemens/meter
C1	Conductivity 1	Siemens/meter
Sal00	Salinity 0	PSU
Sal11	Salinity 1	PSU
Sbeox0V	Oxygen 0 SBE 43 volts	volts
Sbeox0	Oxygen 0 SBE 43	Mg/l
WetCDOM	Fluorescence Wetlab CDOM	mg/m ³
FIECO_AFL	fIECO-AFL: Fluorescence Wetlab ECO-AFL/FL	Mg/m ³
FIScufa	fICUVA: Fluorescence Chelsea UV Aquatracka	ug/l
Xmiss	Beam Transmission	percentage
Par	PAR - Photosynthetically Available [Active] Radiation	(tbd)
Spar	SPAR - Surficial Photosynthetically Available [Active] Radiation	(tbd)
Sigma_e00	Density 0 - sigma-theta	Kg/m ³
Sigma_e11	Density 1 - sigma-theta	Kg/m ³
DepSM_Bin	Depth Binned	meters

Sal00_Bin	Salinity 0 - Binned	PSU
Sal11_Bin	Salinity 1 - Binned	PSU
Sbeox0_Bin	Oxygen 0 SBE 43 - Binned	Mg/l
Sigma_e00_Bin	Density 0 - sigma-theta - Binned	Kg/m ³
Sigma_e11_Bin	Density 1 - sigma-theta - Binned	Kg/m ³
Nbin	Nbin	dimensionless
Flag	Flag	dimensionless

[[table of contents](#) | [back to top](#)]

Instruments

Dataset-specific Instrument Name	CTD Sea-Bird SBE 911plus
Generic Instrument Name	CTD Sea-Bird SBE 911plus
Dataset-specific Description	CTD Sea-Bird SBE 911plus
Generic Instrument Description	The Sea-Bird SBE 911 plus is a type of CTD instrument package for continuous measurement of conductivity, temperature and pressure. The SBE 911 plus includes the SBE 9plus Underwater Unit and the SBE 11plus Deck Unit (for real-time readout using conductive wire) for deployment from a vessel. The combination of the SBE 9 plus and SBE 11 plus is called a SBE 911 plus. The SBE 9 plus uses Sea-Bird's standard modular temperature and conductivity sensors (SBE 3 plus and SBE 4). The SBE 9 plus CTD can be configured with up to eight auxiliary sensors to measure other parameters including dissolved oxygen, pH, turbidity, fluorescence, light (PAR), light transmission, etc.). more information from Sea-Bird Electronics

Dataset-specific Instrument Name	Photosynthetically Available Radiation Sensor
Generic Instrument Name	Photosynthetically Available Radiation Sensor
Dataset-specific Description	Biospherical underwater PAR (1000m depth limit) with reference Surface PAR
Generic Instrument Description	A PAR sensor measures photosynthetically available (or active) radiation. The sensor measures photon flux density (photons per second per square meter) within the visible wavelength range (typically 400 to 700 nanometers). PAR gives an indication of the total energy available to plants for photosynthesis. This instrument name is used when specific type, make and model are not known.

Dataset-specific Instrument Name	SBE 43 Dissolved Oxygen Sensor
Generic Instrument Name	Sea-Bird SBE 43 Dissolved Oxygen Sensor
Dataset-specific Description	SBE 43 Dissolved Oxygen Sensor
Generic Instrument Description	The Sea-Bird SBE 43 dissolved oxygen sensor is a redesign of the Clark polarographic membrane type of dissolved oxygen sensors. more information from Sea-Bird Electronics

Dataset-specific Instrument Name	Wet Labs ECO-AFL/FL Fluorometer
Generic Instrument Name	Wet Labs ECO-AFL/FL Fluorometer
Dataset-specific Description	Wet Labs ECO-AFL/FL Fluorometer
Generic Instrument Description	The Environmental Characterization Optics (ECO) series of single channel fluorometers delivers both high resolution and wide ranges across the entire line of parameters using 14 bit digital processing. The ECO series excels in biological monitoring and dye trace studies. The potted optics block results in long term stability of the instrument and the optional anti-biofouling technology delivers truly long term field measurements. more information from Wet Labs

Dataset-specific Instrument Name	Wet Labs CSTAR Transmissometer
Generic Instrument Name	WET Labs {Sea-Bird WETLabs} C-Star transmissometer
Dataset-specific Description	Wet Labs CSTAR Transmissometer
Generic Instrument Description	The C-Star transmissometer has a novel monolithic housing with a highly integrated opto-electronic design to provide a low cost, compact solution for underwater measurements of beam transmittance. The C-Star is capable of free space measurements or flow-through sampling when used with a pump and optical flow tubes. The sensor can be used in profiling, moored, or underway applications. Available with a 6000 m depth rating. More information on Sea-Bird website: https://www.seabird.com/c-star-transmissometer/product?id=60762467717

[[table of contents](#) | [back to top](#)]

Deployments

OC468-02

Website	https://www.bco-dmo.org/deployment/58119
Platform	R/V Oceanus
Start Date	2010-08-21
End Date	2010-09-16

Description	<p>To support additional work related to the Deepwater Horizon well leak oil spill, the Oceanus operations will be coordinated with those aboard R/V Cape Hatteras. Chief Scientist pre-cruise update May 17 ,2010 ***** Over the last few days, we've rethought our fall cruise as it's become evident that much of the oil from the Deepwater Horizon leak isn't reaching the surface and that the 5000 bbl/day official release rate estimate could be low by an order of magnitude or more. The bottom line is that an awful lot of oil is getting into the water column and we really don't know much about where it's going or what it's impact is/will be on ecosystems in the Gulf. We discussed this situation with Dave Garrison on Friday and he was very supportive of us changing the focus of our cruise and using it to survey and assess the spread and impact of the oil. Dave asked us to try to assemble a team that could attack the problem of the physical spread of the oil and its impact through the food web. We're working on this but wanted to let you know of this change in plan and to start a discussion of what the revised cruise plan would look like. Our current thinking is that we would make use of the two ships in complementary ways: * The Oceanus will focus on the vertical distribution of oil and its impact on phytoplankton and zooplankton. We envision running a series of stations along a roughly E-W transect along the slope and one or more transects running out into deep water. We would be using a CTD-rosette system to sample the water column and both meter nets and the moorings to sample zooplankton. We'll also want to use a LADCP system to measure flows in deep plumes of oil. We're talking to Andreas Thurnherr at LDEO, who has experience in these measurements and expect that he'll have someone on board to carry them out. We would carry out deck incubations to assess productivity, nutrient dynamics, and toxicity of hydrocarbons in the water column. Finally, we would like to take box and gravity cores at selected stations. * The Cape Hatteras will focus on mapping the spatial extent of oil in the upper water column through a broad survey of the northern Gulf. This would involve mostly towed instrumentation and in-line analyses complemented by CTD profiles and net tows at selected stations. A limited amount of experimental work would be done on this. Planned science activities include CTD casts, mooring tows, meter net tows, surface pumping for collecting large volumes of water, deck incubations, floating sediment traps, moored sediment trap (1), multicoring (if no multicore then box and gravity core), camera deployment, radioisotopes, possible small boat ops for personnel transfer between R/V Cape Hatteras and sample collecting. Additional information: WHOI cruise planning synopsis Figure of Station Locations Cruise information and original data are available from the NSF R2R data catalog.</p>
--------------------	--

[[table of contents](#) | [back to top](#)]

Project Information

Nitrogen fixation, nutrient supply and biological production in the Gulf of Mexico (GoMX - N2 Fixation)

Coverage: Northern Gulf of Mexico

From the NSF proposal abstract

This project will study the interplay of physical, chemical, and biological factors in supplying nitrogen, an essential nutrient, to temperate coastal and offshore waters of the Gulf of Mexico. The Gulf is an economically important but understudied marginal sea with major commercial and recreational fisheries as well as extensive fossil fuel deposits. Diazotrophic (N₂-fixing) cyanobacteria bloom regularly in offshore and coastal waters of the Gulf and the limited data suggest that they contribute significant quantities of both nitrogen and carbon to the pelagic food web. These diazotrophs may play also a critical role in supplying N to other organisms, including the ichthyotoxic red tide dinoflagellate *Karenia brevis*. Despite its importance, little is currently known of the factors that promote N₂-fixation in the Gulf or the relative significance of different physical and biological processes in creating conditions that favor N limitation in the water column. The Gulf of Mexico is strongly influenced by both riverine inputs and advective processes, providing an excellent model system for studying nutrient dynamics, physical forcing of productivity, terrestrial-oceanic linkages, and the potential impact of land use and climate change on marine ecosystems.

The relatively small basin of the Gulf of Mexico provides an opportunity to quantify and study interactions among physical, chemical, and biological processes relevant to a broad range of other coastal and oceanic

systems. Land-use and climate change are likely to affect the circulation and hydrography of the Gulf, as well as the magnitude and nature of riverine inputs, all with uncertain impacts on the biogeochemistry of the Gulf of Mexico. This research will provide timely insights into these processes and will generate a baseline of understanding for evaluating and predicting the impact of future land use and climate changes in the system. This project will make an important contribution to our understanding of the factors that regulate N₂-fixation and its role in supporting the biota in temperate waters. The following specific goals are included in the work:

1. Identify the major diazotroph groups in the Gulf of Mexico and characterize their distribution and activity in different regions and water masses.
2. Quantify the impact of advective processes, mesoscale features, and riverine inputs on nutrient limitation and N₂-fixation in the Gulf, and evaluate the controls on N₂-fixation and the degree of spatial and temporal niche differentiation among diazotroph assemblages in different regions affected by these processes.
3. Use satellite data and physical models to scale up our measurements spatially and to evaluate the regional significance of N₂-fixation in the Gulf of Mexico. The researchers will also use a coupled physical/biological model to explore variability in the physical forcing and the potential impact of likely land use and climate change scenarios in altering nutrient dynamics and N₂-fixation in the Gulf of Mexico.

The investigators and their institutions have a strong commitment to undergraduate and graduate education. This project includes support for graduate students, a technician, and undergraduates. In addition to peer-reviewed papers and websites, workshops aimed at K-12 teachers, and a program involving high school teachers in research will be used to disseminate the results of this project broadly in the local community. The investigators are committed to increasing the diversity of the ocean science community and are active in recruiting and training efforts at their institutions.

[[table of contents](#) | [back to top](#)]

Program Information

Gulf of Mexico - Deepwater Horizon Oil Spill (GoMX - DHOS)

Coverage: Northern Gulf of Mexico

Grants for Rapid Response Research (RAPID)

The RAPID funding mechanism is used for proposals having a severe urgency with regard to availability of, or access to data, facilities or specialized equipment, including quick-response research on natural or anthropogenic disasters and similar unanticipated events.

GOM - Broader Impacts

The need to understand the impact of this largest oil spill to date on ecosystems and biochemical cycling is self evident. The consequences of the disaster and accompanying clean up measures (e.g. the distribution of dispersants) need to be evaluated to guide further mediating measures and to develop and improve responses to similar disasters in the future. Would it be advantageous if such oil aggregates sink, or should it rather remain suspended? Possibly measures can be developed to enhance sinking or suspension (e.g. addition of ballast minerals) once we understand their current formation and fate. Understanding the particle dynamics following the input of large amounts of oil and dispersants into the water is a prerequisite to develop response strategies for now and in the future.

Ocean Carbon and Biogeochemistry (OCB)

Website: <http://us-ocb.org/>

Coverage: Global

The Ocean Carbon and Biogeochemistry (OCB) program focuses on the ocean's role as a component of the global Earth system, bringing together research in geochemistry, ocean physics, and ecology that inform on and advance our understanding of ocean biogeochemistry. The overall program goals are to promote, plan, and coordinate collaborative, multidisciplinary research opportunities within the U.S. research community and with international partners. Important OCB-related activities currently include: the Ocean Carbon and Climate Change (OCCC) and the North American Carbon Program (NACP); U.S. contributions to IMBER, SOLAS, CARBOOCEAN; and numerous U.S. single-investigator and medium-size research projects funded by U.S. federal agencies including NASA, NOAA, and NSF.

The scientific mission of OCB is to study the evolving role of the ocean in the global carbon cycle, in the face of environmental variability and change through studies of marine biogeochemical cycles and associated ecosystems.

The overarching OCB science themes include improved understanding and prediction of: 1) oceanic uptake and release of atmospheric CO₂ and other greenhouse gases and 2) environmental sensitivities of biogeochemical cycles, marine ecosystems, and interactions between the two.

The OCB Research Priorities (updated January 2012) include: ocean acidification; terrestrial/coastal carbon fluxes and exchanges; climate sensitivities of and change in ecosystem structure and associated impacts on biogeochemical cycles; mesopelagic ecological and biogeochemical interactions; benthic-pelagic feedbacks on biogeochemical cycles; ocean carbon uptake and storage; and expanding low-oxygen conditions in the coastal and open oceans.

[[table of contents](#) | [back to top](#)]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-0928495

[[table of contents](#) | [back to top](#)]