

# Picophytoplankton abundances determined by flow cytometry (post-cruise/on-shore analysis) from samples collected on R/V Melville cruise MV1008 in the Costa Rica Dome in 2010 (CRD FLUZiE project)

**Website:** <https://www.bco-dmo.org/dataset/516296>

**Data Type:** experimental

**Version:** 1

**Version Date:** 2014-06-02

## Project

» [Costa Rica Dome FLUX and Zinc Experiments](#) (CRD FLUZiE)

## Programs

» [Integrated Marine Biogeochemistry and Ecosystem Research -US](#) (IMBER-US)

» [Ocean Carbon and Biogeochemistry](#) (OCB)

Contributors	Affiliation	Role
<a href="#">Landry, Michael R.</a>	University of California-San Diego (UCSD-SIO)	Principal Investigator
<a href="#">Selph, Karen E.</a>	University of Hawaii at Manoa (SOEST)	Contact
<a href="#">Rauch, Shannon</a>	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

## Abstract

Picophytoplankton abundances from preserved (0.5% paraformaldehyde) frozen samples run on a Beckman-Coulter Altra flow cytometer after staining with Hoechst 33342 DNA stain and excitation with 200 mW UV and 1W 488 nm laser light. Cell populations include *Prochlorococcus*, *Synechococcus*, and Picophytoeukaryotes. Samples were collected on the MV1008 cruise in the Costa Rica Dome (CRD) region of the Eastern Tropical Pacific Ocean.

## Table of Contents

- [Coverage](#)
- [Dataset Description](#)
  - [Methods & Sampling](#)
  - [Data Processing Description](#)
- [Data Files](#)
- [Parameters](#)
- [Instruments](#)
- [Deployments](#)
- [Project Information](#)
- [Program Information](#)
- [Funding](#)

## Coverage

**Spatial Extent:** N:10.2998 E:-86.735 S:6.6219 W:-92.9871

**Temporal Extent:** 2010-06-24 - 2010-07-24

## Dataset Description

Picophytoplankton abundances from preserved (0.5% paraformaldehyde) frozen samples run on a Beckman-Coulter Altra flow cytometer after staining with Hoechst 33342 DNA stain and excitation with 200 mW UV and 1W 488 nm laser light. Cell populations include *Prochlorococcus*, *Synechococcus*, and Picophytoeukaryotes. Samples were collected on the MV1008 cruise in the Costa Rica Dome (CRD) region of the Eastern Tropical Pacific Ocean.

## Methods & Sampling

Samples were collected from the CTD-Rosette PVC Niskin bottles, then preserved with paraformaldehyde (0.5% final concentration). Preserved samples were then flash frozen in liquid nitrogen, and subsequently stored at -80°C until analysis on-shore in batches. Upon thawing, samples were stained with Hoechst 33342 DNA stain (1 ug/mL final concentration), incubated at room temperature in the dark for 1 h, then analyzed using a Beckman-Coulter Altra flow cytometer, equipped with one 488 nm 1W laser and one UV 200 mW laser for excitation. Samples (100 ul) were delivered quantitatively to the instrument using a Harvard Apparatus syringe pump, at a rate of 50 ul per minute. Signals from the DNA (450±40 nm), Chlorophyll (680±20 nm), Phycoerythrin (575±20 nm), and the forward and side scatter detectors were used to delineate *Prochlorococcus*, *Synechococcus*, and Picophytoeukaryotes. Calibration beads (0.5 um and 1.0 um yellow-green and 0.5 um UV) were used to normalize cellular fluorescence values and assure optimal instrument settings. Raw data files (listmode) were processed in FlowJo software (Treestar Inc.).

## Data Processing Description

Raw data, representing 100 ul of sample, was corrected for dilution with preservative, dye, and run volume, to arrive at cellular concentrations (cells/mL).

[ [table of contents](#) | [back to top](#) ]

---

## Data Files

File
<b>picophyto_fcm_lab.csv</b> (Comma Separated Values (.csv), 18.04 KB) MD5:3ee36b78b7dfc2616306494e89b1f557
Primary data file for dataset ID 516296

[ [table of contents](#) | [back to top](#) ]

---

## Parameters

Parameter	Description	Units
event	Number referring to the particular activity (event) on the FluZiE cruise.	integer
cast	CTD Cast number from the FluZiE cruise.	integer
niskin	Niskin bottle that the sample was taken from.	integer
date_local	Date of CTD cast (local time zone of UTC -6). in the format mmddyyyy	unitless
lon	Longitude in degrees East.	decimal degrees
lat	Latitude in degrees North.	decimal degrees
depth	Sample depth.	meters
cycle	Type and number of cruise sampling event. Either "Stn_n" or "Cycle_n". A transect of stations was sampled from 29 June to 03 July. Five quasi-Lagrangian experiments called "cycles" were conducted during the remainder of the cruise.	text
coccus_p	Abundance of Prochlorococcus abundance.	cells per milliliter (cells/mL)
coccus_s	Abundance of Synechococcus abundance.	cells per milliliter (cells/mL)
peuk	Abundance of Picophytoeukaryotes.	cells per milliliter (cells/mL)

[ [table of contents](#) | [back to top](#) ]

## Instruments

<b>Dataset-specific Instrument Name</b>	Beckman-Coulter Altra flow cytometer
<b>Generic Instrument Name</b>	Flow Cytometer
<b>Dataset-specific Description</b>	Samples were run on a Beckman-Coulter Altra flow cytometer, equipped with one 488 nm 1W laser and one UV 200 mW laser for excitation.
<b>Generic Instrument Description</b>	Flow cytometers (FC or FCM) are automated instruments that quantitate properties of single cells, one cell at a time. They can measure cell size, cell granularity, the amounts of cell components such as total DNA, newly synthesized DNA, gene expression as the amount messenger RNA for a particular gene, amounts of specific surface receptors, amounts of intracellular proteins, or transient signalling events in living cells. (from: <a href="http://www.bio.umass.edu/micro/immunology/facs542/facswhat.htm">http://www.bio.umass.edu/micro/immunology/facs542/facswhat.htm</a> )

<b>Dataset-specific Instrument Name</b>	Niskin bottle
<b>Generic Instrument Name</b>	Niskin bottle
<b>Dataset-specific Description</b>	Samples were collected from the CTD-Rosette PVC Niskin bottles.
<b>Generic Instrument Description</b>	A Niskin bottle (a next generation water sampler based on the Nansen bottle) is a cylindrical, non-metallic water collection device with stoppers at both ends. The bottles can be attached individually on a hydrowire or deployed in 12, 24, or 36 bottle Rosette systems mounted on a frame and combined with a CTD. Niskin bottles are used to collect discrete water samples for a range of measurements including pigments, nutrients, plankton, etc.

[ [table of contents](#) | [back to top](#) ]

## Deployments

### MV1008

<b>Website</b>	<a href="https://www.bco-dmo.org/deployment/58834">https://www.bco-dmo.org/deployment/58834</a>
<b>Platform</b>	R/V Melville
<b>Report</b>	<a href="http://dmoserv3.whoi.edu/data_docs/CRD_FLUZIE/CRUISE_REPORT_Melville1008.pdf">http://dmoserv3.whoi.edu/data_docs/CRD_FLUZIE/CRUISE_REPORT_Melville1008.pdf</a>
<b>Start Date</b>	2010-06-22
<b>End Date</b>	2010-07-25
<b>Description</b>	Research on the cruise was aimed at acquiring a better understanding of plankton dynamics, carbon and nutrient fluxes, and potential trace element limitation in the Costa Rica Dome region of the eastern tropical Pacific. The specific science objectives were: 1) to assess grazing and trace metal/nutrient controls on primary production and phytoplankton standing stocks; 2) to quantify carbon and elemental fluxes and export rates from the euphotic zone; and 3) to measure microbial population, processes, stable isotope abundances associated with the OMZ and nitrite maxima. Operations included: 4-day sediment trap deployments, daily process experiments conducted on satellite-tracked drifters, CTD and trace-metal rosette sampling, shipboard grow-out experiments, net sampling for zooplankton biomass and grazing assessments, and MOCNESS stratified tows to 1000 m. BCO-DMO Note: March 2013 (CLC): The original CTD profile data (85 casts) have been submitted by R2R to NODC. Jim Moffett (USC) was a participant on this cruise and is interested in getting a copy of the full set of CTD cast data (deep and shallow casts). He plans to contact SIO ODF group or Mike Landry (Chief Scientist). Original cruise data are available from the NSF R2R data catalog.

[ [table of contents](#) | [back to top](#) ]

## Project Information

### Costa Rica Dome FLUX and Zinc Experiments (CRD FLUZIE)

**Coverage:** Costa Rica Dome, Eastern Tropical Pacific Ocean

Research was aimed at improved understanding of plankton dynamics, carbon and nutrient fluxes, and potential trace element limitation in the Costa Rica Dome region of the eastern tropical Pacific. The specific science objectives of the 2010 R/V Melville cruise (MV1008) were:

- 1) to assess grazing and trace metal/nutrient controls on primary production and phytoplankton standing stocks;
- 2) to quantify carbon and elemental fluxes and export rates from the euphotic zone; and
- 3) to measure microbial population, processes, stable isotope abundances associated with the OMZ and nitrite maxima.

Additional information about MV1008 can be found in the [cruise report](#) (PDF).

**NOTE:** The original proposal and award abstract are not relevant. The project was originally funded by NSF as experimental tests of phytoplankton controls in the Arabian Sea. Piracy concerns in the region led to the cancellation of the research cruise in 2009, and a Change of Scope request was approved to focus the project on related issues in the Costa Rica Dome (CRD).

Though this project is not formally affiliated with any large program, it aligns with IMBER's emphasis on community ecology and biogeochemistry, and the OCB focus on carbon-based measurements of production, grazing and export processes.

[ [table of contents](#) | [back to top](#) ]

---

## Program Information

### Integrated Marine Biogeochemistry and Ecosystem Research -US (IMBER-US)

**Website:** <http://www.imber.info/>

**Coverage:** global

The BCO-DMO database includes data from IMBER endorsed projects lead by US funded investigators. There is no dedicated US IMBER project or data management office. Those functions are provided by US-OCB and BCO-DMO respectively.

The information in this program description pertains to the Internationally coordinated IMBER research program. The projects contributing data to the BCO-DMO database are those funded by US NSF only. The full IMBER data catalog is hosted at the Global Change Master Directory (GCMD).

**IMBER Data Portal:** The IMBER project has chosen to create a metadata portal hosted by the NASA's Global Change Master Directory (GCMD). The GCMD IMBER data catalog provides an overview of all IMBER endorsed and related projects and links to datasets, and can be found at URL <http://gcmd.nasa.gov/portals/imber/>.

IMBER research will seek to identify the mechanisms by which marine life influences marine biogeochemical cycles, and how these, in turn, influence marine ecosystems. Central to the IMBER goal is the development of a predictive understanding of how marine biogeochemical cycles and ecosystems respond to complex forcings, such as large-scale climatic variations, changing physical dynamics, carbon cycle chemistry and nutrient fluxes, and the impacts of marine harvesting. Changes in marine biogeochemical cycles and ecosystems due to global change will also have consequences for the broader Earth System. An even greater challenge will be drawing together the natural and social science communities to study some of the key impacts and feedbacks between the marine and human systems.

To address the IMBER goal, four scientific themes, each including several issues, have been identified for the IMBER project: Theme 1 - Interactions between Biogeochemical Cycles and Marine Food Webs; Theme 2 - Sensitivity to Global Change: How will key marine biogeochemical cycles, ecosystems and their interactions, respond to global change?; Theme 3 - Feedback to the Earth System: What are the roles of the ocean biogeochemistry and ecosystems in regulating climate?; and Theme 4 - Responses of Society: What are the relationships between marine biogeochemical cycles, ecosystems, and the human system?

### Ocean Carbon and Biogeochemistry (OCB)

**Website:** <http://us-ocb.org/>

**Coverage:** Global

The Ocean Carbon and Biogeochemistry (OCB) program focuses on the ocean's role as a component of the global Earth system, bringing together research in geochemistry, ocean physics, and ecology that inform on and advance our understanding of ocean biogeochemistry. The overall program goals are to promote, plan, and coordinate collaborative, multidisciplinary research opportunities within the U.S. research community and with international partners. Important OCB-related activities currently include: the Ocean Carbon and Climate Change (OCCC) and the North American Carbon Program (NACP); U.S. contributions to IMBER, SOLAS, CARBOOCEAN; and numerous U.S. single-investigator and medium-size research projects funded by U.S. federal agencies including NASA, NOAA, and NSF.

The scientific mission of OCB is to study the evolving role of the ocean in the global carbon cycle, in the face of environmental variability and change through studies of marine biogeochemical cycles and associated ecosystems.

The overarching OCB science themes include improved understanding and prediction of: 1) oceanic uptake and release of atmospheric CO<sub>2</sub> and other greenhouse gases and 2) environmental sensitivities of biogeochemical cycles, marine ecosystems, and interactions between the two.

The OCB Research Priorities (updated January 2012) include: ocean acidification; terrestrial/coastal carbon fluxes and exchanges; climate sensitivities of and change in ecosystem structure and associated impacts on biogeochemical cycles; mesopelagic ecological and biogeochemical interactions; benthic-pelagic feedbacks on biogeochemical cycles; ocean carbon uptake and storage; and expanding low-oxygen conditions in the coastal and open oceans.

[ [table of contents](#) | [back to top](#) ]

---

## Funding

Funding Source	Award
<a href="#">NSF Division of Ocean Sciences (NSF OCE)</a>	<a href="#">OCE-0826626</a>

[ [table of contents](#) | [back to top](#) ]