

Underway data from USCGC Healy cruise HLY1202 from the Arctic, North of Alaska in 2012 (OA - Canada Basin project)

Website: <https://www.bco-dmo.org/dataset/527438>

Version: 09 September 2014

Version Date: 2014-09-09

Project

» [Ocean Acidification in the Canada Basin: Roles of Sea Ice](#) (OA - Canada Basin)

Program

» [Science, Engineering and Education for Sustainability NSF-Wide Investment \(SEES\): Ocean Acidification \(formerly CRI-OA\)](#) (SEES-OA)

| Contributors | Affiliation | Role |
|----------------------------------|---|------------------------------------|
| Onac, Bogdan | University of South Florida (USF) | Principal Investigator |
| Wynn, Jonathan | University of South Florida (USF) | Principal Investigator |
| Robbins, Lisa | United States Geological Survey (USGS) | Co-Principal Investigator, Contact |
| Gegg, Stephen R. | Woods Hole Oceanographic Institution (WHOI BCO-DMO) | BCO-DMO Data Manager |

Table of Contents

- [Dataset Description](#)
 - [Methods & Sampling](#)
 - [Data Processing Description](#)
- [Data Files](#)
- [Parameters](#)
- [Deployments](#)
- [Project Information](#)
- [Program Information](#)
- [Funding](#)

Dataset Description

USGS Arctic Ocean Carbon Cruise 2012: Onboard Sensors Underway Data
Underway data that was acquired with the USCGC Healy's onboard fixed instrumentation.

For additional information see:

[HLY1202 Cruise Report, Appendix E](#)

[U.S. Geological Survey Data Series 862 - Methods](#)

Methods & Sampling

Data acquired by the U.S. Coast Guard Cutter Healy's underway systems and provided by the ship's science support staff. Abbreviated metadata specific to this supplemental file are located the end of the original file after record 42762. Full metadata are available online from the United States Coast Guard at http://icefloe.net/2012_hly1202/

For additional information see:

[HLY1202 Cruise Report, Appendix E](#)

[U.S. Geological Survey Data Series 862 - Methods](#)

Data Processing Description

This underway data was acquired with the USCGC Healy's onboard fixed instrumentation. Metadata are available online from the United States Coast Guard at http://icefloe.net/2012_hly1202/

For additional information see:

[HLY1202 Cruise Report, Appendix E](#)

[U.S. Geological Survey Data Series 862 - Methods](#)

BCO-DMO Processing Notes

- Generated from original file: "HLY1202_Underway_Data.csv" contributed by Lisa Robbins
- Parameter names edited to conform to BCO-DMO naming convention found at [Choosing Parameter Name](#)
- Single Date/Time field split into separate Date and Time fields
- Date reformatted from MM/DD/YYYY to YYYYMMDD
- Time reformatted from HH:MM to HHMM
- "nd" (no data) inserted into blank fields

[[table of contents](#) | [back to top](#)]

Data Files

| File |
|--|
| Underway_Data.csv (Comma Separated Values (.csv), 12.72 MB) MD5:8e9410d636be785af8681b56e2e70c49 |
| Primary data file for dataset ID 527438 |

[[table of contents](#) | [back to top](#)]

Parameters

| Parameter | Description | Units |
|------------|---|-------------------------|
| Sample_ID | Sample count; Sample Id | dimensionless |
| date | date & time UTC (year/month/day hour:minute); Date | YYYYMMDD |
| time | date & time UTC (year/month/day hour:minute); Time | HHMM |
| lat | \$INGGA; POSMV Latitude (South is negative) | decimal degrees |
| lon | \$INGGA; POSMV Longitude (West is negative) | decimal degrees |
| cog | \$INVTG POSMV Course Over Ground (angular distance from 0 (North); clockwise through 360; 1 minute average) | decimal degrees |
| sog | \$INVTG POSMV Speed Over Ground (Knots; 1 minute average) | knots |
| heading | \$PASHR POSMV Ship heading (angular distance from 0 (North); clockwise through 360; 1 minute average) | decimal degrees |
| depth | \$SBCTR Seabeam centerbeam depth (meters; 1 minute average) | meters |
| SST | \$PSSTA SBE3s RemoteTemperature; Sea Chest intake (Celsius; 1 minute average) | degrees Celsius |
| HullTemp | HullTemp SBE48 Hull Temperature probe; Hull temperature | degrees Celsius |
| TSG_InTemp | \$PSTSA SBE45 Water Temperature (Celsius; 1 minute average) | degrees Celsius |
| TSG_Conc | \$PSTSA SBE45 Water Conductivity (millisiemens/centimeter; 1 minute average) | millisiemens/centimeter |
| TSG_Sal | \$PSTSA SBE45 Water Salinity (PSU; 1 minute average) | PSU |
| SCF_FL | \$PSFLA Seapoint Fluorometer (Ug/l; 1 minute average) | ug/l |

| | | |
|---------------|---|-----------------------------------|
| SCF_FL_V | \$PSFLA Seapoint Fluorometer (Volts; 1 minute average) | milli volts |
| Chlorophyll_a | \$PSFLX Chlorophyll-a Turner C3 Fluorometer Bio Chem Lab (RFU - relative fluorescence units # Notes: 1) A new Turner C3 Fluorometer was installed in the Bio Chem Lab at the beginning of HLY1101. The parameters measured from this instrument are Chlorophyll-a, Phycoerythrin and CDOM. The quality of this data is unknown at this time. Rather large jumps in values were noted for Chlorophyll-a as if the instrument was adjusting the scale automatically. This was observed mostly in the early part of the cruise. It is unknown at this time the reasons for these jumps. | RFU (relative fluorescence units) |
| Phycoerythrin | \$PSFLX Phycoerythrin Turner C3 Fluorometer Bio Chem Lab (RFU - relative fluorescence units) # Notes: 1) A new Turner C3 Fluorometer was installed in the Bio Chem Lab at the beginning of HLY1101. The parameters measured from this instrument are Chlorophyll-a, Phycoerythrin and CDOM. The quality of this data is unknown at this time. Rather large jumps in values were noted for Chlorophyll-a as if the instrument was adjusting the scale automatically. This was observed mostly in the early part of the cruise. It is unknown at this time the reasons for these jumps. | RFU (relative fluorescence units) |
| CDOM | \$PSFLX CDOM Turner C3 Fluorometer Bio Chem Lab (RFU - relative fluorescence units) # Notes: 1) A new Turner C3 Fluorometer was installed in the Bio Chem Lab at the beginning of HLY1101. The parameters measured from this instrument are Chlorophyll-a, Phycoerythrin and CDOM. The quality of this data is unknown at this time. Rather large jumps in values were noted for Chlorophyll-a as if the instrument was adjusting the scale automatically. This was observed mostly in the early part of the cruise. It is unknown at this time the reasons for these jumps. | RFU (relative fluorescence units) |
| SBE_Oxy | \$PSOXA SBE-43 Oxygen(ml/l; 1 minute average) | ml/l |
| SBE_Oxy_Raw | \$PSOXA SBE-43 Oxygen(Volts; 1 minute average) | volts |
| SBE_Oxy_T | \$PSOXA SBE-43 Oxygen Temperature(Deg C; 1 minute average) | degrees Celsius |
| tsg_flow_A | \$PSFMA Flowmeter in-line with PSTSGA; PSOXA; PSFLA (LitersPerMinute; minimum value in 1 minute interval) | Liters/Minute |
| SWR | \$PSSRA Short Wave Radiation (W/M^2; 1 minute average) | W/M^2 |
| LWR | \$PSSRA Long Wave Radiation (W/M^2; 1 minute average) | W/M^2 |
| LWR_Dome_T | \$PSSRA LWD Dome Temperature (Deg K; 1 minute average) | Deg K |
| LWR_Body_T | \$PSSRA LWD Body Temperature (Deg K; 1 minute average) | Deg K |
| PAR | \$PSSPA Surface PAR (uE/Sec/M^2; 1 minute average) | uE/Sec/M^2 |
| JS_Air_Temp | \$PSATC Bow Jackstaff Air Temperature (Deg C; 1 minute average) | degrees Celsius |
| Bridge_RH | \$PSMEB Bridge RM Young Relative Humidity (percent; 1 minute average) | percent |
| Bridge_Baro | \$PSMEB Bridge RM Young Barometric Pressure (millibars; 1 minute average) | mbars |
| JS_WndDirR | \$PSWDC Jackstaff Relative wind direction (deg; 1 minute average) | decimal degrees |
| JS_WndSpdR | \$PSWDC Jackstaff Relative wind speed (m/s; 1 minute average) | m/s |
| JS_WndDirT | \$PSWDC Jackstaff True wind direction (deg; 1 minute average) | decimal degrees |
| JS_WndSpdT | \$PSWDC Jackstaff True wind speed (m/s; 1 minute average) | m/s |
| MM_WndDirR | \$PSWDB Main Mast Relative wind direction (deg; 1 minute average) | decimal degrees |
| MM_WndSpdR | \$PSWDB Main Mast Relative wind speed (m/s; 1 minute average) | m/s |
| MM_WndDirT | \$PSWDB Main Mast True wind direction (deg; 1 minute average) | decimal degrees |

| | | |
|-------------|--|-----------------|
| MM_WndSpdT | \$PSWDB Main Mast True wind speed (m/s; 1 minute average) | m/s |
| StbdWndDirR | RMYoung Relative Wind Direction starboard (angular distance from 0 (North); clockwise through 360; 1 minute average) | decimal degrees |
| StbdWndSpdR | RMYoung Relative Wind Speed starboard (Knots; 1 minute average) | knots |
| StbdWndDirT | RMYoung True Wind Direction starboard (angular distance from 0 (North); clockwise through 360; 1 minute average) | decimal degrees |
| StbdWndSpdT | RMYoung True Wind Speed starboard (Knots; 1 minute average) | knots |
| PortWndDirR | RMYoung Relative Wind Direction port (angular distance from 0 (North); clockwise through 360; 1 minute average) | decimal degrees |
| PortWndSpdR | RMYoung Relative Wind Speed port (Knots; 1 minute average) | knots |
| PortWndDirT | RMYoung True Wind Direction port (angular distance from 0 (North); clockwise through 360; 1 minute average) | decimal degrees |
| PortWndSpdT | RMYoung True Wind Speed port (Knots; 1 minute average) | knots |
| OxySat | OxySat Dissolved oxygen (DO) saturation as a function of T and S (Weiss) | ml/L |
| AOU | AOU Apparent Oxygen Utilization (AOU) | ml/L |

[[table of contents](#) | [back to top](#)]

Deployments

HLY1202

| | |
|--------------------|---|
| Website | https://www.bco-dmo.org/deployment/523780 |
| Platform | USCGC Healy |
| Report | http://dmoserv3.whoi.edu/data_docs/OA_Canada_Basin/HEALY1202_FINAL_CRUISE_REPORT-3.pdf |
| Start Date | 2012-08-26 |
| End Date | 2012-09-24 |
| Description | Original cruise data are available from the NSF R2R data catalog USCGC Healy Science-Technical Support Summary From August 25 to September 27, 2012, the United States Coast Guard Cutter (USCGC) Healy was part of an Extended Continental Shelf Project to determine the limits of the extended continental shelf in the Arctic. On a non-interference basis, a USGS ocean acidification team participated on the cruise to collect baseline water data in the Arctic. The collection of data extended from coastal waters near Barrow, Alaska, to 83°2'N., - 175°36'W., and southward back to coastal waters near Barrow and on to Dutch Harbor, Alaska. As a consequence, a number of hypotheses were tested and questions asked associated with ocean acidification, including: - What is the saturation state for different parts of the basin? - What factors drive the saturation state in the different parts of the basin? - How does saturation state compare to other regions? - How do the carbon fluxes compare in the different parts of the basin? - What is the buffering capacity of the water (Revelle factor)? - What kind of variability does carbon demonstrate in the Arctic (near shore versus offshore and diurnal)? During the cruise, underway continuous and discrete water samples were collected, and discrete water samples were collected at stations to document the carbonate chemistry of the Arctic waters and quantify the saturation state of seawater with respect to calcium carbonate. These data are critical for providing baseline information in areas where no data have existed prior and will also be used to test existing models and predict future trends. |

[[table of contents](#) | [back to top](#)]

Project Information

Ocean Acidification in the Canada Basin: Roles of Sea Ice (OA - Canada Basin)

Website: <http://coastal.er.usgs.gov/ocean-acidification/polar.html>

Coverage: Beaufort Sea, Canada Basin

Extracted from the NSF award abstract:

The proposed research aims to identify mechanisms of ocean acidification and carbonate undersaturation in the Canada Basin of the Arctic Ocean. The investigators will use a 3-year dataset to address the role of two specific mechanisms involving sea-ice processes: (1) surface water freshening and undersaturation resulting from recent enhanced melting of multi-year sea-ice, and (2) surface water undersaturation resulting from a "carbon-pumping" mechanism driven by brine rejection and carbonate mineral precipitation during increasingly cyclical seasonal sea ice growth and decay. The proposed work would expand understanding of the inorganic carbon cycle, air-sea CO₂ exchange rates and acidification in the Arctic Ocean. Understanding baselines and how they are changing is important for setting realistic parameters for process studies on the effects of ocean acidification on flora and fauna.

Models project the Arctic Ocean will become undersaturated with respect to carbonate minerals in the next decade. Recent field results indicate parts may already be undersaturated in late summer months when ice melt is at its greatest extent. However, few comprehensive datasets of carbonate system parameters in the Arctic Ocean exist. Researchers from the U.S. Geological Survey (USGS) and University of South Florida (USF) collected high-resolution measurements of pCO₂, pH, total dissolved inorganic carbon (DIC), total alkalinity (TA), and carbonate (CO₃-2) from the Canada Basin that fill critical information gaps concerning Arctic carbon variability. A Multiparameter Inorganic Carbon Analyzer (MICA) was used to collect approximately 1,800 measurements of pH and DIC along an 11,965-km trackline in August and September 2012. In addition, over 500 discrete surface water samples were taken. These data are being used to characterize and model regional pCO₂, pH, and carbonate mineral saturation state. A high-resolution, three-dimensional map of these results will be presented.

Data collected on the August 2012 Arctic Cruise will be used to create regional maps of seawater carbonate parameters, including pCO₂ flux/change maps, and derivative maps on saturation state. Maps depicting pCO₂ and carbonate saturation states over large latitudinal and nearshore to offshore gradients are needed for the Arctic, where significant decline of carbonate ecosystems, habitats, and calcifying organisms are predicted over the next decade. The data will allow the USGS to map variations in ocean chemistry along designated tracks and will be used in models to predict future Arctic Ocean saturation states.

Note: Jonathan Wynn is a former Principal Investigator for this project

[[table of contents](#) | [back to top](#)]

Program Information

Science, Engineering and Education for Sustainability NSF-Wide Investment (SEES): Ocean Acidification (formerly CRI-OA) (SEES-OA)

Website: https://www.nsf.gov/funding/pgm_summ.jsp?pims_id=503477

Coverage: global

NSF Climate Research Investment (CRI) activities that were initiated in 2010 are now included under Science, Engineering and Education for Sustainability NSF-Wide Investment (SEES). SEES is a portfolio of activities that highlights NSF's unique role in helping society address the challenge(s) of achieving sustainability. Detailed information about the SEES program is available from NSF (https://www.nsf.gov/funding/pgm_summ.jsp?pims_id=504707).

In recognition of the need for basic research concerning the nature, extent and impact of ocean acidification

on oceanic environments in the past, present and future, the goal of the SEES: OA program is to understand (a) the chemistry and physical chemistry of ocean acidification; (b) how ocean acidification interacts with processes at the organismal level; and (c) how the earth system history informs our understanding of the effects of ocean acidification on the present day and future ocean.

Solicitations issued under this program:

[NSF 10-530](#), FY 2010-FY2011

[NSF 12-500](#), FY 2012

[NSF 12-600](#), FY 2013

[NSF 13-586](#), FY 2014

NSF 13-586 was the final solicitation that will be released for this program.

PI Meetings:

[1st U.S. Ocean Acidification PI Meeting](#) (March 22-24, 2011, Woods Hole, MA)

[2nd U.S. Ocean Acidification PI Meeting](#) (Sept. 18-20, 2013, Washington, DC)

3rd U.S. Ocean Acidification PI Meeting (June 9-11, 2015, Woods Hole, MA – Tentative)

NSF media releases for the Ocean Acidification Program:

[Press Release 10-186 NSF Awards Grants to Study Effects of Ocean Acidification](#)

[Discovery Blue Mussels "Hang On" Along Rocky Shores: For How Long?](#)

[Discovery nsf.gov - National Science Foundation \(NSF\) Discoveries - Trouble in Paradise: Ocean Acidification This Way Comes - US National Science Foundation \(NSF\)](#)

[Press Release 12-179 nsf.gov - National Science Foundation \(NSF\) News - Ocean Acidification: Finding New Answers Through National Science Foundation Research Grants - US National Science Foundation \(NSF\)](#)

[Press Release 13-102 World Oceans Month Brings Mixed News for Oysters](#)

[Press Release 13-108 nsf.gov - National Science Foundation \(NSF\) News - Natural Underwater Springs Show How Coral Reefs Respond to Ocean Acidification - US National Science Foundation \(NSF\)](#)

[Press Release 13-148 Ocean acidification: Making new discoveries through National Science Foundation research grants](#)

[Press Release 13-148 - Video nsf.gov - News - Video - NSF Ocean Sciences Division Director David Conover answers questions about ocean acidification. - US National Science Foundation \(NSF\)](#)

[Press Release 14-010 nsf.gov - National Science Foundation \(NSF\) News - Palau's coral reefs surprisingly resistant to ocean acidification - US National Science Foundation \(NSF\)](#)

[Press Release 14-116 nsf.gov - National Science Foundation \(NSF\) News - Ocean Acidification: NSF awards \\$11.4 million in new grants to study effects on marine ecosystems - US National Science Foundation \(NSF\)](#)

[[table of contents](#) | [back to top](#)]

Funding

| Funding Source | Award |
|---|-----------------------------|
| NSF Arctic Sciences (NSF ARC) | PLR-1220032 |

[[table of contents](#) | [back to top](#)]