Protein measurements from coral-light experiments (Dufault, 2013, JEB), Taiwan 2010 (MCR LTER project, Climate_Coral_Larvae project)

Website: https://www.bco-dmo.org/dataset/527782 Version: 2014-08-30

Project

- » Moorea Coral Reef Long-Term Ecological Research site (MCR LTER)
- » The ecophysiological basis of the response of coral larvae and early life history stages to global climate change (Climate_Coral_Larvae)

Program

» Long Term Ecological Research network (LTER)

| Contributors | Affiliation | Role |
|-------------------|---|------------------------|
| Edmunds, Peter J. | California State University Northridge (CSUN) | Principal Investigator |
| Dufault, Aaron M. | California State University Northridge (CSUN) | Student |
| Copley, Nancy | Woods Hole Oceanographic Institution (WHOI BCO-DMO) | BCO-DMO Data Manager |

Table of Contents

- Dataset Description
 - <u>Methods & Sampling</u>
 <u>Data Processing Description</u>
- Data Files
- Parameters
- Instruments
- Deployments
- Project Information
- Program Information
- Funding

Dataset Description

The effect of light and PCO2 on the calcification and survival of Pocillopora damicornis recruits settled from larvae released in southern Taiwan was tested.

These data include the protein measurements for each light treatment in each of the tanks over the duration of the experiment.

Related datasets: coral-light expt.- PAR coral-light expt.- carbonate chemistry coral-light expt.- temp_salinity coral-light expt.- growth coral-light expt.- survival

These data were published in Aaron M Dufault, Aaron Ninokawa, Lorenzo Bramanti, Vivian R Cumbo, Tung-Yung Fan, Peter J Edmunds (2013) The role of light in mediating the effects of ocean acidification on coral calcification. Journal of Experimental Biology 216: 1570-1577. doi:10.1242/jeb.080549

Download complete data for this publication (Excel file)

Methods & Sampling

In March 2011and June 2012, recruits were incubated at 31, 41, 70, 122 and 226 µmol photons m-2 s-1 under ambient (493 µatm) and high PCO2 (878 µatm). After 5 days, calcification was measured gravimetrically and survivorship estimated as the number of living recruits.

Three recruits per tile were harvested for protein analysis and frozen. Frozen recruits were solubilized in 0.1 mol/liter NaOH with sonication (15 s at 10% amplitude) and heating (5 h at 50°C), then neutralized with 1 mol/liter HCI (to pH 7.0-7.5) and were processed in triplicate. Protein concentration was determined using the BioRad protein assay (BioRad Laboratories, Hercules, CA, USA) scaled to microtiter plates with absorbance at 595 nm read on a 96-well plate spectrophotometer (Synergy H4 Hybrid Reader, Biotek, Winooski, VT, USA; the assay was calibrated using BSA).

Data Processing Description

BCO-DMO processing notes:

- added conventional header with dataset name, PI name, version date, reference information

- added lab, lat, lon, expt columns
- renamed parameters to BCO-DMO standard
- sorted by expt, treatment_pCO2, tank, treatment_light, tile, spat

[table of contents | back to top]

Data Files

| File |
|--|
| protein.csv(Comma Separated Values (.csv), 8.51 KB MD5:19b1e29ccd7a7803da0df685555a218a |
| Primary data file for dataset ID 527782 |

[table of contents | back to top]

Parameters

| Parameter | Description | Units |
|-----------------|---|------------------|
| lab | laboratory | unitless |
| lat | latitude; north is positive | degrees |
| lon | longitude; east is positive | degrees |
| expt | experiment identification number | unitless |
| tank | tank identification number | unitless |
| treatment_pCO2 | relative partial pressure of carbon dioxide (pCO2) target for treatment | unitless |
| treatment_light | light level for treatment | mol photons/m2/s |
| tile | setting tile id number | unitless |
| spat | individual larval coral id number | unitless |
| protein_total | total protein concentration for the grouped sample | milligrams |
| protein_stdev | grouped sample protein standard deviation | milligrams |

[table of contents | back to top]

Instruments

| Dataset-specific Instrument Name | spectrophotometer | |
|---|---|--|
| Generic Instrument Name | Spectrophotometer | |
| Dataset-specific Description | set-specific Description 96-well plate spectrophotometer: Synergy H4 Hybrid Reader, Biotek, Winooski, VT, USA; the assay was calibrated using BSA | |
| eneric Instrument An instrument used to measure the relative absorption of electromagnetic radiation of different wavelengths in the near infra-red, visible an ultraviolet wavebands by samples. | | |

[table of contents | back to top]

Deployments

| lab_Edmunds_NMMBA | | |
|-------------------|--|--|
| Website | https://www.bco-dmo.org/deployment/58892 | |
| Platform | Natl Museum Mar. Bio. and Aquar. Taiwan | |
| Start Date | 2010-03-18 | |
| End Date | 2010-03-24 | |
| Description | Experiments related to the research project: 'RUI- The ecophysiological basis of the response of coral larvae and early life history stages to global climate change' were conducted at the laboratories of the National Museum of Marine Biology and Aquarium in Southern Taiwan. | |

[table of contents | back to top]

Project Information

Moorea Coral Reef Long-Term Ecological Research site (MCR LTER)

Website: http://mcr.lternet.edu/

Coverage: Island of Moorea, French Polynesia

From http://www.lternet.edu/sites/mcr/ and http://mcr.lternet.edu/:

The Moorea Coral Reef LTER site encompasses the coral reef complex that surrounds the island of Moorea, French Polynesia (17°30'S, 149°50'W). Moorea is a small, triangular volcanic island 20 km west of Tahiti in the Society Islands of French Polynesia. An offshore barrier reef forms a system of shallow (mean depth ~ 5-7 m), narrow (-0.8-1.5 km wide) lagoons around the 60 km perimeter of Moorea. All major coral reef types (e.g., fringing reef, lagoon patch reefs, back reef, barrier reef and fore reef) are present and accessible by small boat.

The MCR LTER was established in 2004 by the US National Science Foundation (NSF) and is a partnership between the University of California Santa Barbara and California State University, Northridge. MCR researchers include marine scientists from the UC Santa Barbara, CSU Northridge, UC Davis, UC Santa Cruz, UC San Diego, CSU San Marcos, Duke University and the University of Hawaii. Field operations are conducted from the UC Berkeley Richard B. Gump South Pacific Research Station on the island of Moorea, French Polynesia.

MCR LTER Data: The Moorea Coral Reef (MCR) LTER data are managed by and available directly from the MCR project data site URL shown above. The datasets listed below were collected at or near the MCR LTER sampling locations, and funded by NSF OCE as ancillary projects related to the MCR LTER core research themes.

This project is supported by continuing grants with slight name variations:

- LTER: Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR II Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR IIB: Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR III: Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR IV: Long-Term Dynamics of a Coral Reef Ecosystem

The ecophysiological basis of the response of coral larvae and early life history stages to global climate change (Climate_Coral_Larvae)

Coverage: Moorea, French Polynesia; Southern Taiwan; California State University Northridge

Tropical coral reefs face a suite of environmental assaults ranging from anchor damage to the effects of global climate change (GCC). The consequences are evident throughout the tropics, where many coral reefs have lost a substantial fraction of their coral cover in a few decades. Notwithstanding the importance of reducing the impacts of environmental stresses, the only means by which these ecosystems can recover (or simply persist) is through the recruitment of scleractinians, which is a function of successful larval development, delivery, settlement, metamorphosis, and post-settlement events. Despite wide recognition of the importance of these processes, there are few pertinent empirical data, and virtually none that address the mechanisms mediating the success of early coral life stages in a physical environmental varying at multiple spatio-temporal scales.

The objective of this research is to complete one of the first comprehensive ecophysiological analyses of the early life stages of corals through a description of: (1) their

functionality under 'normal' conditions, and (2) their response to the main drivers of GCC. These analyses will be completed for 2 species representative of a brooding life history strategy, and the experiments will be completed in two locations, one (Taiwan) that provides unrivalled experience in coral reproductive biology, and superb microcosm facilities, and the other (Moorea), with access to a relatively pristine environment, a well described ecological and oceanographic context (through the MCR-LTER), and the capacity to bring a strong biogeographic contrast to the project. The results of the study will be integrated through modeling to explore the effects of GCC on coral community structure over the next century.

The following publications and data resulted from this project:

2013 Wall CB, Fan TY, Edmunds PJ. Ocean acidification has no effect on thermal bleaching in the coral Seriatopora caliendrum. Coral Reefs 33: 119-130. Symbiodinium_Seriatopora photosynthesis Symbiodinium_Seriatopora PI curve Symbiodinium_Seriatopora temp-salinity-light Symbiodinium_Seriatopora water chemistry - Download complete data for this publication (Excel file) 2013 Wall CB, Edmunds PJ. In situ effects of low pH and elevated HCO3- on juvenile Porites spp. in Moorea, French Polynesia. Biological Bulletin 225:92-101. Data at MCR and PANGEA: doi.pangaea.de/10.1594/PANGAEA.833913 - Download complete data for this publication (Excel file) 2013 Vivian R Cumbo, Peter J Edmunds, Christopher B Wall, Tung-Yung Fan. Brooded coral larvae differ in their response to high temperature and elevated pCO2 depending on the day of release. Marine Biology DOI 10.1007/s00227-013-2280-y. Data also at PANGEA: doi.pangaea.de/10.1594/PANGAEA.831612 brooded coral larvae 2 - carbonate chemistry brooded coral larvae 2 - larval release March 2003-2008 brooded coral larvae 2 - respiration photosyth mortality - Download complete data for this publication (Excel file) 2013 Edmunds PJ, Cumbo VR, Fan TY. Metabolic costs of larval settlement and metamorphosis in the coral Seriatopora caliendrum under ambient and elevated pCO2. Journal Experimental Marine Biology and Ecology 443: 33-38 Data also at PANGEA: doi:10.1594/PANGAEA.821644 Coral post-settlement physiology - Download complete data for this publication (Excel file 2013 Aaron M Dufault, Aaron Ninokawa, Lorenzo Bramanti, Vivian R Cumbo, Tung-Yung Fan, Peter J Edmunds. The role of light in mediating the effects of ocean acidification on coral calcification. Journal of Experimental Biology 216: 1570-1577. coral-light expt.- PAR coral-light expt.- carbonate chemistry coral-light expt.- temp_salinity coral-light expt.- growth coral-light expt.- protein coral-light expt.- surviva Download complete data for this publication (Excel file) 2012 Cumbo, VR, Fan TY, Edmunds PJ. Effects of exposure duration on the response of Pocillopora damicornis larvae to elevated temperature and high pCO2. J Exp Mar Biol

Ecol 439: 100-107. Data is also at PANGEA: <u>doi:10.1594/PANGAEA.823582</u> brooded coral larvae 3 - carbonate chemistry brooded coral larvae 3 - light brooded coral larvae 3 - mortality brooded coral larvae 3 - protein brooded coral larvae 3 - respiration and protein brooded coral larvae 3 - respiration raw data brooded coral larvae 3 - symbiont density brooded coral larvae 3 - symbiont density brooded coral larvae 3 - tank temperature - Download part 1 of data for this publication (Excel file) - Download tank parameters data for this publication (Excel file)

2012 Cumbo, VR, Fan TY, Edmunds PJ. Physiological development of brooded larvae from two pocilloporid corals in Taiwan. Marine Biology 159: 2853-2866. brooded coral - carbonate chemistry

brooded coral - release brooded coral - respiration brooded coral - settlement competency brooded coral - size_july brooded coral - size_protein_symbionts_photosynth - Download complete data for this publication (Excel file)

2012 Dufault, Aaron M; Vivian R Cumbo; Tung-Yung Fan; Peter J Edmunds. Effects of diurnally oscillating pCO2 on the calcification and survival of coral recruits. Royal Society of London (B) 279: 2951-2958. doi:10.1098/rspb.2011.2545 Data is also at PANGEA: doi:10.1594/PANGAEA.830185

recruit_growth_area recruit_growth_weight recruit_seawater_chemistry recruit_survival - Download complete data for this publication (Excel file)

2011 Edmunds PJ, Cumbo V, Fan TY. Effects of temperature on the respiration of brooded larvae from tropical reef corals. Journal of Experimental Biology 214: 2783-2790. <u>CoralLarvae_release</u> <u>CoralLarvae_respir</u> <u>CoralLarvae_size</u>

- Download complete data for this publication (Excel file)

[table of contents | back to top]

Program Information


Long Term Ecological Research network (LTER)

Website: http://www.lternet.edu/

Coverage: United States

adapted from http://www.lternet.edu/

The National Science Foundation established the LTER program in 1980 to support research on long-term ecological phenomena in the United States. The Long Term Ecological Research (LTER) Network is a collaborative effort involving more than 1800 scientists and students investigating ecological processes over long temporal and broad spatial scales. The LTER Network promotes synthesis and comparative research across sites and ecosystems and among other related national and international research programs. The LTER research sites represent diverse ecosystems with emphasis on different research themes, and cross-site communication, network publications, and research-planning activities are coordinated through the LTER Network Office.



2017 LTER research site map obtained from https://lternet.edu/site/lter-network/

[table of contents | back to top]

Funding

| Funding Source | Award |
|--|--------------------|
| NSF Division of Ocean Sciences (NSF OCE) | <u>OCE-0844785</u> |

[table of contents | back to top]

Site Codes

| AND | Andrews Forest LTER |
|-----|---------------------------|
| ARC | Arctic LTER |
| BES | Baltimore Ecosystem Stu |
| BLE | Beaufort Lagoon |
| | Ecosystems LTER |
| BNZ | Bonanza Creek LTER |
| CCE | California Current |
| | Ecosystem LTER |
| CDR | Cedar Creek Ecosystem |
| | Science Reserve |
| CAP | Central Arizona- |
| | Phoenix LTER |
| CWT | Coweeta LTER |
| FCE | Florida Coastal |
| | Everglades LTER |
| GCE | Georgia Coastal |
| | Ecosystems LTER |
| HFR | Harvard Forest LTER |
| HBR | Hubbard Brook LTER |
| JRN | Jornada Basin LTER |
| KBS | Kellogg Biological |
| | Station LTER |
| KNZ | Konza Prairie LTER |
| LUQ | Luquillo LTER |
| MCM | McMurdo Dry Valleys LT |
| MCR | Moorea Coral Reef LTEF |
| NWT | Niwot Ridge LTER |
| NTL | North Temperate Lakes I |
| NES | Northeast U.S. Shelf LTE |
| NGA | Northern Gulf of Alaska I |
| PAL | Palmer Antarctica LTER |
| PIE | Plum Island |
| | Ecosystems LTER |
| SBC | Santa Barbara Coastal L |
| SEV | Sevilleta LTER |
| VCR | Virginia Coast Reserve L |