Growth measurements from coral-light experiments (Dufault, 2013, JEB), Taiwan 2010 (MCR LTER project, Climate_Coral_Larvae project)

Website: https://www.bco-dmo.org/dataset/527816

Version: 2014-08-30

Project

- » Moorea Coral Reef Long-Term Ecological Research site (MCR LTER)
- » The ecophysiological basis of the response of coral larvae and early life history stages to global climate change (Climate_Coral_Larvae)

Program

» Long Term Ecological Research network (LTER)

Contributors	Affiliation	Role
Edmunds, Peter J.	California State University Northridge (CSUN)	Principal Investigator
Dufault, Aaron M.	California State University Northridge (CSUN)	Student
Copley, Nancy	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Table of Contents

- Dataset Description
 - Methods & Sampling
 - Data Processing Description
- Data Files
- Parameters
- Instruments
- Deployments
- Project Information
- Program Information
- Funding

Dataset Description

The effect of light and PCO2 on the calcification and survival of Pocillopora damicornis recruits settled from larvae released in southern Taiwan was tested.

These data include the weight measurements for each light treatment in each of the tanks over the duration of the experiment. Growth rate is calculated.

Related datasets:

coral-light expt.- PAR

coral-light expt.- carbonate chemistry

coral-light expt.- temp salinity

coral-light expt.- protein coral-light expt.- survival

These data were published in Aaron M Dufault, Aaron Ninokawa, Lorenzo Bramanti, Vivian R Cumbo, Tung-Yung Fan, Peter J Edmunds (2013) The role of light in mediating the effects of ocean acidification on coral calcification. Journal of Experimental Biology 216: 1570-1577. doi:10.1242/jeb.080549

Download complete data for this publication (Excel file)

Methods & Sampling

In March 2011 and June 2012, recruits were incubated at 31, 41, 70, 122 and 226 μmol photons m-2 s-1 under ambient (493 μatm) and high PCO2 (878 μatm). After 5 days, calcification was measured gravimetrically and survivorship estimated as the number of living recruits.

To measure calcification, recruits were cleaned of tissue in bleach (6% NaOCl for 8 h), removed from the tiles with a razor blade, and weighed individually (±100 ng, UMT2 balance, Mettler-Toledo) after drying (72 h at 27°C); calcification was normalized to protein and time (mg CaCO3/mg protein/day).

Data Processing Description

BCO-DMO processing notes:

- added conventional header with dataset name, PI name, version date, reference information
- added lab, lat, lon, expt columns
- renamed parameters to BCO-DMO standard
- sorted by expt, treatment_pCO2, tank, treatment_light, tile, corallite_id

[table of contents | back to top]

Data Files

File

growth.csv(Comma Separated Values (.csv), 38.29 KB)
MD5:f817fa5625eafd203f3131ab433fd612

Primary data file for dataset ID 527816

[table of contents | back to top]

Parameters

Parameter	Description	Units
lab	laboratory	unitless
lat	latitude; north is positive	degrees
lon	longitude; east is positive	degrees
expt	experiment identification number	unitless
tank	tank identification number	unitless
treatment_pCO2	relative partial pressure of carbon dioxide (pCO2) target for treatment	unitless
treatment_light	light level for treatment	mol photons/m2/s
tile	setting tile id number	unitless
corallite_id	individual larval corallite id number	unitless
weight_1	first weighing of corallite	mg
weight_2	second weighing of corallite	mg
weight_avg	average weight of corallite	mg
growth_avg_protein	total growth of each juvenile coral for the avg protein concentration	mg/mg protein
daily_growth	total growth per average unit protein per day of the experiment	mg/mg protein/day

[table of contents | back to top]

Instruments

Dataset-specific Instrument Name	balance
Generic Instrument Name	scale
Dataset-specific Description	±100∏ng, UMT2 balance, Mettler-Toledo
Generic Instrument Description	An instrument used to measure weight or mass.

[table of contents | back to top]

Deployments

lab Edmunds NMMBA

iab_Eamunas _.	IS_NIMIDA	
Website	https://www.bco-dmo.org/deployment/58892	
Platform	form Natl Museum Mar. Bio. and Aquar. Taiwan	
Start Date	2010-03-18	
	2010-03-24	
Description	Experiments related to the research project: 'RUI- The ecophysiological basis of the response of coral larvae and early life history stages to global climate change' were conducted at the laboratories of the National Museum of Marine Biology and Aquarium in Southern Taiwan.	

[table of contents | back to top]

Project Information

Moorea Coral Reef Long-Term Ecological Research site (MCR LTER)

Website: http://mcr.lternet.edu/

Coverage: Island of Moorea, French Polynesia

From http://www.lternet.edu/sites/mcr/ and http://mcr.lternet.edu/:
The Moorea Coral Reef LTER site encompasses the coral reef complex that surrounds the island of Moorea, French Polynesia (17°30'S, 149°50'W). Moorea is a small, triangular volcanic island 20 km west of Tahiti in the Society Islands of French Polynesia. An offshore barrier reef forms a system of shallow (mean depth ~ 5-7 m), narrow (~0.8-1.5 km wide) lagoons around the 60 km perimeter of Moorea. All major coral reef types (e.g., fringing reef, lagoon patch reefs, back reef, barrier reef and fore reef) are present and accessible by small boat.

The MCR LTER was established in 2004 by the US National Science Foundation (NSF) and is a partnership between the University of California Santa Barbara and California State University, Northridge. MCR researchers include marine scientists from the UC Santa Barbara, CSU Northridge, UC Davis, UC Santa Cruz, UC San Diego, CSU San Marcos, Duke University and the University of Hawaii. Field operations are conducted from the UC Berkeley Richard B. Gump South Pacific Research Station on the island of Moorea, French Polynesia.

MCR LTER Data: The Moorea Coral Reef (MCR) LTER data are managed by and available directly from the MCR project data site URL shown above. The datasets listed below were collected at or near the MCR LTER sampling locations, and funded by NSF OCE as ancillary projects related to the MCR LTER core research themes.

This project is supported by continuing grants with slight name variations:

- LTER: Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR II Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR IIB: Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR III: Long-Term Dynamics of a Coral Reef Ecosystem
 LTER: MCR IV: Long-Term Dynamics of a Coral Reef Ecosystem

The ecophysiological basis of the response of coral larvae and early life history stages to global climate change (Climate_Coral_Larvae)

Coverage: Moorea, French Polynesia; Southern Taiwan; California State University Northridge

Tropical coral reefs face a suite of environmental assaults ranging from anchor damage to the effects of global climate change (GCC). The consequences are evident throughout the tropics, where many coral reefs have lost a substantial fraction of their coral cover in a few decades. Notwithstanding the importance of reducing the impacts of environmental stresses, the only means by which these ecosystems can recover (or simply persist) is through the recruitment of scleractinians, which is a function of successful larval development, delivery, settlement, metamorphosis, and post-settlement events. Despite wide recognition of the importance of these processes, there are few pertinent empirical data, and virtually none that address the mechanisms mediating the success of early coral life stages in a physical environmental varying at multiple spatio-temporal

The objective of this research is to complete one of the first comprehensive ecophysiological analyses of the early life stages of corals through a description of: (1) their functionality under 'normal' conditions, and (2) their response to the main drivers of GCC. These analyses will be completed for 2 species representative of a brooding life history strategy, and the experiments will be completed in two locations, one (Taiwan) that provides unrivalled experience in coral reproductive biology, and superb microcosm facilities and the other (Moorea), with access to a relatively pristine environment, a well described ecological and oceanographic context (through the MCR-LTER), and the capacity to bring a strong biogeographic contrast to the project. The results of the study will be integrated through modeling to explore the effects of GCC on coral community structure over the next century.

The following publications and data resulted from this project:

2013 Wall CB. Fan TY. Edmunds Pl. Ocean acidification has no effect on thermal bleaching in the coral Seriatopora caliendrum. Coral Reefs 33: 119-130.

Symbiodinium Seriatopora photosynthesis

Symbiodinium_Seriatopora PI curve

Symbiodinium_Seriatopora temp-salinity-light Symbiodinium_Seriatopora water chemistry

- Download complete data for this publication (Excel file)

2013 Wall CB, Edmunds PJ. In situ effects of low pH and elevated HCO3- on juvenile Porites spp. in Moorea, French Polynesia. Biological Bulletin 225:92-101.

Data at MCR and PANGEA: doi.pangaea.de/10.1594/PANGAEA.833913 - Download complete data for this publication (Excel file)

2013 Vivian R Cumbo, Peter J Edmunds, Christopher B Wall, Tung-Yung Fan. Brooded coral larvae differ in their response to high temperature and elevated pCO2 depending on the day of release. Marine Biology DOI 10.1007/s00227-013-2280-y.

Data also at PANGEA: doi.pangaea.de/10.1594/PANGAEA.831612 brooded coral larvae 2 - carbonate chemistry

brooded coral larvae 2 - larval release March 2003-2008

brooded coral larvae 2 - respiration_photosyth_mortality - Download complete data for this publication (Excel file)

2013 Edmunds Pl. Cumbo VR, Fan TY. Metabolic costs of larval settlement and metamorphosis in the coral Seriatopora caliendrum under ambient and elevated pCO2. Journal Experimental Marine Biology and Ecology 443: 33-38 Data also at PANGEA: doi:10.1594/PANGAEA.821644

Coral post-settlement physiology

- Download complete data for this publication (Excel file)

2013 Aaron M Dufault, Aaron Ninokawa, Lorenzo Bramanti, Vivian R Cumbo, Tung-Yung Fan, Peter J Edmunds. The role of light in mediating the effects of ocean acidification on coral calcification. Journal of Experimental Biology 216: 1570-1577.

coral-light expt.- PAR

coral-light expt.- carbonate chemistry

coral-light expt.- temp salinity

coral-light expt.- growth

coral-light expt.- protein

coral-light expt.- surviva

- Download complete data for this publication (Excel file)

Cumbo, VR, Fan TY, Edmunds PJ. Effects of exposure duration on the response of Pocillopora damicornis larvae to elevated temperature and high pCO2. J Exp Mar Biol

Ecol 439: 100-107.

Data is also at PANGEA: doi:10.1594/PANGAEA.823582

brooded coral larvae 3 - carbonate chemistry

brooded coral larvae 3 - light brooded coral larvae 3 - mortality

brooded coral larvae 3 - protein

brooded coral larvae 3 - respiration and protein

brooded coral larvae 3 - respiration raw data brooded coral larvae 3 - symbiont density

brooded coral larvae 3 - tank temperature

- Download part 1 of data for this publication (Excel file)

- Download tank parameters data for this publication (Excel file)

2012 Cumbo, VR. Fan TY, Edmunds Pl. Physiological development of brooded larvae from two pocilloporid corals in Taiwan. Marine Biology 159: 2853-2866.

brooded coral - carbonate chemistry

brooded coral - release

brooded coral - respiration

brooded coral - settlement competency

brooded coral - size_July

brooded coral - size_protein_symbionts_photosynth

- Download complete data for this publication (Excel file)

Dufault, Aaron M; Vivian R Cumbo; Tung-Yung Fan; Peter J Edmunds. Effects of diurnally oscillating pCO2 on the calcification and survival of coral recruits. Royal Society of London (B) 279: 2951-2958. doi:10.1098/rspb.2011.2545

Data is also at PANGEA: doi:10.1594/PANGAEA.830185

recruit growth area

recruit growth weight

recruit_seawater_chemistry

recruit survival

- Download complete data for this publication (Excel file)

2011 Edmunds PJ, Cumbo V, Fan TY. Effects of temperature on the respiration of brooded larvae from tropical reef corals. Journal of Experimental Biology 214: 2783-2790. CoralLarvae comparison respir

CoralLarvae release

[table of contents | back to top]


Program Information

Long Term Ecological Research network (LTER)

Website: http://www.lternet.edu/
Coverage: United States

adapted from http://www.lternet.edu/

The National Science Foundation established the LTER program in 1980 to support research on long-term ecological phenomena in the United States. The Long Term Ecological Research (LTER) Network is a collaborative effort involving more than 1800 scientists and students investigating ecological processes over long temporal and broad spatial scales. The LTER Network promotes synthesis and comparative research across sites and ecosystems and among other related national and international research programs. The LTER research sites represent diverse ecosystems with emphasis on different research themes, and cross-site communication, network publications, and research-planning activities are coordinated through the LTER Network Office.



Site Codes

AND Andrews Forest LTER
ARC Arctic LTER
BES Baltimore Ecosystem Str
BLE Beaufort Lagoon
Ecosystems LTER
BNZ Bonanza Creek LTER
CCE California Current
Ecosystem LTER
CDR Cedar Creek Ecosystem

Science Reserve
CAP Central ArizonaPhoenix LTER
CWT Coweeta LTER
FCE Florida Coastal

Everglades LTER
GCE Georgia Coastal
Ecosystems LTER

HFR Harvard Forest LTER HBR Hubbard Brook LTER JRN Jornada Basin LTER

KBS Kellogg Biological Station LTER

KNZ Konza Prairie LTER

LUQ Luquillo LTER

MCM McMurdo Dry Valleys LT MCR Moorea Coral Reef LTEF

NWT Niwot Ridge LTER

NTL North Temperate Lakes I NES Northeast U.S. Shelf LTE

NGA Northern Gulf of Alaska I

PAL Palmer Antarctica LTER
PIE Plum Island

Ecosystems LTER

SBC Santa Barbara Coastal L

SEV Sevilleta LTER

VCR Virginia Coast Reserve L

[table of contents | back to top]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-0844785

[table of contents | back to top]