Brooded coral larval size from July 2010 experiment (Cumbo, 2012) Taiwan(MCR LTER project, Climate Coral Larvae project)

Website: https://www.bco-dmo.org/dataset/528761

Version: 2014-09-08

Project

- » Moorea Coral Reef Long-Term Ecological Research site (MCR LTER)
- » The ecophysiological basis of the response of coral larvae and early life history stages to global climate change (Climate_Coral_Larvae)

Program

» Long Term Ecological Research network (LTER)

Contributors	Affiliation	Role
Edmunds, Peter J.	California State University Northridge (CSUN)	Principal Investigator
Cumbo, Vivian R	California State University Northridge (CSUN)	Scientist
Copley, Nancy	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Table of Contents

- Dataset Description
 - Methods & Sampling
 - Data Processing Description
- Data Files
- <u>Parameters</u>
- Instruments
- <u>Deployments</u>
- Project Information
- Program Information
- Funding

Dataset Description

The physiological development of brooded larvae from the pocilloporid corals Pocillopora damicornis and Seriatopora caliendrum in southern Taiwan was examined.

These data include larval size from experiments conducted in July, 2010.

Related datasets:

brooded coral - carbonate chemistry

brooded coral - release

<u>brooded coral - respiration</u> <u>brooded coral - settlement competency</u>

brooded coral - size_protein_symbionts_pho

These data are published in Cumbo, VR, Fan TY, Edmunds PJ. (2012) Physiological development of brooded larvae from two pocilloporid corals in Taiwan. Marine Biology 159: 2853-2866. DOI 10.1007/s00227-012-2046-y. See Fig. 3a.

Download complete data for this publication (Excel file)

Methods & Sampling

To determine the size in July, 2010, larvae were placed individually on a microscope slide in a drop of seawater and photographed using a digital camera fitted to a dissecting microscope. Larval area (mm^2) was measured using ImageJ 1.42q software (Abramoff et al. 2004), and mean larval area (n = 8) from each tank at each time point was used for statistical analysis.

Data Processing Description

BCO-DMO processing notes:

- added conventional header with dataset name, PI name, version date, reference information
- added lab, lat, lon, expt columns
- renamed parameters to BCO-DMO standard

[table of contents | back to top]

Data Files

File

brood_size_july.csv(Comma Separated Values (.csv), 40.75 KB)

MD5:d3a12c0f28da26457c877d269e7f79a8

Primary data file for dataset ID 528761

[table of contents | back to top]

Parameters

Parameter	Description	Units
expt	experiment id	unitless
lab	laboratory	unitless
lat	latitude; north is positive	decimal degrees
lon	longitude; east is positive	decimal degrees
species	coral species name	unitless
date	local date of measurement	yyyy-mm-dd
release	larval release relative to full moon: early peak late; $N_A = not$ applicable	unitless
lunar_day	lunar day of measurement	integer
sample	replicate number	integer
image_id	image file name	unitless
larval_size	larval size as measured by area	mm^2

[table of contents | back to top]

Instruments

Dataset-specific Instrument Name	camera	
Generic Instrument Name	Camera	
Dataset-specific Description	digital camera fitted to dissecting microscope	
Generic Instrument Description	All types of photographic equipment including stills video film and digital systems	

[table of contents | back to top]

Deployments

lab Edmunds NMMBA

lab_Lamanas)_MininDA
Website	https://www.bco-dmo.org/deployment/58892
Platform	Natl Museum Mar. Bio. and Aquar. Taiwan
Start Date	2010-03-18
End Date	2010-03-24
Description	Experiments related to the research project: 'RUI- The ecophysiological basis of the response of coral larvae and early life history stages to global climate change' were conducted at the laboratories of the National Museum of Marine Biology and Aquarium in Southern Taiwan.

[table of contents | back to top]

Project Information

Moorea Coral Reef Long-Term Ecological Research site (MCR LTER)

Website: http://mcr.lternet.edu/

Coverage: Island of Moorea, French Polynesia

From http://www.lternet.edu/sites/mcr/ and http://mcr.lternet.edu/:

The Moorea Coral Reef LTER site encompasses the coral reef complex that surrounds the island of Moorea, French Polynesia (17°30'S, 149°50'W). Moorea is a small, triangular volcanic island 20 km west of Tahiti in the Society Islands of French Polynesia. An offshore barrier reef forms a system of shallow (mean depth ~ 5-7 m), narrow (-0.8-1.5 km wide) lagoons around the 60 km perimeter of Moorea. All major coral reef types (e.g., fringing reef, lagoon patch reefs, back reef, barrier reef and fore reef) are present and accessible by small boat.

The MCR LTER was established in 2004 by the US National Science Foundation (NSF) and is a partnership between the University of California Santa Barbara and California State University, Northridge. MCR researchers include marine scientists from the UC Santa Barbara, CSU Northridge, UC Davis, UC Santa Cruz, UC San Diego, CSU San Marcos, Duke University and the University of Hawaii. Field operations are conducted from the UC Berkeley Richard B. Gump South Pacific Research Station on the island of Moorea, French Polynesia.

MCR LTER Data: The Moorea Coral Reef (MCR) LTER data are managed by and available directly from the MCR project data site URL shown above. The datasets listed below were collected at or near the MCR LTER sampling locations, and funded by NSF OCE as ancillary projects related to the MCR LTER core research themes.

This project is supported by continuing grants with slight name variations:

- LTER: Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR II Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR IIB: Long-Term Dynamics of a Coral Reef Ecosystem
- LTER: MCR III: Long-Term Dynamics of a Coral Reef Ecosystem
 LTER: MCR IV: Long-Term Dynamics of a Coral Reef Ecosystem

The ecophysiological basis of the response of coral larvae and early life history stages to global climate change (Climate_Coral_Larvae)

Coverage: Moorea, French Polynesia; Southern Taiwan; California State University Northridge

Tropical coral reefs face a suite of environmental assaults ranging from anchor damage to the effects of global climate change (GCC). The consequences are evident throughout the tropics, where many coral reefs have lost a substantial fraction of their coral cover in a few decades. Notwithstanding the importance of reducing the impacts of environmental stresses, the only means by which these ecosystems can recover (or simply persist) is through the recruitment of scleractinians, which is a function of successful larval development, delivery, settlement, metamorphosis, and post-settlement events. Despite wide recognition of the importance of these processes, there are few pertinent empirical data, and virtually none that address the mechanisms mediating the success of early coral life stages in a physical environmental varying at multiple spatio-temporal scales.

The objective of this research is to complete one of the first comprehensive ecophysiological analyses of the early life stages of corals through a description of: (1) their functionality under 'normal' conditions, and (2) their response to the main drivers of GCC. These analyses will be completed for 2 species representative of a brooding life history strategy, and the experiments will be completed in two locations, one (Taiwan) that provides unrivalled experience in coral reproductive biology, and superb microcosm facilities,

and the other (Moorea), with access to a relatively pristine environment, a well described ecological and oceanographic context (through the MCR-LTER), and the capacity to bring a strong biogeographic contrast to the project. The results of the study will be integrated through modeling to explore the effects of GCC on coral community structure over the next century.

The following publications and data resulted from this project:

2013 Wall CB, Fan TY, Edmunds PJ. Ocean acidification has no effect on thermal bleaching in the coral Seriatopora caliendrum. Coral Reefs 33: 119-130.

Symbiodinium_Seriatopora photosynthesis

Symbiodinium_Seriatopora PI curve Symbiodinium Seriatopora temp-salinity-light

Symbiodinium Seriatopora water chemistry

- Download complete data for this publication (Excel file)

2013 Wall CB, Edmunds PJ. In situ effects of low pH and elevated HCO3- on juvenile Porites spp. in Moorea, French Polynesia. Biological Bulletin 225:92-101.

Data at MCR and PANGEA: doi.pangaea.de/10.1594/PANGAEA.833913 - Download complete data for this publication (Excel file)

Vivian R Cumbo, Peter J Edmunds, Christopher B Wall, Tung-Yung Fan. Brooded coral larvae differ in their response to high temperature and elevated pCO2 depending on the day of release. Marine Biology DOI 10.1007/s00227-013-2280-y.

Data also at PANGEA: doi.pangaea.de/10.1594/PANGAEA.831612 brooded coral larvae 2 - carbonate chemistry

brooded coral larvae 2 - larval release March 2003-2008

brooded coral larvae 2 - respiration_photosyth_mortality

Download complete data for this publication (Excel file)

2013 Edmunds PJ, Cumbo VR, Fan TY. Metabolic costs of larval settlement and metamorphosis in the coral Seriatopora caliendrum under ambient and elevated pCO2. Journal Experimental Marine Biology and Ecology 443: 33-38 Data also at PANGEA: doi:10.1594/PANGAEA.821644

Coral post-settlement physiology

- Download complete data for this publication (Excel file)

2013 Aaron M Dufault, Aaron Ninokawa, Lorenzo Bramanti, Vivian R Cumbo, Tung-Yung Fan, Peter J Edmunds. The role of light in mediating the effects of ocean acidification on coral calcification. Journal of Experimental Biology 216: 1570-1577.

coral-light expt.- PAR

coral-light expt.- carbonate chemistry

coral-light expt.- temp salinity

coral-light expt.- growth

coral-light expt.- protein

coral-light expt.- survival - Download complete data for this publication (Excel file)

Cumbo, VR. Fan TY. Edmunds PI. Effects of exposure duration on the response of *Pocillopora damicornis* larvae to elevated temperature and high pCO2. I Exp Mar Biol Ecol 439: 100-107.

Data is also at PANGEA: doi:10.1594/PANGAEA.823582

brooded coral larvae 3 - carbonate chemistry

brooded coral larvae 3 - light

brooded coral larvae 3 - mortality

brooded coral larvae 3 - protein

brooded coral larvae 3 - respiration and protein

brooded coral larvae 3 - respiration raw data

brooded coral larvae 3 - symbiont density brooded coral larvae 3 - tank temperature

- Download part 1 of data for this publication (Excel file)

Download tank parameters data for this publication (Excel file)

2012 Cumbo, VR, Fan TY, Edmunds PJ. Physiological development of brooded larvae from two pocilloporid corals in Taiwan. Marine Biology 159: 2853-2866.

brooded coral - carbonate chemistry

brooded coral - release

brooded coral - respiration

brooded coral - settlement competency

brooded coral - size_July

brooded coral - size protein_symbionts_photosynth - Download complete data for this publication (Excel file)

2012 Dufault, Aaron M; Vivian R Cumbo; Tung-Yung Fan; Peter J Edmunds. Effects of diurnally oscillating pCO2 on the calcification and survival of coral recruits. Royal Society of London (B) 279: 2951-2958. doi:10.1098/rspb.2011.2545

Data is also at PANGEA: doi:10.1594/PANGAEA.830185

recruit growth area

recruit_growth_weight

recruit seawater chemistry

recruit survival

- Download complete data for this publication (Excel file)

2011 Edmunds PJ, Cumbo V, Fan TY. Effects of temperature on the respiration of brooded larvae from tropical reef corals. Journal of Experimental Biology 214: 2783-2790.

CoralLarvae_comparison_respir CoralLarvae release

CoralLarvae respir

CoralLarvae size

- Download complete data for this publication (Excel file)

[table of contents | back to top]

Program Information


Long Term Ecological Research network (LTER)

Website: http://www.lternet.edu/

Coverage: United States

adapted from http://www.lternet.edu/

The National Science Foundation established the LTER program in 1980 to support research on long-term ecological phenomena in the United States. The Long Term Ecological Research (LTER) Network is a collaborative effort involving more than 1800 scientists and students investigating ecological processes over long temporal and broad spatial scales. The LTER Network promotes synthesis and comparative research across sites and ecosystems and among other related national and international research programs. The LTER research sites represent diverse ecosystems with emphasis on different research themes, and cross-site communication, network publications, and research-planning activities are coordinated through the LTER Network Office.



Site Codes

	Andrews	Forest	17	ΓER
שווא	Allulews	FULUSI	L	ı⊏n

ARC Arctic LTER

BES Baltimore Ecosystem Stu

BLE Beaufort Lagoon Ecosystems LTER

BNZ Bonanza Creek LTER

CCE California Current Ecosystem LTER

CDR Cedar Creek Ecosystem Science Reserve

CAP Central Arizona-Phoenix LTER

CWT Coweeta LTER

FCE Florida Coastal Everglades LTER

GCE Georgia Coastal Ecosystems LTER

HFR Harvard Forest LTER

HBR Hubbard Brook LTER

JRN Jornada Basin LTER

KBS Kellogg Biological Station LTER

KNZ Konza Prairie LTER

LUQ Luquillo LTER

MCM McMurdo Dry Valleys LT

MCR Moorea Coral Reef LTEF

NWT Niwot Ridge LTER

NTL North Temperate Lakes I

NES Northeast U.S. Shelf LTE

NGA Northern Gulf of Alaska I

PAL Palmer Antarctica LTER

PIE Plum Island Ecosystems LTER

SBC Santa Barbara Coastal L

SEV Sevilleta LTER

VCR Virginia Coast Reserve L

2017 LTER research site map obtained from https://lternet.edu/site/lter-network/

[table of contents | back to top]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-0844785

[table of contents | back to top]