

Snail foraging and temperature: maximum temperature data from University of Washington Friday Harbor Laboratories, Friday Harbor WA, Cantilever Point; 2010-2013 (Intertidal Temp Effects project)

Website: <https://www.bco-dmo.org/dataset/553753>

Version: 16 March 2015

Version Date: 2015-03-16

Project

» [The effects of temperature on ecological processes in a rocky intertidal community: a mechanistic approach](#)
(Intertidal Temp Effects)

Contributors	Affiliation	Role
Carrington, Emily	University of Washington (FHL)	Principal Investigator
Hayford, Hilary	University of Washington (FHL)	Contact
Gegg, Stephen R.	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Table of Contents

- [Dataset Description](#)
 - [Methods & Sampling](#)
 - [Data Processing Description](#)
- [Data Files](#)
- [Parameters](#)
- [Instruments](#)
- [Deployments](#)
- [Project Information](#)
- [Funding](#)

Dataset Description

Experimental shoreline data on snail foraging, temperature, and tidal cycling - Max Temps Data

Methods & Sampling

Experimental field experiment conducted in rocky intertidal. Please see related reference.

Related files and reference:

Hayford HA, SE Gilman, and E Carrington (2015) Foraging behavior minimizes heat exposure in a complex thermal landscape. Marine Ecology Progress Series. 518:165-175

Data Processing Description

See related files and reference:

Hayford HA, SE Gilman, and E Carrington (2015) Foraging behavior minimizes heat exposure in a complex thermal landscape. Marine Ecology Progress Series. 518:165-175

BCO-DMO Processing Notes

- Generated from original file "Fig 2 473867 HH 3-16-15.xlsx", Sheet: "Fig 2b" contributed by Hilary Hayford
- Approx Lat/Lon of experiment locale appended to enable data discovery in MapServer
- Date formatted as YYYYMMDD
- Time formatted as HHMM

- Parameter names edited to conform to BCO-DMO naming convention found at [Choosing Parameter Name](#)

[[table of contents](#) | [back to top](#)]

Data Files

File
Max_Temps.csv (Comma Separated Values (.csv), 7.00 KB) MD5:20e2d388dc28c2fb8f1c95222396bc58
Primary data file for dataset ID 553753

[[table of contents](#) | [back to top](#)]

Parameters

Parameter	Description	Units
Experiment_Location	Laboratory identifier where experiments were conducted	text
Lat	Latitude position of platform (South is negative)	decimal degrees
Lon	Longitude position of platform (West is negative)	decimal degrees
date	date of measurement	YYYYMMDD
block_1W_Tmax	maximum temperature of block 1 substrate - western face	degrees C
block_2W_Tmax	maximum temperature of block 2 substrate - western face	degrees C
block_3W_Tmax	maximum temperature of block 3 substrate - western face	degrees C
block_4W_Tmax	maximum temperature of block 4 substrate - western face	degrees C
block_5W_Tmax	maximum temperature of block 5 substrate - western face	degrees C
block_1E_Tmax	maximum temperature of block 1 substrate - eastern face	degrees C
block_2E_Tmax	maximum temperature of block 2 substrate - eastern face	degrees C
block_3E_Tmax	maximum temperature of block 3 substrate - eastern face	degrees C
block_4E_Tmax	maximum temperature of block 4 substrate - eastern face	degrees C
block_5E_Tmax	maximum temperature of block 5 substrate - eastern face	degrees C

[[table of contents](#) | [back to top](#)]

Instruments

Dataset-specific Instrument Name	HOBO TidBit v.2
Generic Instrument Name	Onset HOBO Tidbit v2 (UTBI-001) temperature logger
Dataset-specific Description	Temperatures of the eastern and western faces of each block were recorded at 2 min intervals by one Hobo Tidbit v. 2 datalogger (Onset Computer) per face, adjacent to barnacle prey.
Generic Instrument Description	A temperature logger that measures temperatures over a wide temperature range. It is designed for outdoor and underwater environments and is waterproof to 300 m. A solar radiation shield is required to obtain accurate air temperature measurements in sunlight (RS1 or M-RSA Solar Radiation Shield). With an operational temperature range between -20 degrees Celsius and +70 degrees Celsius, the Tidbit v2 has an accuracy of +/-0.21 and a resolution of 0.02 degrees Celsius.

[[table of contents](#) | [back to top](#)]

Deployments

lab_UW_FHL_OAEL_Carrington

Website	https://www.bco-dmo.org/deployment/59061
Platform	lab UW FHL OAEL
Report	http://depts.washington.edu/fhl/oael.html
Start Date	2010-09-01
End Date	2013-08-31
Description	FHL Ocean Acidification Environmental Laboratory (OAEL) Overview FHL completed construction of a new 1500 sq. ft. experimental facility for ocean acidification research in summer 2011. The facility was funded by an award from NSF's Field Stations and Marine Laboratories (FSML) program, matching funds from the University of Washington, and private donors. The experimental facility currently includes an analytical chemistry laboratory, indoor mesocosms fed by a custom seawater-CO2 blending system and temperature control, laboratory space, as well as outdoor in-water mesocosms. Led by Dr. Emily Carrington, OAEL Director (ecarring@uw.edu), this state-of-the-art ocean acidification facility offers unique research and instructional opportunities for experimental manipulations with on-site monitoring of carbonate system parameters. FHL's location, facilities, and educational mission combine to make an ideal site for the experimental mesocosm and analytical facility.

[[table of contents](#) | [back to top](#)]

Project Information

The effects of temperature on ecological processes in a rocky intertidal community: a mechanistic approach (Intertidal Temp Effects)

Website: <http://depts.washington.edu/nucella/>

Coverage: San Juan Islands, Washington, USA

(Extracted from the NSF Award abstract)

Temperature influences organismal physiology, behavior, community interactions, and ecosystem function; yet rarely are the mechanisms understood. Accurately predicting the consequences of temperature for a species requires knowledge of: local climatic conditions, the relationship between climate and organismal body temperature, and the physiological and ecological consequences of body temperature. Few studies to date have explored all three areas concurrently. This project will examine in detail the biophysical, physiological, and ecological effects of temperature on a rocky intertidal community, a marine ecosystem that has emerged as a model system for studying the ecological consequences of temperature. It will focus on three major species, representative of rocky marine shore species worldwide: the barnacle, *Balanus glandula*, its predator *Nucella ostrina*, and the rockweed *Fucus gardneri*, which provides shelter for both species. The research is centered around three major goals: to develop biophysical models to explicitly link local climate to organismal body temperatures; to develop energy budget models to relate organismal body temperature to individual performance; and to identify the effect of temperature on interactions among the three species through a series of laboratory and field experiments. This research will provide a model system for understanding the effects of temperature on both individual performance and species interactions. It represents a significant contribution to understanding basic ecological questions, such as the role of temperature in structuring communities, and will also contribute to a more mechanistic understanding of the ecological consequences of future climate changes.

[[table of contents](#) | [back to top](#)]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-0824903

[[table of contents](#) | [back to top](#)]