Bushel weight for live oysters used to construct the oyster reefs along Southeastern Atlantic Bight (SAB) from North Carolina to Florida in 2011 (Oyster Trophic Cascades project)

Website: https://www.bco-dmo.org/dataset/555214

Version: 2015-04-01

Project

» The influence of predators on community structure and resultant ecosystem functioning at a biogeographic scale (Oyster Trophic Cascades)

| Contributors | Affiliation | Role |
|--------------------------------------|---|---------------------------------------|
| Kimbro, David L. | Northeastern University | Principal Investigator |
| Byers, James E. | University of Georgia (UGA) | Co-Principal Investigator |
| <u>Grabowski,</u> <u>Jonathan</u> | Northeastern University | Co-Principal Investigator, Contact |
| Hughes, A. Randall | Northeastern University | Co-Principal Investigator |
| Piehler, Michael F. | University of North Carolina at Chapel Hill (UNC-Chapel Hill-IMS) | Co-Principal Investigator |
| Copley, Nancy | Woods Hole Oceanographic Institution (WHOI BCO-DMO) | BCO-DMO Data Manager |

Table of Contents

- Dataset Description
- Data Files
- Parameters
- Deployments
- Project Information
- Funding

Dataset Description

Oyster reef cages containing either bivalves, consumers or predators were set up along the southeastern US coast from N. Carolina to Florida. This dataset includes bushel weights for the live oysters used to construct the reef.

Related Reference:

DL. Kimbro, JE. Byers, JH. Grabowski, AR. Hughes and MF. Piehler. The biogeography of trophic cascades on US oyster reefs (2014) Ecology Letters 17:845-854. doi: 10.1111/ele.12293.

Data is also available from the Knowledge Network for Biocomplexity (KNB):

1. Cage Experiment Bivalve Data http://knb.ecoinformatics.org/knb/metacat? action=read&gformat=knb&sessionid=0&docid=evanlpettis.101.15

[table of contents | back to top]

Data Files

File

live_reef_bushel.csv(Comma Separated Values (.csv), 3.13 KB)
MD5:94b002bfe2e886773dd2c63e303d3fcd

Primary data file for dataset ID 555214

[table of contents | back to top]

Parameters

| Parameter | Description | Units |
|----------------|--|--------------------|
| site | Experimental study site/estuary within each region; Two sites per region | unitless |
| lat | latitude; north is positive | decimal degrees |
| lon | longitude; east is positive | decimal degrees |
| bushel_size | Whether the bushel was of larger clusters (400 g) or smaller clusters (| unitless |
| bushel_id | Reference number given to each bushel (if given) | unitless |
| collection_id | Indicates collection batch number for bushels | unitless |
| wgt_untared | Weight of bushel including container | kilograms |
| wgt_container | Weight of container | kilograms |
| wgt | Weight of bushel (oysters only) | kilograms |
| cage_id | Cage that the bushel was installed in (should be 1 400g bushel per cage and 2 $$ | unitless |
| date_installed | Date that the bushel was installed in the cage | yyyy-mm-dd |

[table of contents | back to top]

Deployments

Kimbro_2011

| Website | https://www.bco-dmo.org/deployment/554925 | |
|-------------|--|--|
| Platform | Oyster_Reefs_SE-US | |
| Start Date | 2011-06-02 | |
| End Date | 2011-09-02 | |
| Description | Oyster reef communities were manipulated to test the generality of potential causal factors of trophic cascades across a 1000-km region from N. Carolina to Florida using monitoring and cage experiments. | |

[table of contents | back to top]

Project Information

The influence of predators on community structure and resultant ecosystem functioning at a biogeographic scale (Oyster_Trophic_Cascades)

Coverage: St. Augustine, FL to Cape Hatteras, NC

Predators structure ecological communities by consuming and altering the traits of prey, yet these effects have only recently been linked to local variation in ecosystem functions such as primary production and nutrient cycling. Such linkages may operate differently across biogeographic scales because factors known to affect local predator mechanisms also vary with latitude. The mismatch between knowledge of how predators locally affect ecosystem functions and the biogeographic range at which predator-prey interactions occur inhibits understanding of linkages between ecological communities and ecosystems, and thus our ability to manage valuable ecosystem services. Intertidal oyster reefs provide a model system to address this knowledge gap: they occur throughout the mid-Atlantic and Gulf coasts; they contain a similar food-web assemblage across latitudinal gradients in predation, resource supplies, and environmental conditions; they are strongly influenced by predator effects; and they influence sediment and nutrient cycles by enhancing benthicpelagic coupling. This research involves a series of standardized sampling and experimental studies to: (1) investigate biogeographic patterns in oyster food web structure, resource supplies, environmental conditions, and sediment properties associated with reef function (2) determine how the vital rates of oysters, which can influence benthic-pelagic coupling, vary geographically; and (3) examine experimentally the relative importance of consumptive and non-consumptive predator effects on oyster reef communities and the ecosystem processes they provide and how these effects vary latitudinally. It will provide a mechanistic understanding of the basis for biogeographical shifts in valuable ecosystem services performed by an important marine foundation species, and it will also advance understanding of the interactions between predator effects in food webs and the ecosystem processes that depend on them. (from the Lead Principal Investigator proposal Abstract)

This is a Collaborative Project with Investigators from four major research universities.

[Funding for this project has transferred from award OCE-0961633 to OCE-1338372, and from award OCE-0961741 to OCE-1203859, coincident with Principal Investigators Dr. Kimbro's and Dr. Grabowski's affiliation changes.]

BCO-DMO is in the process of serving data from this project directly. These data are also available online from the <u>Knowledge Network for Biocomplexity</u>.

[table of contents | back to top]

Funding

| Funding Source | Award |
|--|-------------|
| NSF Division of Ocean Sciences (NSF OCE) | OCE-0961633 |
| NSF Division of Ocean Sciences (NSF OCE) | OCE-1338372 |
| NSF Division of Ocean Sciences (NSF OCE) | OCE-0961853 |
| NSF Division of Ocean Sciences (NSF OCE) | OCE-0961741 |
| NSF Division of Ocean Sciences (NSF OCE) | OCE-1203859 |

[table of contents | back to top]