Coral species sample collection log from the Emerald Reef during 2014-2015 (Reef coral symbioses project)

Website: https://www.bco-dmo.org/dataset/616042

Data Type: experimental

Version: 2

Version Date: 2016-02-04

Project

» New insights into the response of reef corals to climate change using the symbiont to host cell ratio as a metric of bleaching susceptibility (Reef coral symbioses)

Contributors	Affiliation	Role
Baker, Andrew	University of Miami Rosenstiel School of Marine and Atmospheric Science (UM-RSMAS)	Principal Investigator
Copley, Nancy	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Table of Contents

- Dataset Description
 - Methods & Sampling
 - Data Processing Description
- Data Files
- Parameters
- <u>Deployments</u>
- Project Information
- Funding

Dataset Description

Data are organized in columns containing the unique tissue sample ID, coral species, colony ID (tag number in the field) and information regarding the collection (date, location, collector). The survey took place at Emerald Reef, off Key Biscayne, northern Florida Keys, between 15 and 30 feet of depth

Access to the DNA sample data themselves will be restricted until analysis is completed, typically within 2 years of collection.

Methods & Sampling

Coral tissue biopsies were taken from replicate, one-inch cores of $Montastraea\ cavernosa$ as small scrapings along a polyp's calyx wall using a razor blade. The samples were immediately placed into 300uL of 1% SDS in DNA Buffer in 1.5mL Eppendorf tubes and heated to 65°C for one hour, where they are now stable at room temperature. Small aliquots of this lysate are then removed for DNA extraction on as as-needed basis.

We retain archived lysates (consisting of SDS-lysed tissue and a small piece of skeleton) that are stable long-term (>18 years) at room temperature.

Data for this project will ultimately include symbiont:host cell ratios for these samples using a variety of Symbiodinium clade-specific probes. In addition, data may also include the results of ITS2 genotyping using Denaturing Gradient Gel Electrophoresis (DGGE). Additional data, such as environmental data collected by dataloggers during experiments or field deployments, may also be contributed.

BCO-DMO Processing:

- added conventional header with dataset name, PI name, version date
- renamed parameters to BCO-DMO standard
- reformatted dates from m/d/y to yyyy-mm-dd
- replaced spaces with underscores
- replaced empty cells with nd
- replaced '?' with 'maybe'
- replaced commas with other suitable punctation (; -:)

Version 2 (2021-06-10) replaces version 1 (2016-02-04).

- * There was an unsupported character in the source file. Converted to utf-8. Comment in line now reads "no_tag_-_By_buoy" after converting to UTF-8.
- * Added parameter information for lat and lon columns.

[table of contents | back to top]

Data Files

File

monitor_EmeraldReef.csv(Comma Separated Values (.csv), 83.26 KB)

MD5:1d496aafee9dc892eabde21ea198f7a6

Primary data file for dataset ID 616042

[table of contents | back to top]

Parameters

Parameter	Description	Units
sample	coral sample identification	unitless
species	taxonomic genus+species	unitless
depth_ft	depth	feet
tag	specimen tag number	unitless
date_collected	date specimen collected	yyyy-mm-dd
location	location of coral	unitless
collector	person who collected coral	unitless
photo	either yes if photo taken or photo id number	unitless
comments_new_tags	comments pertaining to tags	unitless
comments	comments; often pertaining to condition	unitless
lat	Latitude	decimal degrees
lon	Longitude	decimal degrees

[table of contents | back to top]

Deployments

Baker_lab_2015

Website	https://www.bco-dmo.org/deployment/616016
Platform	UM-RSMAS
Start Date	2015-04-04
End Date	2015-09-01
Description	Coral studies

[table of contents | back to top]

Project Information

New insights into the response of reef corals to climate change using the symbiont to host cell ratio as a metric of bleaching susceptibility (Reef coral symbioses)

Coverage: Miami, Florida

Description from NSF award abstract:

The long-term future of reef ecosystems depends on the continued persistence of corals as essential habitat builders. Environmental threats facing coral reefs globally include chronic and acute thermal stress (which can result in "coral bleaching" as a result of the expulsion of their symbiotic algae), increasing CO2, and nutrient pollution. This project will assess the independent and interactive effects of these stressors using a new molecular based technique showing that coral bleaching susceptibility depends on the symbiont:host (S:H) cell ratio in coral tissues. Corals with higher ratios (more symbionts) are predicted to be more susceptible to thermal stress, suggesting that abiotic factors that affect symbiont densities can directly influence thermal tolerance. This new metric of symbiont density is of physiological relevance and has already revealed patterns that differ from currently used metrics, thus providing new insights into the dynamics of these symbioses. This project will also continue the development and application of these methods to further our understanding of the ecology of coral-algal symbioses, while helping to elucidate the responses of these critical ecosystem engineers to complex changes in their environment. The proposed activities will help us understand how tradeoffs in the regulation of symbiotic partners respond to the environment and relate to the differential susceptibility of corals to environmental stress.

From project proposal:

In the laboratory, we will experimentally test the effects of light, temperature, nutrients, and CO2 on the S:H cell ratio in five coral species from the Caribbean and Indo-Pacific. We will then expose these corals to thermal stress to test whether conditions which elevate the S:H ratio, such as elevated nutrients, also increase coral susceptibility to bleaching. We will also test whether conditions which decrease the ratio, such as elevated CO2, decrease bleaching susceptibility. We further hypothesize that higher S:H cell ratios result in higher levels of oxidative stress when exposed to bleaching stressors, and will test this in collaboration with a leading scientist in coral immunity. Complementing these laboratory experiments, we will also assess the degree of spatial and temporal variability in S:H ratios in the field by monitoring seasonal changes at several sites in the northern Florida Keys, and in a new educational coral nursery at the University of Miami's field station on Broad Key. In addition, we will also apply our molecular assay to existing long-term datasets in order to further test these hypotheses in a collaborative, cost-effective way.

These combined activities will help us understand how tradeoffs in symbiosis are regulated in response to the environment. By identifying the links between environment, S:H cell ratios, and stress susceptibility, we will be better able to understand and predict coral bleaching and mortality in response to climate change, while addressing the critical question of why there is so much variability in bleaching susceptibility among corals in space and time. Testing the hypothesis that the S:H ratio drives bleaching susceptibility may help us properly interpret a large body of previous and ongoing work testing the interactive effects of multiple stressors on corals.

Project-related links:

<u>The Coral Reef Conservation Research Lab</u>
Additional information about Dr. Andrew Baker

[table of contents | back to top]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE	OCE-1358699

[table of contents | back to top]