

Operations log from R/V New Horizon cruise NH1315 in the Eastern Tropical North Pacific (ETNP) oxygen minimum zone off Manzanillo, Mexico and along the Colima coast in 2013 (OMZ_Sulfur_Cycling project)

Website: <https://www.bco-dmo.org/dataset/629259>

Version: 15 December 2015

Version Date: 2015-12-15

Project

» [A phylogenetic and functional understanding of microbial sulfur cycling in oxygen minimum zones](#)
(OMZ_Sulfur_Cycling)

Contributors	Affiliation	Role
Stewart, Frank James	Georgia Institute of Technology (GA Tech)	Principal Investigator, Contact
Gegg, Stephen R.	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Table of Contents

- [Dataset Description](#)
 - [Methods & Sampling](#)
 - [Data Processing Description](#)
- [Data Files](#)
- [Parameters](#)
- [Deployments](#)
- [Project Information](#)
- [Funding](#)

Dataset Description

Operations Log - ETNP - NH1315

Eastern Tropical North Pacific (ETNP) oxygen minimum zone off Manzanillo, Mexico; sampling transects run southeast-northwest along the Colima coast (~19-24°N, 106-116°W) and northeast-southwest off the coast (~14-18°N, 106-115°W)

Methods & Sampling

Generated by science party aboard NH1315 - Eastern Tropical North Pacific (ETNP) oxygen minimum zone off Manzanillo, Mexico; sampling transects run southeast-northwest along the Colima coast (~19-24°N, 106-116°W) and northeast-southwest off the coast (~14-18°N, 106-115°W)

Data Processing Description

BCO-DMO Processing Notes

- Generated from original files "StationLog_NH1315.xlsx" contributed by Frank Stewart
- Parameter names edited to conform to BCO-DMO naming convention found at [Choosing Parameter Name](#)
- "nd" (no data) inserted into blank cells

[[table of contents](#) | [back to top](#)]

Data Files

File
Ops_Log_NH1315.csv (Comma Separated Values (.csv), 12.38 KB) MD5:366572df302a844b5ea408c79afe64ed
Primary data file for dataset ID 629259

[[table of contents](#) | [back to top](#)]

Parameters

Parameter	Description	Units
CruiseId	UNOLS Cruise ID	text
Station	Station Id	text
Date	Date	YYYYMMDD
Time_Local	Local Time (CST Z +7)	HHMM
Latitude	Latitude (South is negative)	decimal degrees
Longitude	Longitude (West is negative)	decimal degrees
Remarks	Remarks	text
Initials	Initials of person making entry	text

[[table of contents](#) | [back to top](#)]

Deployments

NH1315

Website	https://www.bco-dmo.org/deployment/628427
Platform	R/V New Horizon
Start Date	2013-06-13
End Date	2013-06-28
Description	Oxygen Minimum Zone Microbial Biogeochemistry Expedition (OMZoMBiE) Proposed Sampling Stations Cruise information and original data are available from the NSF R2R data catalog.

[[table of contents](#) | [back to top](#)]

Project Information

A phylogenetic and functional understanding of microbial sulfur cycling in oxygen minimum zones (OMZ_Sulfur_Cycling)

Website: <http://omz.biology.gatech.edu/>

Coverage: Gulf of Mexico; Louisiana Shelf hypoxic zone; approx. 28-29 N, 89-94 W

Oxygen concentration significantly impacts the community structure and function of marine ecosystems. In waters with low oxygen, including the major marine oxygen minimum zones (OMZs), biological diversity is dominated by a complex community of microorganisms whose anaerobic metabolisms mediate key steps in global nitrogen and carbon cycles. Surprisingly, new evidence indicates that OMZs also support diverse

microorganisms capable of utilizing inorganic sulfur compounds for energy metabolism. This assemblage appears to include both sulfur-oxidizing autotrophs and sulfate-reducing heterotrophs, suggesting an active sulfur cycle with potentially substantial roles in organic carbon input and mineralization, as well as critical links to the OMZ nitrogen cycle. Our knowledge of the microorganisms driving OMZ sulfur cycling is based largely on the metagenome of a single bacterial lineage (SUP05) and on surveys of diagnostic marker genes, which have thus far targeted only a subset of the diverse low-oxygen regions in the global ocean. The metabolic diversity, activity, and biogeographic distribution of sulfur-metabolizing microorganisms in the OMZ water column remain largely unexplored.

This project uses an integrated molecular and experimental approach to critically examine the physiological and phylogenetic basis of microbial sulfur cycling in oxygen minimum zones. Combining targeted metagenomics with gene expression profiling, microcosm sulfur-addition experiments, and enrichment culturing, the PI will characterize sulfur-metabolizing microorganisms in two oceanographically and ecologically distinct low-oxygen regions: the Eastern Tropical North Pacific (ETNP) OMZ off Mexico, which represents the largest permanent OMZ in the world, and the seasonally hypoxic "dead zone" in the Gulf of Mexico (GOM). Specifically, they will test the hypotheses that sulfur-oxidizing and -reducing bacterioplankton 1) are abundant and transcriptionally active in the ETNP OMZ, 2) are minor components of the hypoxic GOM, but increase in activity and abundance when oxygen decreases and sulfide increases, and 3) exhibit biogeographic variation in functional gene content and phylogenetic diversity over vertical profiles, among OMZs, and in response to environmental gradients.

OMZs are predicted to expand in response to future climate change, making it imperative to holistically understand the biology of low-oxygen regions. This project will establish a comprehensive framework for studying the genomics and physiology of an ecologically important, but poorly characterized, functional group(s) of marine bacterioplankton in OMZs. Results will be analyzed relative to existing metagenomic data from the permanent Eastern Tropical South Pacific (ETSP) OMZ, and a second seasonal OMZ (Saanich Inlet), thereby establishing a comparative basis for describing the ecological distribution of pelagic sulfur-metabolizing microorganisms and their relative role in OMZ community metabolism.

[[table of contents](#) | [back to top](#)]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-1151698

[[table of contents](#) | [back to top](#)]