Water sample logs from GEOTRACES-Arctic Section cruise HLY1502 in 2015 (U.S. GEOTRACES Arctic project)

Website: https://www.bco-dmo.org/dataset/647591

Data Type: Cruise Results

Version: 1

Version Date: 2016-05-25

Project

» <u>U.S. Arctic GEOTRACES Study (GN01)</u> (U.S. GEOTRACES Arctic)

Program

» <u>U.S. GEOTRACES</u> (U.S. GEOTRACES)

Contributors	Affiliation	Role
Cutter, Gregory A.	Old Dominion University (ODU)	Principal Investigator
Kadko, David C.	Florida International University (FIU)	Principal Investigator
Landing, William M.	Florida State University (FSU - EOAS)	Principal Investigator, Contact
Copley, Nancy	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Abstract

Water sample logs from GEOTRACES-Arctic Section cruise HLY1502 in 2015.

Table of Contents

- Coverage
- <u>Dataset Description</u>
 - Data Processing Description
- Data Files
- Parameters
- Instruments
- Deployments
- Project Information
- Program Information
- Funding

Coverage

Spatial Extent: N:89.9935 **E**:11.9102 **S**:60.1658 **W**:88.695

Temporal Extent: 2015-08-02 - 2015-10-08

Dataset Description

Hand-written water sample logs from GEOTRACES-Arctic Section cruise HLY1502 (pdf)

Event descripton Code unknown / not entered nd 30-ODF 30L Niskin Rosette Be-7 Be-7 **GEOTRACES** carousel GT-C Small boat sampling Sboat Ice edge water sampling I-edge Ice hole water sampling I-hole Ice pond sampling I-pond Ice core sampling I-core Dirty ice sampling I-dirt **Snow Sampling** Snow NASA solar reference mast UP MastUp NASA solar reference mast DOWN MastDown McL-Prof McLane pump profile Aerosol sampler Aeros Argo Float deployment Argo Apparent Optical Properties cast AOP NASA surface pump water sample **NASAsurf NEMO Float Deployment NEMO** Ra/Th/Pigment Niskin Cast Ra/Th/Pig Surface Ra bag Surf Ra bag Rain sample Rain

Rain sampleRainMulti-CorerMTCMono-CorerMonoXBTXBTXCDTXCTD36pl 10L RosetteGSBuoy deploymentBuoyShip's Underway system sampleUWay

Samples Taken

unknown/ not recorded nd dissolved samples diss

dissolved and particulate samples diss+part unfiltered seawater unfilt filter for particulates filter Dissolved TM, Mn; Unfiltered TM diss+UF Argo Float deployment Argo Sediments dirt Particle part none none

Data Processing Description

BCO-DMO Processing:

- added conventional header with dataset name; PI name; version date
- created dataset from list of file names; added cruise_id, event #, station, and cast columns; joined this with eventlog dataset

- created links to .pdf files joined this dataset with eventlog v2 dataset to provide date/time/location, etc.

[table of contents | back to top]

Data Files

File

sample_logs_joined.csv(Comma Separated Values (.csv), 81.65 KB) MD5:aaf26ae0d05da287ffa954695dd95aa0

Primary data file for dataset ID 647591

[table of contents | back to top]

Parameters

Parameter	Description	Units
cruise_id	cruise identification	unitless
inst	samplling instrument	unitless
sample_type	Samples Taken Codes: see description section	unitless
GEOTRC_EVENTNO	Geotraces event number	unitless
STNNBR	Geotraces station number	unitless
cast	cast number provided by PI	unitless
event_description	cast number	unitless
samples_taken	Event Description Event Description Codes: see description section	unitless
sample_detail	further information regarding sample location or outcome	unitless
filename	log file name	unitless
LOCATION	location descriptor (typically station id)	unitless
DATE_START	Start date (GMT): yyyymmdd	year month and day
TIME_START	Start time (GMT): HHMM	hours and minutes
ISO_DateTime_UTC_START	Start date/time ISO formatted: YYYY-MM-DDTHH:MM:SS[.xx]Z	year month day hours minutes
DATE_END	End date (GMT)	year month and day
TIME_END	End time (GMT)	hours and minutes
ISO_DateTime_UTC_END	End date/time ISO formatted: YYYY-MM-DDTHH:MM:SS[.xx]Z	year month day hours minutes
LAT_DEG_N	Latitude degrees north	degrees
LAT_MIN_N	Latitude minutes north	decimal minutes
LATITUDE	Latitude; north is positive	decimal degrees
LON_DEG_W	Longitude degrees west	degrees
LON_MIN_W	Longitude minutes west	decimal minutes
LONGITUDE	Longitude; east is positive	decimal degrees
DEPTH_MIN	Minimum depth	meters
DEPTH_MAX	Maximum depth	meters
GEOTRACES_ID_Number_Range	The range of GEOTRACES ID numbers that the log file covers.	unitless
COMMENT	Comments	unitless

[table of contents | back to top]

Instruments

Dataset- specific Instrument Name	
Generic Instrument Name	Bottom Sediment Grab Samplers
Dataset- specific Description	a monocorer device attached to bottom of CTD rosette
	These samplers are designed to collect an accurate representative sample of the sediment bottom. The bite of the sampler should be deep enough so all depths are sampled equally. The closing mechanism is required to completely close and hold the sample as well as prevent washout during retrieval. Likewise, during descent the sampler should be designed to minimize disturbance of the topmost sediment by the pressure wave as it is lowered to the bottom.

Dataset- specific Instrument Name	
Generic Instrument Name	CTD Sea-Bird
Dataset- specific Description	ODF 12-place 30 liter Niskin bottle rosette, replaced by ODF 36-place 10 liter Bullister bottle rosette; GT-C unit comprosed of Seabird carousel/CTD with 24 12L GO-FLO bottles.
Generic Instrument Description	Conductivity, Temperature, Depth (CTD) sensor package from SeaBird Electronics, no specific unit identified. This instrument designation is used when specific make and model are not known. See also other SeaBird instruments listed under CTD. More information from Sea-Bird Electronics.

Dataset- specific Instrument Name	
Generic Instrument Name	GO-FLO Teflon Trace Metal Bottle
Dataset- specific Description	12 liters
Generic	GO-FLO Teflon-lined Trace Metal free sampling bottles are used for collecting water samples for trace metal, nutrient and pigment analysis. The GO-FLO sampling bottle is designed specifically to avoid sample contamination at the surface, internal spring contamination, loss of sample on deck (internal seals), and exchange of water from different depths.

Dataset- specific Instrument Name	
Generic Instrument Name	Pump surface
Dataset- specific Description	Battery powered pump and Teflon-lined PVC tubing for surface (1m) sample
Instrument	A source of uncontaminated near-surface seawater pumped onto the deck of the research vessel that can be sampled and analyzed. This pumped seawater supply is from an over-the-side pumping system, and is therefore different from the vessel underway seawater system.

[table of contents | back to top]

Deployments

HLY1502

Website	https://www.bco-dmo.org/deployment/638807
Platform	USCGC Healy
Report	https://datadocs.bco-dmo.org/docs/302/geotraces/GEOTRACES_ARCTIC/data_docs/cruise_reports/healy1502.pdf
Start Date	2015-08-09
End Date	2015-10-12
Description	Arctic transect encompassing Bering and Chukchi Shelves and the Canadian, Makarov and Amundsen sub-basins of the Arctic Ocean. The transect started in the Bering Sea (60°N) and traveled northward across the Bering Shelf, through the Bering Strait and across the Chukchi shelf, then traversing along 170-180°W across the Alpha-Mendeleev and Lomonosov Ridges to the North Pole (Amundsen basin, 90°N), and then back southward along ~150°W to terminate on the Chukchi Shelf (72°N). Additional cruise information is available in the GO-SHIP Cruise Report (PDF) and from the Rolling Deck to Repository (R2R): https://www.rvdata.us/search/cruise/HLY1502

[table of contents | back to top]

Project Information

U.S. Arctic GEOTRACES Study (GN01) (U.S. GEOTRACES Arctic)

Website: https://www.geotraces.org/

Coverage: Arctic Ocean; Sailing from Dutch Harbor to Dutch Harbor (GN01)

Description from NSF award abstract:

In pursuit of its goal "to identify processes and quantify fluxes that control the distributions of key trace elements and isotopes in the ocean, and to establish the sensitivity of these distributions to changing environmental conditions", in 2015 the International GEOTRACES Program will embark on several years of research in the Arctic Ocean. In a region where climate warming and general environmental change are occurring at amazing speed, research such as this is important for understanding the current state of Arctic Ocean geochemistry and for developing predictive capability as the regional ecosystem continues to warm and influence global oceanic and climatic conditions. The three investigators funded on this award, will manage a

large team of U.S. scientists who will compete through the regular NSF proposal process to contribute their own unique expertise in marine trace metal, isotopic, and carbon cycle geochemistry to the U.S. effort. The three managers will be responsible for arranging and overseeing at-sea technical services such as hydrographic measurements, nutrient analyses, and around-the-clock management of on-deck sampling activites upon which all participants depend, and for organizing all pre- and post-cruise technical support and scientific meetings. The management team will also lead educational outreach activities for the general public in Nome and Barrow, Alaska, to explain the significance of the study to these communities and to learn from residents' insights on observed changes in the marine system. The project itself will provide for the support and training of a number of pre-doctoral students and post-doctoral researchers. Inasmuch as the Arctic Ocean is an epicenter of global climate change, findings of this study are expected to advance present capability to forecast changes in regional and global ecosystem and climate system functioning.

As the United States' contribution to the International GEOTRACES Arctic Ocean initiative, this project will be part of an ongoing multi-national effort to further scientific knowledge about trace elements and isotopes in the world ocean. This U.S. expedition will focus on the western Arctic Ocean in the boreal summer of 2015. The scientific team will consist of the management team funded through this award plus a team of scientists from U.S. academic institutions who will have successfully competed for and received NSF funds for specific science projects in time to participate in the final stages of cruise planning. The cruise track segments will include the Bering Strait, Chukchi shelf, and the deep Canada Basin. Several stations will be designated as so-called super stations for intense study of atmospheric aerosols, sea ice, and sediment chemistry as well as water-column processes. In total, the set of coordinated international expeditions will involve the deployment of ice-capable research ships from 6 nations (US, Canada, Germany, Sweden, UK, and Russia) across different parts of the Arctic Ocean, and application of state-of-the-art methods to unravel the complex dynamics of trace metals and isotopes that are important as oceanographic and biogeochemical tracers in the sea.

[table of contents | back to top]

Program Information

U.S. GEOTRACES (U.S. GEOTRACES)

Website: http://www.geotraces.org/

Coverage: Global

GEOTRACES is a <u>SCOR</u> sponsored program; and funding for program infrastructure development is provided by the <u>U.S. National Science Foundation</u>.

GEOTRACES gained momentum following a special symposium, S02: Biogeochemical cycling of trace elements and isotopes in the ocean and applications to constrain contemporary marine processes (GEOSECS II), at a 2003 Goldschmidt meeting convened in Japan. The GEOSECS II acronym referred to the Geochemical Ocean Section Studies To determine full water column distributions of selected trace elements and isotopes, including their concentration, chemical speciation, and physical form, along a sufficient number of sections in each ocean basin to establish the principal relationships between these distributions and with more traditional hydrographic parameters;

- * To evaluate the sources, sinks, and internal cycling of these species and thereby characterize more completely the physical, chemical and biological processes regulating their distributions, and the sensitivity of these processes to global change; and
- * To understand the processes that control the concentrations of geochemical species used for proxies of the past environment, both in the water column and in the substrates that reflect the water column.

GEOTRACES will be global in scope, consisting of ocean sections complemented by regional process studies. Sections and process studies will combine fieldwork, laboratory experiments and modelling. Beyond realizing the scientific objectives identified above, a natural outcome of this work will be to build a community of marine scientists who understand the processes regulating trace element cycles sufficiently well to exploit this knowledge reliably in future interdisciplinary studies.

 $\label{thm:condition} \mbox{Expand "Projects" below for information about and data resulting from individual US GEOTRACES research projects. \label{thm:condition}$

[table of contents | back to top]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-1355913
NSF Division of Ocean Sciences (NSF OCE)	OCE-1355833
NSF Division of Ocean Sciences (NSF OCE)	OCE-1356008
NSF Division of Ocean Sciences (NSF OCE)	OCE-1455924

[table of contents | back to top]