

# Continuous temperature collected at Dorado Outcrop near Cocos Ridge from deployment during R/V Atlantis cruise AT26-24 in 2013 to retrieval by cruise AT26-09 in 2014

**Website:** <https://www.bco-dmo.org/dataset/661921>

**Data Type:** Cruise Results

**Version:**

**Version Date:** 2016-12-28

## Project

» [Discovery, sampling, and quantification of flows from cool yet massive ridge-flank hydrothermal springs on Dorado Outcrop, eastern Pacific Ocean](#) (Dorado Outcrop)

## Program

» [Center for Dark Energy Biosphere Investigations](#) (C-DEBI)

Contributors	Affiliation	Role
<a href="#">Wheat, C. Geoffrey</a>	University of Alaska Fairbanks (UAF)	Principal Investigator, Contact
<a href="#">Fisher, Andrew</a>	University of California-Santa Cruz (UCSC)	Co-Principal Investigator
<a href="#">Hulme, Samuel</a>	Moss Landing Marine Laboratories (MLML)	Co-Principal Investigator
<a href="#">McManus, James</a>	University of Akron (UAKron)	Co-Principal Investigator
<a href="#">Orcutt, Beth N.</a>	Bigelow Laboratory for Ocean Sciences	Co-Principal Investigator
<a href="#">York, Amber D.</a>	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

## Table of Contents

- [Dataset Description](#)
  - [Methods & Sampling](#)
  - [Data Processing Description](#)
- [Data Files](#)
- [Parameters](#)
- [Instruments](#)
- [Deployments](#)
- [Project Information](#)
- [Program Information](#)
- [Funding](#)

## Dataset Description

This dataset contains a continuous temperature record (2013-12-19 to 2014-12-06) at Marker K of Dorado Outcrop. The sensor was deployed during the R/V Atlantis cruise AT26-09 and recovered during the R/V Atlantis cruise AT26-24.

## Methods & Sampling

This temperature record was collected by a HOBO temperature logger deployed in conjunction with the green OsmoSampler that was deployed at Marker K. To access data from the OsmoSamplers see the [OsmoSampler fluid chemistry dataset page](#). The temperature logger deployments were made off the west coast of Costa Rica in the Pacific Ocean at Dorado Outcrop during the R/V Atlantis cruise AT26-09 and recovered during the cruise AT26-24. For more information about operations of this cruise see the cruise pages which contain links to cruise reports ([AT26-24](#), [AT26-09](#))

The temperature logger was started before the deployment and was turned off upon recovery on the ship. Increased temperatures relating to deployment and retrieval can be seen in the data.

## Data Processing Description

The data have not been processed further.

### BCO-DMO Processing Notes:

- \* added a conventional header with dataset name, PI name, version date
- \* modified parameter names to conform with BCO-DMO naming conventions
- \* blank values replaced with no data value 'nd'
- \* added approximate lat/lon values for Dorado Outcrop sample site
- \* ISO Date format generated from Date and Time values

[ [table of contents](#) | [back to top](#) ]

---

## Data Files

File
<b>TempMarkerK.csv</b> (Comma Separated Values (.csv), 907.79 KB) MD5:6f87902a4276d8e4850c0b6be48ccce0 Primary data file for dataset ID 661921

[ [table of contents](#) | [back to top](#) ]

---

## Parameters

Parameter	Description	Units
ISO_DateTime.UTC	Date/time (UTC) in ISO format YYYY-mm-ddTHH:MM:SS[.xx]	unitless
temp	Temperature	degrees Celsius
lat_approx	Approximate latitude of sampling area (Dorado Outcrop)	decimal degrees
lon_approx	Approximate longitude of sampling area (Dorado Outcrop); west is negative	decimal degrees
date	Date (UTC) in format yyyy-mm-dd	unitless
time	Time (UTC) in format HH:MM	unitless

[ [table of contents](#) | [back to top](#) ]

---

## Instruments

<b>Dataset-specific Instrument Name</b>	HOBO model U12- 015 temperature logger
<b>Generic Instrument Name</b>	Temperature Logger
<b>Dataset-specific Description</b>	Onset Computer Corporation HOBO model U12-015 modified with a titanium pressure case and long-life battery for use in the deep sea. The Onset tools have a working range of -40-100C but a lower resolution (0.02-0.1C across their working range)
<b>Generic Instrument Description</b>	Records temperature data over a period of time.

[ [table of contents](#) | [back to top](#) ]

---

## Deployments

### AT26-24

<b>Website</b>	<a href="https://www.bco-dmo.org/deployment/627856">https://www.bco-dmo.org/deployment/627856</a>
<b>Platform</b>	R/V Atlantis
<b>Report</b>	<a href="http://dmoserv3.whoi.edu/data_docs/C-DEBI/cruise_reports/AT26-24_Dorado_Outcrop_2014_Cruise_Report_reduced.pdf">http://dmoserv3.whoi.edu/data_docs/C-DEBI/cruise_reports/AT26-24_Dorado_Outcrop_2014_Cruise_Report_reduced.pdf</a>
<b>Start Date</b>	2014-11-30
<b>End Date</b>	2014-12-12
<b>Description</b>	Research was conducted on this cruise as part of the C-DEBI project titled "Discovery, sampling, and quantification of flows from cool yet massive ridge-flank hydrothermal springs on Dorado Outcrop, eastern Pacific Ocean" (see: <a href="http://www.bco-dmo.org/project/627844">http://www.bco-dmo.org/project/627844</a> ).

### AT26-09

<b>Website</b>	<a href="https://www.bco-dmo.org/deployment/627919">https://www.bco-dmo.org/deployment/627919</a>
<b>Platform</b>	R/V Atlantis
<b>Report</b>	<a href="http://dmoserv3.whoi.edu/data_docs/C-DEBI/cruise_reports/AT26-09_DoradoCruiseReport2013.pdf">http://dmoserv3.whoi.edu/data_docs/C-DEBI/cruise_reports/AT26-09_DoradoCruiseReport2013.pdf</a>
<b>Start Date</b>	2013-12-07
<b>End Date</b>	2013-12-23
<b>Description</b>	<p>Research was conducted on this cruise as part of the C-DEBI project titled "Discovery, sampling, and quantification of flows from cool yet massive ridge-flank hydrothermal springs on Dorado Outcrop, eastern Pacific Ocean" (see: <a href="http://www.bco-dmo.org/project/627844">http://www.bco-dmo.org/project/627844</a>).</p> <p><b>Methods &amp; Sampling</b>  HOBO logger deployed during AT26-09</p>

[ [table of contents](#) | [back to top](#) ]

---

## Project Information

**Discovery, sampling, and quantification of flows from cool yet massive ridge-flank hydrothermal springs on Dorado Outcrop, eastern Pacific Ocean (Dorado Outcrop)**

**Website:** <http://www.darkenergybiosphere.org/research/dorado.html>

**Coverage:** Dorado Outcrop near Cocos Ridge (9N, 87W)

*Description from NSF award abstract:*

Pristine fluids from a typical ridge-flank hydrothermal system have never been sampled, mainly because it has not been possible to locate a site of focused discharge where representative samples could be collected. The PIs have located a small basement feature, Dorado outcrop, on 23 m.y.-old seafloor on the eastern flank of the East Pacific Rise that they plan to sample to determine the fluid composition, and to assess the rate of discharge from the outcrop, so that they can quantify the chemical impact of this hydrothermal system. They plan an 18-day expedition that combines the surveying capabilities of the AUV Sentry (bathymetric, sub-bottom sonar, photo mosaics, water column anomalies) and an ocean-class vessel capable of collecting high-quality multi-beam data and CTD samples, and supporting the survey and sampling capabilities of the ROV Jason II for collection of spring and plume fluids, heat flow data, sediment push cores, and still and video photography. These data and samples will be combined hopefully to generate the first well-constrained estimates of hydrothermal flows from Dorado outcrop. This expedition will result in the collection of samples and data from a "fire hose" of ridge-flank, hydrothermal system, challenging the commonly held view that discharge from ridge flank hydrothermal systems occurs primarily from diffuse seeps.

[ [table of contents](#) | [back to top](#) ]

---

## Program Information

### Center for Dark Energy Biosphere Investigations (C-DEBI)

**Website:** <http://www.darkenergybiosphere.org>

**Coverage:** Global

The mission of the Center for Dark Energy Biosphere Investigations (C-DEBI) is to explore life beneath the seafloor and make transformative discoveries that advance science, benefit society, and inspire people of all ages and origins.

C-DEBI provides a framework for a large, multi-disciplinary group of scientists to pursue fundamental questions about life deep in the sub-surface environment of Earth. The fundamental science questions of C-DEBI involve exploration and discovery, uncovering the processes that constrain the sub-surface biosphere below the oceans, and implications to the Earth system. What type of life exists in this deep biosphere, how much, and how is it distributed and dispersed? What are the physical-chemical conditions that promote or limit life? What are the important oxidation-reduction processes and are they unique or important to humankind? How does this biosphere influence global energy and material cycles, particularly the carbon cycle? Finally, can we discern how such life evolved in geological settings beneath the ocean floor, and how this might relate to ideas about the origin of life on our planet?

C-DEBI's scientific goals are pursued with a combination of approaches:

- (1) coordinate, integrate, support, and extend the research associated with four major programs—Juan de Fuca Ridge flank (JdF), South Pacific Gyre (SPG), North Pond (NP), and Dorado Outcrop (DO)—and other field sites;
- (2) make substantial investments of resources to support field, laboratory, analytical, and modeling studies of the deep subseafloor ecosystems;
- (3) facilitate and encourage synthesis and thematic understanding of submarine microbiological processes, through funding of scientific and technical activities, coordination and hosting of meetings and workshops, and support of (mostly junior) researchers and graduate students; and
- (4) entrain, educate, inspire, and mentor an interdisciplinary community of researchers and educators, with an emphasis on undergraduate and graduate students and early-career scientists.

Note: Katrina Edwards was a former PI of C-DEBI; James Cowen is a former co-PI.

## Data Management:

C-DEBI is committed to ensuring all the data generated are publically available and deposited in a data repository for long-term storage as stated in their [Data Management Plan \(PDF\)](#) and in compliance with the [NSF Ocean Sciences Sample and Data Policy](#). The data types and products resulting from C-DEBI-supported research include a wide variety of geophysical, geological, geochemical, and biological information, in addition to education and outreach materials, technical documents, and samples. All data and information generated by C-DEBI-supported research projects are required to be made publically available either following publication of research results or within two (2) years of data generation.

To ensure preservation and dissemination of the diverse data-types generated, C-DEBI researchers are working with BCO-DMO Data Managers make data publicly available online. The partnership with BCO-DMO helps ensure that the C-DEBI data are discoverable and available for reuse. Some C-DEBI data is better served by specialized repositories (NCBI's GenBank for sequence data, for example) and, in those cases, BCO-DMO provides dataset documentation (metadata) that includes links to those external repositories.

[ [table of contents](#) | [back to top](#) ]

---

## Funding

Funding Source	Award
<a href="#">NSF Division of Ocean Sciences (NSF OCE)</a>	<a href="#">OCE-1130146</a>
<a href="#">NSF Division of Ocean Sciences (NSF OCE)</a>	<a href="#">OCE-1131210</a>

[ [table of contents](#) | [back to top](#) ]