

Single amplified genomes (SAGs) of chemoautotrophs from global deep sea samples (Dark ocean chemoautotrophs project)

Website: <https://www.bco-dmo.org/dataset/666274>

Data Type: experimental

Version: 1

Version Date: 2017-10-27

Project

» [Ocean's dark energy: Global inventory of chemoautotrophs in the aphotic realm](#) (Dark ocean chemoautotrophs)

Contributors	Affiliation	Role
Stepanauskas, Ramunas	Bigelow Laboratory for Ocean Sciences	Principal Investigator
Copley, Nancy	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Abstract

This dataset includes accession numbers archived at IMG/M (Integrated Microbial Genomes and Microbiome Samples) at the US Dept. of Energy's Joint Genome Institute. Additional information includes the ocean depth, latitude and longitude, the assembled genome size and count, and the scaffold count.

Table of Contents

- [Coverage](#)
- [Dataset Description](#)
 - [Methods & Sampling](#)
 - [Data Processing Description](#)
- [Data Files](#)
- [Parameters](#)
- [Instruments](#)
- [Deployments](#)
- [Project Information](#)
- [Funding](#)

Coverage

Spatial Extent: N:65.65 E:180 S:-64.93 W:-44

Temporal Extent: 2003-11-26 - 2014-05-06

Dataset Description

Some of the accessions are not yet available [2017-10-27]. A free login account is required to access some of the pages at IMG, in particular, those located at img.jgi.doe.gov/cgi-bin/mer/.

Publications using this dataset:

Pachiadaki MG, Sintès E, Bergauer K, Brown JM, Record NR, Swan BK, Mathyer ME, Hallam SJ, Lopez-Garcia P, Takaki Y, Nunoura T, Woyke T, Herndl GJ, Stepanauskas R (2017). Major role of nitrite-oxidizing bacteria in dark ocean carbon fixation. *Science* 358 (6366): 1046-1051.

Bergauer K, Fernandez-Guerra A, Garcia JA, Sprenger RR, Stepanauskas R, Pachiadaki MG, Jensen ON, Herndl GJ (2017). Organic matter processing by microbial communities throughout the Atlantic water column as revealed by metaproteomics. *PNAS* doi: 10.1073/pnas.1708779115.

Methods & Sampling

Samples were collected by collaborators, cryopreserved and shipped frozen to Bigelow Laboratory Single Cell Genomics Facility Center (SCGC). Cells were sorted, identified and sequenced by the SCGC, following SCGC's standard practices: https://scgc.bigelow.org/PDFs/SCGC_Services_Description.pdf

On average, at least 5 million 2x150 bp or longer paired-end reads were generated per SAG using in-house MiSeq and with a NextSeq (Illumina) instruments. The obtained reads were pre-processed and, de novo assembled, and quality-controlled using algorithms SCGC's standard protocols that are optimized for single cell MDA products. A combination of tetramer homogeneity tests and blast searches against reference databases is used to detect potential DNA contaminants among the assembled contigs. Benchmark data demonstrating SCGC SAG WGS whole genome sequencing pipeline performance are available here: from the SCGC website: http://data.bigelow.org/~scgc/WGS_benchmark_data/.

Genome annotation was performed through IMG (<http://img-stage.jgi-psf.org/cgi-bin/submit/main.cgi>).

Further information on Bigelow Laboratory Single Cell Genomics Center (SCGC) Facilities ([pdf](#))

Relevant References:

In preparation:

1. Pachiadaki M, Record N, Bergauer K, Nunoura T, Lopez-Garcia P, Herndl G, Stepanauskas R (2017) Global biogeography of bacterioplankton in the aphotic realm. Status = in preparation; Acknowledgment of Federal Support = Yes; Peer Reviewed = NA
2. Stepanauskas R, Brown J, Fergusson E. (2017) Improved genomic sequencing and *de novo* assembly of microbial single cells. Status = in preparation; Acknowledgment of Federal Support = Yes; Peer Reviewed = NA
3. Landry Z, Swan BK, Herndl JG, Vergin K, Stepanauskas R, Giovannoni S (2017) SAR202 genomes from the dark ocean predict pathways for the oxidation of recalcitrant dissolved organic matter. Status = in preparation; Acknowledgment of Federal Support = Yes; Peer Reviewed = NA
4. Nunoura T, Takaki Y, Minegishi H, Hirai M, Shuto A, Yoshida Y, Nishizawa M, Makabe A, Yanagawa K, Kuroiwa M, Makita T, Kodama T, Yoshida M, Koba K, Kondo R, Yokokawa T, Sunamura M, Stepanauskas R, Takai K (2017) Niche separation of MGI thaumarchaeotes along the water column on the three Northwest Pacific trenches. Status = in preparation; Acknowledgment of Federal Support = Yes; Peer Reviewed = NA
5. Labonté JM, Tupper B, Brown J, Harris C, Record NR, Stepanauskas R (2017) ViruSCOPE: A bioinformatics pipeline for viral sequence detection in microbial single cell genomes. Status = in preparation; Acknowledgment of Federal Support = Yes; Peer Reviewed = NA

In review:

1. Stepanauskas R, Fergusson EA, Brown J, Poulton NJ, Tupper B, Labonté JM, Becraft ED, Brown JM, Pachiadaki MG, Povilaitis T, Jeremian R, Alzbutas G, Thompson BP, Mascena CJ, Bellows WK, Petronis A, Lubys A. Genomics of individual cells and viruses revamped: enhanced gDNA amplification and direct, high throughput matching of cell's genomic and physical properties (2017) Status = in review; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
2. Bowers RM, Kyrpides NC, Stepanauskas R, Harmon-Smith M, Schulz F, Doud D, Reddy TBK, Jarett J, Rivers A, Eloie-Fadrosch EA, Tringe SG, Ivanova NN, Copeland A, Clum A, Becraft ED, Malmstrom RR, Birren B, Schriml L, Podar M, Bork P, Weinstock GM, Banfield JF, Garrity GM, Hugenholtz P, Parks DH, Tyson GW, Rinke C, Dodsworth JA, Yooseph S, Sutton GG, Yilmaz P, Glöckner FO, Meyer F, Gilbert JA, Nelson WC, Hallam SJ, Jungbluth SP, Ettema T, Tighe S, Konstantinidis KT, Liu WT, Baker BJ, Rättel T, Eisen J, Hedlund BP, McMahon KD, Fierer N, Knight R, Finn RD, Mizrahi I, Eren AM, Woyke T (2017) Genome Standards for Single Amplified Genomes and Genomes From Metagenomes of Bacteria and Archaea. Status = in review; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
3. Kashtan N, Roggensack SE, Thompson SE, Stepanauskas R, Chisholm SW (2017) Fundamental differences in diversity and genomic population structure between Atlantic and Pacific Prochlorococcus. Status = in review; Acknowledgment of Federal Support = Yes; Peer Reviewed = NA
4. Hawley AK, Nobu MK, Wright JJ, Durno WE, Morgan-Lang C, Sage B, Schwientek P, Swan B, Rinke C, Liu WT, Stepanauskas R, Woyke T, Hallam SJ (2017) Co-metabolic innovation along eco-thermodynamic gradients. Status = in review; Acknowledgment of Federal Support = Yes; Peer Reviewed = NA
5. Collingro A, Köstlbacher S, Mussmann M, Stepanauskas R, Hallam SJ, Horn M (2017) Marine Chlamydiae encode flagella. Status = in review; Acknowledgment of Federal Support = Yes; Peer Reviewed = NA
6. Jungbluth SP, del Rio TG, Tringe SG, Stepanauskas R, Rappé MS (2017) Genomic comparisons of a bacterial lineage that inhabits both marine and terrestrial deep subsurface systems. Status = in review;

Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes

7. Luo H, Huang Y, Stepanauskas R, Tang J (2017) Excess of Non-Conservative Amino Acid Changes in Marine Bacterioplankton Lineages with Reduced Genomes. Status = in review; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes

Published:

1. Wasmund K, Cooper M, Schreiber L, Lloyd KG, Baker BJ, Petersen DJ, Jørgensen BB, Stepanauskas R, Reinhardt R, Schramm A, Loy A and Adrian L (2016). Single cell genome and group-specific *dsrAB* sequencing implicate marine members of the class Dehalococcoidia (phylum Chloroflexi) in sulfur cycling. *Mbio* 7:e00266-16. Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
2. Dyksma S, Bischof K, Fuchs BM, Hoffmann K, Meier D, Meyerdierks A, Pjevac P, Probandt D, Richter M, Stepanauskas R, Mußmann M. (2016). Ubiquitous Gammaproteobacteria dominate dark carbon fixation in coastal sediments. *The ISME Journal*, 10: 1939-1953. Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
3. Ngugi DK, Blom J, Stepanauskas R, Stingl U. (2016). Diversification and niche adaptations of Nitrospina-like bacteria in the polyextreme interfaces of Red Sea brines. *The ISME Journal*, 10: 1383-1399. Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
4. Zhang Y, Sun Y, Jiao N, Stepanauskas R, Luo H. (2016). Ecological Genomics of the Uncultivated Marine Roseobacter Lineage CHAB-I-5. *Applied and Environmental Microbiology*, 82(7): 2100-11
5. Labonte JM, Field EK, Lau M, Chivian D, van Heerden E, Wommack KE, Kieft TL, Onstott TC, Stepanauskas R. (2015). Single cell genomics indicates horizontal gene transfer and viral infections in a deep subsurface Firmicutes population. *Frontiers in Microbiology*, 6: 349. Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
6. Labonté JM, Swan BK, Poulos B, Luo H, Koren S, Hallam SJ, Sullivan MB, Woyke T, Wommack KE, Stepanauskas R. (2015). Single cell genomics-based analysis of virus-host interactions in marine surface bacterioplankton. *The ISME Journal*, 9: 2386-2399. Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
7. Martijn J, Schulz F, Zaremba-Niedzwiedzka K, Viklund J, Stepanauskas R, Andersson SGE, Horn M, Guy L, Etema TJG. (2015). Single cell genomics of a rare environmental alphaproteobacterium provides unique insights into Rickettsiaceae evolution. *The ISME Journal*, 9: 2373-2385. Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
8. Stepanauskas R (2015). Wiretapping into microbial interactions by single cell genomics. *Frontiers in Microbiology*, 6: 258. Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
9. Stepanauskas R. (2015). Crystal Ball: Re-defining microbial diversity from its single-celled building blocks. *Environmental Microbiology Reports*, 7: 36-37. Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
10. Eiler A, Zaremba-Niedzwiedzka K, Martinez-Garcia M, McMahon KD, Stepanauskas R, Andersson SGE, Bertilsson S. (2014). Productivity and salinity structuring of the microplankton revealed by comparative freshwater metagenomics. *Environmental Microbiology*, 16: 2682-2698. Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
11. Ghylis TW, Garcia SL, Moya F, Oyserman BO, Schwientek P, Forest KT, Mutschler J, Dwulit-Smith J, Chan LK, Martinez-Garcia M, Sczyrba A, Stepanauskas R, Grossart HP, Woyke T, Warnecke F, Malmstrom R, Bertilsson S, McMahon KD. (2014). Comparative single-cell genomics reveals potential ecological niches for the freshwater *act* Actinobacteria lineage. *The ISME Journal*, 8: 2503-2516. Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
12. Kashtan N, Roggensack SE, Rodrigue S, Thompson JW, Biller SJ, Coe A, Ding H, Marttinen P, Malmstrom R, Stocker R, Follows MJ, Stepanauskas R, Chisholm SW (2014). Single cell genomics reveals hundreds of coexisting subpopulations in wild *Prochlorococcus*. *Science*, 344: 416-420. Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
13. Kminek G, Conley C, Allen CC, Bartlett DH, Beaty DW, Benning LG, Bhartia R, Boston PJ, Duchaine C, Farmer JD, Flynn GJ, Glavin DP, Gorby Y, Hallsworth JE, Mogul R, Moser D, Buford Price P, Pukall R, Fernandez-Remolar D, Smith CL, Stedman K, Steele A, Stepanauskas R, Sun H, Vago JL, Voytek MA, Weiss PS, Westall F (2014). Report of the workshop for life detection in samples from Mars. *Life Sciences in Space Research*, 2: 1. Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
14. Luo H, Tolar B, Swan B, Zhang C, Stepanauskas R, Moran MA, Hollibaugh JT (2014). Single-cell genomics shedding light on marine Thaumarchaeota diversification. *The ISME Journal*, 8: 732-736. Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
15. Luo H, Swan BK, Stepanauskas R, Hughes AL, Moran MA (2014). Comparing Effective Population Sizes of Dominant Marine Alphaproteobacteria Lineages. *Environmental Microbiology Reports*, 6: 167-172.

- Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
16. Luo H, Swan BK, Stepanauskas R, Hughes AL, Moran MA (2014). Evolutionary analysis of a streamlined lineage of surface ocean Roseobacters. *The ISME Journal*, 8: 1428-1439. Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
 17. Rinke C, Lee J, Nath N, Goudeau D, Thompson B, Poulton N, Ferguson E, Malmstrom R, Stepanauskas R, Woyke T. (2014). Obtaining genomes from uncultivated environmental microorganisms using FACS-based single-cell genomics. *Nature Protocols*, 9: 1038-1048. Status= PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
 18. Roux S, Hawley AK, Beltran MT, Scofield M, Schwientek P, Stepanauskas R, Woyke T, Hallam SJ, Sullivan MB. (2014). Ecology and evolution of viruses infecting uncultivated SUP05 bacteria as revealed by single-cell and metagenomics. *eLife*, 3: e03125. Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
 19. Swan BK, Chaffin M, Martinez-Garcia M, Morrison HG, Field E, Poulton N, Masland EDP, Harris CC, Sczyrba A, Chain PSG, Koren S, Woyke T, Stepanauskas R (2014). Genomic and metabolic diversity of Marine Group I Thaumarchaeota in the mesopelagic of two subtropical gyres. *PLoS ONE*, 9: e95380. Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
 20. Thrash JC, Temperton B, Swan BK, Landry Z, Woyke T, DeLong EF, Stepanauskas R, Giovannoni SJ (2014). Single-cell enabled comparative genomics of a deep ocean SAR11 bathytype. *The ISME Journal*, 8: 1440-1451. Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
 21. Wasmund K, Schreiber L, Lloyd KG, Petersen DG, Schramm A, Stepanauskas R, Jørgensen BB, Adrian L. (2014). Genome sequencing of a single cell of the widely distributed marine subsurface Dehalococcoidia, phylum Chloroflexi. *The ISME Journal*, 8: 383-397. Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
 22. Rinke C, Schwientek P, Sczyrba A, Ivanova NN, Anderson IJ, Cheng JF, Darling A, Malfatti S, Swan BK, Gies EA, Dodsworth JA, Hedlund BP, Tsiamis G, Sievert SM, Liu WT, Eisen JA, Hallam S, Kyrpides N, Stepanauskas R, Rubin E, Hugenholtz P, Woyke T (2013). Insights into the phylogeny and coding potential of microbial dark matter. *Nature*, 499: 431-437. Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes;
 23. Swan BK, Tupper B, Sczyrba A, Lauro FM, Martinez-Garcia M, González JM, Luo H, Wright JJ, Landry ZC, Hanson NW, Thompson BP, Poulton NJ, Schwientek P, Acinas SG, Giovannoni SJ, Moran MA, Hallam SJ, Cavicchioli R, Woyke T, Stepanauskas R (2013). Prevalent genome streamlining and latitudinal divergence of planktonic bacteria in the surface ocean. *Proceedings of the National Academy of Sciences*, 110: 11463-11468. Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes
 24. Lloyd KG, Schreiber L, Petersen DG, Kjeldsen K, Lever MA, Stepanauskas R, Richter M, Kleindienst S, Lenk S, Schramm A, Jorgensen BB. 2013. Predominant archaea in marine sediments degrade detrital proteins. *Nature* 496:215-218. Status = PUBLISHED; Acknowledgment of Federal Support = Yes; Peer Reviewed = Yes

Data Processing Description

BCO-DMO Processing Notes:

- added conventional header with dataset name, PI name, version date
- modified parameter names to conform with BCO-DMO naming conventions
- replaced spaces with underscores

[[table of contents](#) | [back to top](#)]

Data Files

File
taxon_table_SAG.csv (Comma Separated Values (.csv), 75.04 KB) MD5:37da1229f48e2aaa4d13c242129dbd40
Primary data file for dataset ID 666274

[[table of contents](#) | [back to top](#)]

Parameters

Parameter	Description	Units
SAG	Single amplified genome identifier	unitless
IMG_Genome_ID	Accession number from IMG/M (Integrated Microbial Genomes and Microbiome Samples)	unitless
date_collection	sample collection date; formatted as yyyy-mm-dd	unitless
site_collection_growth_cond	Collection or isolation site; or growth conditions	unitless
depth	Collection depth	meters
lat	Latitude; north is positive	decimal degrees
lon	Longitude; east is positive	decimal degrees
Assembled_Genome_Size	Assembled genome size	base pairs
Gene_Count	Gene count	genes
Scaffold_Count	Scaffold count	scaffolds
Availability	Availability: whether the accession is public or date when release is expected	unitless
IMG_accession_link	Link to IMG accession page	unitless

[[table of contents](#) | [back to top](#)]

Instruments

Dataset-specific Instrument Name	MiSeq and NextSeq 500 (Illumina)
Generic Instrument Name	Automated DNA Sequencer
Dataset-specific Description	Used to read base pairs
Generic Instrument Description	General term for a laboratory instrument used for deciphering the order of bases in a strand of DNA. Sanger sequencers detect fluorescence from different dyes that are used to identify the A, C, G, and T extension reactions. Contemporary or Pyrosequencer methods are based on detecting the activity of DNA polymerase (a DNA synthesizing enzyme) with another chemoluminescent enzyme. Essentially, the method allows sequencing of a single strand of DNA by synthesizing the complementary strand along it, one base pair at a time, and detecting which base was actually added at each step.

Dataset-specific Instrument Name	high-throughput plate reader (BMG)
Generic Instrument Name	plate reader
Generic Instrument Description	<p>Plate readers (also known as microplate readers) are laboratory instruments designed to detect biological, chemical or physical events of samples in microtiter plates. They are widely used in research, drug discovery, bioassay validation, quality control and manufacturing processes in the pharmaceutical and biotechnological industry and academic organizations. Sample reactions can be assayed in 6-1536 well format microtiter plates. The most common microplate format used in academic research laboratories or clinical diagnostic laboratories is 96-well (8 by 12 matrix) with a typical reaction volume between 100 and 200 uL per well. Higher density microplates (384- or 1536-well microplates) are typically used for screening applications, when throughput (number of samples per day processed) and assay cost per sample become critical parameters, with a typical assay volume between 5 and 50 µL per well. Common detection modes for microplate assays are absorbance, fluorescence intensity, luminescence, time-resolved fluorescence, and fluorescence polarization. From: http://en.wikipedia.org/wiki/Plate_reader, 2014-09-0-23.</p>

Dataset-specific Instrument Name	Roche LC480
Generic Instrument Name	Thermal Cycler
Generic Instrument Description	<p>A thermal cycler or "thermocycler" is a general term for a type of laboratory apparatus, commonly used for performing polymerase chain reaction (PCR), that is capable of repeatedly altering and maintaining specific temperatures for defined periods of time. The device has a thermal block with holes where tubes with the PCR reaction mixtures can be inserted. The cycler then raises and lowers the temperature of the block in discrete, pre-programmed steps. They can also be used to facilitate other temperature-sensitive reactions, including restriction enzyme digestion or rapid diagnostics. (adapted from http://serc.carleton.edu/microbelife/research_methods/genomics/pcr.html)</p>

Dataset-specific Instrument Name	Covaris focused ultrasonicator
Generic Instrument Name	ultrasonic cell disrupter (sonicator)
Generic Instrument Description	Instrument that applies sound energy to agitate particles in a sample.

[[table of contents](#) | [back to top](#)]

Deployments

Bigelow_Stepanuskas_2012

Website	https://www.bco-dmo.org/deployment/666293
Platform	lab Bigelow
Start Date	2012-09-01
End Date	2016-08-31
Description	genomics studies

[[table of contents](#) | [back to top](#)]

Project Information

Ocean's dark energy: Global inventory of chemoautotrophs in the aphotic realm (Dark ocean chemoautotrophs)

Coverage: Global

From NSF award abstract:

The dark ocean, defined as the water column below the photic, contains one of the largest microbial biomes on earth, composed of active and metabolically diverse microorganisms. These biota impact local processes and the global carbon cycling, e.g. by conducting a large fraction of marine organic matter remineralization. An increasing body of evidence suggests that chemoautotrophy in the dark ocean may also be significant, with potentially major implications to the dark ocean's microbial ecology and biogeochemistry. However, it remains largely unanswered what energy sources and metabolic pathways are used to support this microbial-driven dark carbon fixation and which microbial taxonomic groups possess chemoautotrophic metabolic pathways in the dark ocean.

The overall goal of this project is to obtain a comprehensive, global inventory of chemoautotrophs in the dark ocean through large-scale microbial single cell genomics, supplemented with metagenomic and metatranscriptomic sequencing. The investigators will address the following general hypotheses:

1. Multiple prokaryote taxonomic groups found in the dark ocean contain chemoautotrophic metabolic pathways.
2. Both known and previously unrecognized chemoautotrophy pathways are present in dark ocean's prokaryotes.
3. Dark ocean chemoautotrophs are broadly distributed around the globe, with biogeographic patterns determined by the isopycnal movement of water masses, water mass age, and the downward flux of organic matter.
4. Diverse chemoautotrophy pathways are expressed in the dark ocean.

During the course of the project, single amplified genomes (SAGs) will be generated from all major intermediate and deep water masses around the globe, representing all major taxonomic groups of bacteria and archaea that are known to be present in the dark ocean. These SAGs will be analyzed for specific chemoautotrophy-indicative genes. Whole genome sequencing will be performed on a subset of SAGs, enabling detailed annotation of chemoautotrophy pathways. Metagenomic and metatranscriptomic fragment recruitment will be used to determine global patterns of chemoautotroph distribution and chemoautotrophy pathway expression. This ambitious project is made possible by the recent development of techniques and facilities for high-throughput genomic DNA recovery from individual cells at Bigelow Laboratory, genomic sequencing support provided by the U.S. Department of Energy Joint Genome Institute, and the establishment of a broad network of collaborations among many leading dark ocean microbiologists.

The project will generate a large quantity of unique reference materials, laying a solid foundation for future studies of dark ocean microorganisms, including 207 microbial genomes, representing all major taxonomic groups of bacteria and archaea from the dark ocean, multiple metagenomes, metatranscriptomes and pyrotag data sets, as well as genomic DNA from ~2,000 individual cells from diverse prokaryote taxonomic groups, water masses and geographic locations. The work will improve our understanding of the global carbon cycle, with direct relevance to climate change studies.

Publications produced as a result of this research:

Swan BK, Tupper B, Sczyrba A, Lauro FM, Martinez-Garcia M, González JM, Luo H, Wright JJ, Landry ZC, Hanson NW, Thompson BP, Poulton NJ, Schwientek P, Acinas SG, Giovannoni SJ, Moran MA, Hallam SJ, Cavicchioli R, Woyke T, Stepanauskas, R. 2013. Prevalent genome streamlining and latitudinal divergence of marine planktonic bacteria in the surface ocean. PNAS, v.TBD, p. TBD, published online June 25, 2013. doi: [10.1073/pnas.1304246110](https://doi.org/10.1073/pnas.1304246110)

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-1232982

[[table of contents](#) | [back to top](#)]