Growth metrics of Pocillopora verrucosa and Acropora hyacinthus corals under two pCO2 treatments at Moorea, French Polynesia from May to June of 2014 (OA coral adaptation project)

Website: https://www.bco-dmo.org/dataset/683932

Data Type: experimental Version: 1 Version Date: 2017-03-17

» Moorea Coral Reef Long-Term Ecological Research site (MCR LTER)

» Collaborative Research: Ocean Acidification and Coral Reefs: Scale Dependence and Adaptive Capacity (OA coral adaptation)

Programs

» Long Term Ecological Research network (LTER)

» Science, Engineering and Education for Sustainability NSF-Wide Investment (SEES): Ocean Acidification (formerly CRI-OA) (SEES-OA)

Contributors	Affiliation	Role
Edmunds, Peter J.	California State University Northridge (CSUN)	Principal Investigator
Carpenter, Robert	California State University Northridge (CSUN)	Co-Principal Investigator
Srednick, Griffin	California State University Northridge (CSUN)	Technician
Vaughan, Megan	California State University Northridge (CSUN)	Technician
York, Amber D.	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Abstract

These data include net calcification rates and measures of horizontal and vertical colony growth of coral species Pocillopora verrucosa and Acropora hyacinthus from an experiment performed in Moorea from May to June of 2014.

Table of Contents

- Coverage
- Dataset Description

 - Methods & Sampling
 Data Processing Description
- Data Files
- **Related Publications**
- **Parameters**
- Instruments
- **Deployments**
- Project Information
- **Program Information**
- Funding

Coverage

Spatial Extent: Lat:-17.4907 Lon:-149.826 Temporal Extent: 2014-05-01 - 2014-06-30

Dataset Description

These data were utilized in Evensen & Edmunds, 2016.

Other datasets utilized in Evensen and Edmunds, 2016:

Field data - coral colony interactions - https://www.bco-dmo.org/dataset/68452

* seawater chemistry - https://www.bco-dmo.org/dataset/684541

Methods & Sampling

Aggregates of 12 colonies were placed in one of six tanks (1 aggregate per tank) at either ambient (~400 uatm) or high (~1100 uatm) pCO2 (3 tanks per treatment) for 28 days. Buoyant weights of the corals were recorded before and after incubation. The difference between the initial and final buoyant weight was converted to dry skeletal weight using the aragonite density of 2.93 g cm-3, in accordance with the mineral form of CaCO3 deposited by Pocillopora and Acropora. Rates of net calcification (Gn) were normalized to the tissue area, which was estimated using wax dipping (Stimson and Kinzie 1991).

Flume experiments took place at Richard B. Gump South Pacific Research Station, Moorea.

Coral collection occurred in 2014 and was conducted at 'LTER1 and LTER2' (~1.5 km apart; n = 40 site-1) on the north shore of Moorea.

Data Processing Description

Physical conditions in the flumes were analyzed with a two-way ANOVA, with pCO2 as a fixed effect and flume a random factor nested in each treatment. Calcification, horizontal growth, and vertical growth collectively were analyzed in multivariate framework using mixed effects PERMANOVA, with pCO2 as a fixed, between plot effect, flume as a random factor nested in each treatment, and arrangement as a fixed, split-plot effect in each flume.

BCO-DMO Data Manager Processing Notes:

- added a conventional header with dataset name, PI name, version date
- * modified parameter names to conform with BCO-DMO naming conventions
- * All values were rounded to three decimal places if more than that.
- * latitude and longitude added for experiment location

[table of contents | back to top]

Data Files

File

growth_pCO2.csv(Comma Separated Values (.csv), 3.35 KB) MD5:8074bf0ece9763a4947913ee82e1852b

Primary data file for dataset ID 683932

[table of contents | back to top]

Related Publications

Comeau, S., Carpenter, R. C., Lantz, C. A., & Edmunds, P. J. (2016). Parameterization of the response of calcification to temperature and pCO2 in the coral Acropora pulchra and the alga Lithophyllum kotschyanum. Coral Reefs, 35(3), 929–939. doi:10.1007/s00338-016-1425-0

Evensen, N. R., & Edmunds, P. J. (2016). Interactive effects of ocean acidification and neighboring corals on the growth of Pocillopora verrucosa. Marine Biology, 163(7). doi:10.1007/s00227-016-2921-z
Results

Stimson, J., & Kinzie, R. A. (1991). The temporal pattern and rate of release of zooxanthellae from the reef coral Pocillopora damicornis (Linnaeus) under nitrogen-enrichment and control conditions. Journal of Experimental Marine Biology and Ecology, 153(1), 63–74. doi:10.1016/s0022-0981(05)80006-1 https://doi.org/10.1016/50022-0981(05)80006-1 https://doi.org/10.1016/50022-0981(05)8006-1 https://doi.org/10.1016/50022-0981(05)8006-1 https://doi.org/10.1016/50022-0981(05)8006-1 https://doi.org/10.1016/50022-0981(05)8006-1 https://doi.org/10.1016/50022-0981(05)8006-1 https://doi.org/10.1016/50022-0981(05)8006-1 https://doi.org/10.1016/5002-0981(05)8006-1 https://doi.org/10.1016/50022-0981(05)8006-1 https://doi.

[table of contents | back to top]

Parameters

Parameter	Description	Units
site	Location of flume; MCR is shorthand for Moorea Coral Reef Long-Term Ecological Research site	unitless
lat	Latitiude of site	decimal degrees
lon	Longitude of site; west is negative	decimal degrees
treatment	pCO2 treatment in each flume (Ambient=~400 uatm; High=~1000 uatm)	unitless
flume	Flume number (2 & 4 = ambient pCO2 treatment; 1 & 3 = high pCO2 treatment)	unitless
arrangement	The arrangement surrounding the central P. verrucosa colonies. See acquisition description for details of arangement configurations	unitless
coral	Reference number for the central P. verrucosa colony in each of the arrangements	unitless
gn	Surface area-normalized net calcification for each central P. verrucosa colony	mg CaCO2 cm-2 d-1
horizontal_growth	Average change in diameter per day for each central P. verrucosa colony over the course of the incubation	micrometers per day (μm/d)
vertical_growth	Average change in height per day for each central P. verrucosa colony over the course of the incubation	micrometers per day (μm/d)

[table of contents | back to top]

Instruments

Dataset-specific Instrument Name	T50
Generic Instrument Name	Automatic titrator
Dataset-specific Description	Automatic Titrator: T50, Mettler-Toledo, Switzerland
Generic Instrument Description	Instruments that incrementally add quantified aliquots of a reagent to a sample until the end-point of a chemical reaction is reached.

Dataset-specific Instrument Name	Orion 3-stars
Generic Instrument Name	pH Sensor
Dataset-specific Description	pH Sensor: Orion 3-stars, Thermo Scientific, USA, mounted with a combination pH probe (Orion Ross Ultra, Thermo Scientific, USA).
	An instrument that measures the hydrogen ion activity in solutions. The overall concentration of hydrogen ions is inversely related to its pH. The pH scale ranges from 0 to 14 and indicates whether acidic (more H+) or basic (less H+).

[table of contents | back to top]

Deployments

MCR Edmunds

incit_Eumanas		
Website	https://www.bco-dmo.org/deployment/640059	
Platform	Richard B Gump Research Station - Moorea LTER	
Start Date	2010-01-01	
End Date	2016-12-31	
	Ongoing studies on corals	
Description	Methods & Sampling Coral collection took place at: LTER1,-17.474783,-149.834939 LTER2,-17.472056,-149.809914	

[table of contents | back to top]

Project Information

Moorea Coral Reef Long-Term Ecological Research site (MCR LTER)

Website: http://mcr.lternet.edu/

Coverage: Island of Moorea, French Polynesia

From http://www.lternet.edu/sites/mcr/ and http://mcr.lternet.edu/:

The Moorea Coral Reef LTER site encompasses the coral reef complex that surrounds the island of Moorea, French Polynesia (17°30'S, 149°50'W). Moorea is a small, triangular volcanic island 20 km west of Tahiti in the Society Islands of French Polynesia. An offshore barrier reef forms a system of shallow (mean depth ~ 5-7 m), narrow (-0.8-1.5 km wide) lagoons around the 60 km perimeter of Moorea. All major coral reef types (e.g., fringing reef, lagoon patch reefs, back reef, barrier reef and fore reef) are present and accessible by small boat.

The MCR LTER was established in 2004 by the US National Science Foundation (NSF) and is a partnership between the University of California Santa Barbara and California State University, Northridge, MCR researchers include marine scientists from the UC Santa Barbara, CSU Northridge, UC Davis, UC Santa Cruz, UC San Diego, CSU San Marcos, Duke University and the University of Hawaii. Field operations are conducted from the UC Berkeley Richard B. Gump South Pacific Research Station on the island of Moorea, French Polynesia.

MCR LTER Data: The Moorea Coral Reef (MCR) LTER data are managed by and available directly from the MCR project data site URL shown above. The datasets listed below were collected at or near the MCR LTER sampling locations, and funded by NSF OCE as ancillary projects related to the MCR LTER core research themes.

This project is supported by continuing grants with slight name variations:

LTER: Long-Term Dynamics of a Coral Reef Ecosystem
LTER: MCR II - Long-Term Dynamics of a Coral Reef Ecosystem
LTER: MCR IIB: Long-Term Dynamics of a Coral Reef Ecosystem
LTER: MCR III: Long-Term Dynamics of a Coral Reef Ecosystem
LTER: MCR IV: Long-Term Dynamics of a Coral Reef Ecosystem

Collaborative Research: Ocean Acidification and Coral Reefs: Scale Dependence and Adaptive Capacity (OA coral adaptation)

Website: http://mcr.lternet.edu

Coverage: Moorea, French Polynesia

Extracted from the NSF award abstract:

This project focuses on the most serious threat to marine ecosystems, Ocean Acidification (OA), and addresses the problem in the most diverse and beautiful ecosystem on the planet, coral reefs. The research utilizes Moorea, French Polynesia as a model system, and builds from the NSF investment in the Moorea Coral Reef Long Term Ecological Research Site (LTER) to exploit physical and biological monitoring of coral reefs as a context for a program of studies focused on the ways in which OA will affect corals, calcified algae, and coral reef ecosystems. The project builds on a four-year NSF award with research in five new directions: (1) experiments of year-long duration, (2) studies of coral reefs to 20-m depth, (3) experiments in which carbon dioxide will be administered to plots of coral reef underwater, (4) measurements of the capacity of coral reef organisms to change through evolutionary and induced responses to improve their resistance to OA, and (5) application of emerging theories to couple studies of individual organisms to studies of whole coral reefs. Broader impacts will accrue through a better understanding of the ways in which OA will affect coral reefs that are the poster child for demonstrating climate change effects in the marine environment, and which provide income, food, and coastal protection to millions of people living in coastal areas, including in the United States.

This project focuses on the effects of Ocean Acidification on tropical coral reefs and builds on a program of research results from an existing 4-year award, and closely interfaces with the technical, hardware, and information infrastructure provided through the Moorea Coral Reef (MCR) LTER. The MCR-LTER, provides an unparalleled opportunity to partner with a study of OA effects on a coral reef with a location that arguably is better instrumented and studied in more ecological detail than any other coral reef in the world. Therefore, the results can be both contextualized by a high degree of ecological and physical relevance, and readily integrated into emerging theory seeking to predict the structure and function of coral reefs in warmer and more acidic future oceans. The existing award has involved a program of study in Moorea that has focused mostly on short-term organismic and ecological responses of corals and calcified algae, experiments conducted in mesocosms and flumes, and measurements of reef-scale calcification. This new award involves three new technical advances: for the first time, experiments will be conducted of year-long duration in replicate outdoor flumes; CO2 treatments will be administered to fully intact reef ecosystems in situ using replicated underwater flumes; and replicated common garden cultivation techniques will be used to explore within-species genetic variation in the response to OA conditions. Together, these tools will be used to support research on corals and calcified algae in three thematic areas: (1) tests for long-term (1 year) effects of OA on reef communities at 20-m depth where light regimes are attenuated compared to shallow water, and (3) tests for beneficial responses to OA through intrinsic, within-species genetic variability and phenotypic plasticity. Some of the key experiments in these thematic areas will be designed to exploit integral projection models (IPMs) to couple organism with communities they build.

The following publications and data resulted from this project:

Comeau S, Carpenter RC, Lantz CA, Edmunds PJ. (2016) Parameterization of the response of calcification to temperature and pCO2 in the coral Acropora pulchra and the alga Lithophyllum kotschyanum. Coral Reefs 2016. DOI 10.1007/s00338-016-1425-0. calcification rates (2014) calcification rates (2010)

Comeau, S., Carpenter, R.C., Edmunds, P.J. (2016) Effects of pCO2 on photosynthesis and respiration of tropical scleractinian corals and calcified algae. ICES Journal of Marine Science doi:10.1093/icesjms/fsv267.
respiration and photosynthesis I
respiration and photosynthesis II

Evensen, N.R. & Edmunds P. J. (2016) Interactive effects of ocean acidification and neighboring corals on the growth of Pocillopora verrucosa. Marine Biology, 163:148. doi: 10.1007/s00227-016-2921-z coral growth seawater chemistry coral colony interactions

[table of contents | back to top]


Program Information

Long Term Ecological Research network (LTER)

Website: http://www.lternet.edu/
Coverage: United States

adapted from http://www.lternet.edu/

The National Science Foundation established the LTER program in 1980 to support research on long-term ecological phenomena in the United States. The Long Term Ecological Research (LTER) Network is a collaborative effort involving more than 1800 scientists and students investigating ecological processes over long temporal and broad spatial scales. The LTER Network promotes synthesis and comparative research access sites and ecosystems and among other related national and international research programs. The LTER research sites represent diverse ecosystems with emphasis on different research themes, and cross-site communication, network publications, and research-planning activities are coordinated through the LTER Network Office.



Site Codes

AND Andrews Forest LTER

ARC Arctic LTER

BES Baltimore Ecosystem Stu

BLE Beaufort Lagoon Ecosystems LTER

BNZ Bonanza Creek LTER

CCE California Current Ecosystem LTER

CDR Cedar Creek Ecosystem Science Reserve

CAP Central Arizona-Phoenix LTER

CWT Coweeta LTER

FCE Florida Coastal **Everglades LTER**

GCE Georgia Coastal Ecosystems LTER

HFR Harvard Forest LTER

HBR Hubbard Brook LTER

JRN Jornada Basin LTER KBS Kellogg Biological Station LTER

KNZ Konza Prairie LTER

LUQ Luquillo LTER

MCM McMurdo Dry Valleys LT

MCR Moorea Coral Reef LTEF

NWT Niwot Ridge LTER

NTL North Temperate Lakes I

Northeast U.S. Shelf LTE NES NGA Northern Gulf of Alaska I

PAL Palmer Antarctica LTER

PIE Plum Island **Ecosystems LTER**

SBC Santa Barbara Coastal L

SEV Sevilleta LTER

VCR Virginia Coast Reserve L

2017 LTER research site map obtained from https://lternet.edu/site/lter-network/

Science, Engineering and Education for Sustainability NSF-Wide Investment (SEES): Ocean Acidification (formerly CRI-OA) (SEES-OA)

Website: https://www.nsf.gov/funding/pgm_summ.jsp?pims_id=503477

Coverage: global

NSF Climate Research Investment (CRI) activities that were initiated in 2010 are now included under Science, Engineering and Education for Sustainability NSF-Wide Investment (SEES). SEES is a portfolio of activities that highlights NSF's unique role in helping society address the challenge(s) of achieving sustainability. Detailed information about the SEES program is available from NSF (https://www.nsf.gov/funding/pgm_summ.jsp?pims_id=504707).

In recognition of the need for basic research concerning the nature, extent and impact of ocean acidification on oceanic environments in the past, present and future, the goal of the SEES: OA program is to understand (a) the chemistry and physical chemistry of ocean acidification; (b) how ocean acidification interacts with processes at the organismal level; and (c) how the earth system history informs our understanding of the effects of ocean acidification on the present day and future ocean.

Solicitations issued under this program:

NSF 10-530, FY 2010-FY2011 NSF 12-500, FY 2012

NSF 12-600, FY 2013 NSF 13-586, FY 2014

NSF 13-586 was the final solicitation that will be released for this program.

PI Meetings

1st U.S. Ocean Acidification PI Meeting(March 22-24, 2011, Woods Hole, MA)
2nd U.S. Ocean Acidification PI Meeting(Sept. 18-20, 2013, Washington, DC)
3rd U.S. Ocean Acidification PI Meeting (June 9-11, 2015, Woods Hole, MA - Tentative)

NSF media releases for the Ocean Acidification Program:

Press Release 10-186 NSF Awards Grants to Study Effects of Ocean Acidification

Discovery Blue Mussels "Hang On" Along Rocky Shores: For How Long?

Discovery nsf.gov - National Science Foundation (NSF) Discoveries - Trouble in Paradise: Ocean Acidification This Way Comes - US National Science Foundation (NSF)

Press Release 12-179 nsf.gov - National Science Foundation (NSF) News - Ocean Acidification: Finding New Answers Through National Science Foundation (NSF) News - Ocean Acidification: Finding New Answers Through National Science Foundation (NSF)

Press Release 13-102 World Oceans Month Brings Mixed News for Oysters

<u>Press Release 13-108 nsf.gov - National Science Foundation (NSF) News - Natural Underwater Springs Show How Coral Reefs Respond to Ocean Acidification - US National Science Foundation (NSF)</u>

Press Release 13-148 Ocean acidification: Making new discoveries through National Science Foundation research grants

Press Release 13-148 - Video nsf.gov - News - Video - NSF Ocean Sciences Division Director David Conover answers questions about ocean acidification. - US National Science Foundation (NSF)

Press Release 14-010 nsf.gov - National Science Foundation (NSF) News - Palau's coral reefs surprisingly resistant to ocean acidification - US National Science Foundation (NSF)

Press Release 14-116 nsf.gov - National Science Foundation (NSF) News - Ocean Acidification: NSF awards \$11.4 million in new grants to study effects on marine ecosystems - US National Science Foundation (NSF)

[table of contents | back to top]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-1415300
NSF Division of Ocean Sciences (NSF OCE)	OCE-1415268

[table of contents | back to top]