

# Carbonate chemistry sample inventory from R/V Atlantis AT37-13 at methane seeps in the Pacific Ocean off Costa Rica from May to June 2017 (Costa Rica Seeps project)

**Website:** <https://www.bco-dmo.org/dataset/715893>

**Data Type:** Cruise Results

**Version:** 0

**Version Date:** 2017-09-25

## Project

» [Collaborative research: Quantifying the biological, chemical, and physical linkages between chemosynthetic communities and the surrounding deep sea](#) (Costa Rica Seeps)

Contributors	Affiliation	Role
<a href="#">Orphan, Victoria J.</a>	California Institute of Technology (Caltech)	Principal Investigator
<a href="#">Cordes, Erik E.</a>	Temple University (Temple)	Co-Principal Investigator
<a href="#">Copley, Nancy</a>	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

## Abstract

This dataset is an inventory of carbonate chemistry bottle samples collected by HOV/Alvin on the RV/Atlantis cruise AT/37-13 during May and June 2017 at the Costa Rica Margin (sites Mound 12, Quepos landslide, Jaco Scar), Pacific Ocean.

## Table of Contents

- [Coverage](#)
- [Dataset Description](#)
  - [Methods & Sampling](#)
  - [Data Processing Description](#)
- [Related Publications](#)
- [Related Datasets](#)
- [Parameters](#)
- [Deployments](#)
- [Project Information](#)
- [Funding](#)

## Coverage

**Spatial Extent:** N:9.1181 E:-84.1281 S:8.8525 W:-84.8413

**Temporal Extent:** 2017-05-21 - 2017-06-08

## Methods & Sampling

Carbonates and other hard substrates were collected by Alvin using the manipulator arm. Carbonates were subsampled for microscopy, molecular analysis, mineralogy and incubation experiments (details of sampling can be found in Case et al., 2015 mBio. 6:6)

## Data Processing Description

### BCO-DMO Processing Notes:

- added conventional header with dataset name, PI name, version date
- modified parameter names to conform with BCO-DMO naming conventions
- blank values were replaced with no data value 'nd'
- reformatted Date from dd-Mon-yy to yyyy-mm-dd

[ [table of contents](#) | [back to top](#) ]

---

## Related Publications

Case, D. H., Pasulka, A. L., Marlow, J. J., Grupe, B. M., Levin, L. A., & Orphan, V. J. (2015). Methane Seep Carbonates Host Distinct, Diverse, and Dynamic Microbial Assemblages. *mBio*, 6(6). doi:10.1128/mbio.01348-15 <https://doi.org/10.1128/mbio.01348-15>  
*Methods*

[ [table of contents](#) | [back to top](#) ]

---

## Related Datasets

### IsReferencedBy

Levin, L. A., Rouse, G., Pereira, O. S. (2021) **Matrix of taxon by sample for hard substrates collected by HOV Alvin during R/V Atlantis cruise AT37-13 and AT42-03 in the Pacific margin of Costa Rica in 2017 and 2018.** Biological and Chemical Oceanography Data Management Office (BCO-DMO). (Version 2) Version Date 2021-03-16 doi:10.26008/1912/bco-dmo.747699.2 [[view at BCO-DMO](#)]  
*Relationship Description: Sampling locations*

[ [table of contents](#) | [back to top](#) ]

---

## Parameters

Parameter	Description	Units
Date	sampling date	unitess
Dive	Alvin dive number	unitess
Rock_num	rock or specimen sample number	unitess
SN_num	lab serial number for sample	unitess
Region	region sampled	unitess
Type	description of sampled site	unitess
Available_Live	number or samples maintained in seawater at 4 degrees C	count
Incubated	date of incubation formatted as dd/Mon/yy	unitess
Depth_m	sample depth	meters
Lat	latitude; north is positive	decimal degrees
Long	longitude; east is positive	decimal degrees
PFA	number or samples preserved in paraformaldehyde	samples
Ethanol	number or samples preserved in ethanol	samples
Frozen	number or samples frozen	samples
Live	number or samples analyzed in a live state	samples
Other	number or samples preserved or used in another way	samples
Notes	comments pertaining to sampling	unitess

[ [table of contents](#) | [back to top](#) ]

---

## Deployments

## AT37-13

<b>Website</b>	<a href="https://www.bco-dmo.org/deployment/714567">https://www.bco-dmo.org/deployment/714567</a>
<b>Platform</b>	R/V Atlantis
<b>Start Date</b>	2017-05-20
<b>End Date</b>	2017-06-11
<b>Description</b>	More cruise information is available from Rolling Deck to Repository (R2R): * <a href="https://www.rvdata.us/search/cruise/AT37-13">https://www.rvdata.us/search/cruise/AT37-13</a> * <a href="https://doi.org/10.7284/907684">https://doi.org/10.7284/907684</a>

## AT37-13\_Alvin\_Dives

<b>Website</b>	<a href="https://www.bco-dmo.org/deployment/715760">https://www.bco-dmo.org/deployment/715760</a>
<b>Platform</b>	Alvin
<b>Start Date</b>	2017-05-21
<b>End Date</b>	2017-06-08
<b>Description</b>	Collections of seep organisms in sediments and on rocks.

[ [table of contents](#) | [back to top](#) ]

## Project Information

### **Collaborative research: Quantifying the biological, chemical, and physical linkages between chemosynthetic communities and the surrounding deep sea (Costa Rica Seeps)**

**Coverage:** Costa Rica Pacific Margin

#### *NSF abstract:*

If life were to disappear from the deep sea, would we notice? We only have a cursory understanding of this vast region and the connectivity among its communities and the rest of the oceans, and yet the ecosystems of the deep sea have been implicated in the larger function of the global marine ecosystems. We now rely on the deep ocean for food, energy, novel drugs and materials, and for its role in the global cycling of carbon, as well as for supporting services such as habitat creation, nutrient replenishment for shallow waters, and the maintenance of biodiversity. Cold seeps, active areas of the seafloor where methane and other chemicals are released, are key features along the continental margins worldwide. To characterize how methane seep communities interact with the surrounding ecosystems and vice versa, we will study methane seeps off the Pacific coast of Costa Rica in 2017 and 2018. It is the sphere of influence around the seep, both along the seafloor and up into the water column, that we seek to better understand. We will map the structure and the chemistry surrounding these habitats using a novel 3-dimensional framework, combining typical transects with vertical characterizations of the water column just above the seafloor. This will include measurements of methane flux into the water column and changes in the overlying carbonate chemistry and oxygen levels that are critical to our understanding of the effect of warming, oxygen loss and ocean acidification in this region. Within this framework, we will collect seep organisms in sediments and on rocks (including all sizes from microbes to large animals), and transplant some of these from within the area of seep influence to the background deep sea, and vice-versa. Together, these studies will help us to measure the size of the seep sphere of influence, and also demonstrate the role of these seeps within the deep sea and the greater, global, marine ecosystem. We will share this information with a group of teachers during a series of workshops in the San Diego area, at an exhibit at the Birch Aquarium, and through the work of an artist who has worked extensively with marine organisms in extreme environments.

Chemosynthetic ecosystems are inextricably linked to the broader world-ocean biome and global biogeochemical cycles in ways that we are just beginning to understand. This research will identify the form, extent, and nature of the physical, chemical, and biological linkages between methane seeps and the surrounding deep-sea ecosystem. The proposed research builds critical understanding of the structural and functional processes that underpin the ecosystem services provided by chemosynthetic ecosystems. We

target a critical continental margin, Costa Rica, where methane fates and dynamics loom large and play out in an setting that reflects many oceanographic stressors. We will use quantitative sampling and manipulative studies within a 3-dimensional oceanographic framework. We will ask what are the shapes of the diversity and density functions for organisms of different size classes and trophic position over the transition from the seep habitat through the ecotone to the background deep sea? Further, we will ask how do depth, dissolved oxygen concentrations, pH and carbonate ion availability, relative rates of fluid flux, and substrate (biogenic, authigenic carbonate, sediments) alter these linkages and interactions with the surrounding deep sea? Evidence for distinct transitional communities and biotic patterns in density and alpha and beta diversity will be quantified and placed in a global biogeographic context. All of these investigations will occur across biological size spectra: for microorganisms (archaea, bacteria, microeukaryotes), the macrofauna, and the megafauna that form biogenic habitats. Our research results will be interpreted in the context of potential effects of global ocean change in the equatorial Pacific to determine how the linkages with the surrounding deep sea will be altered as anthropogenic impacts proceed in the future.

**Related publications:**

Levin, L.A., V.J. Orphan, G.W. Rouse, W. Ussler, A. E. Rathburn, G. S. Cook, S. Goffredi, E. Perez, A. Waren, B. Grupe, G. Chadwick, B. Strickrott. (2012). A hydrothermal seep on the Costa Rica margin: Middle ground in a continuum of reducing ecosystems. *Proc. Royal Soc. B.* 279: 2580-88 doi: [10.1098/rspb.2012.0205](https://doi.org/10.1098/rspb.2012.0205)

Sahling, H., Masson, D. G., Ranero, C. R., Hühnerbach, V., Weinrebe, W., Klaucke, I., & Suess, E. (2008). Fluid seepage at the continental margin offshore Costa Rica and southern Nicaragua. *Geochemistry, Geophysics, Geosystems* 9: doi: [10.1029/2008GC001978](https://doi.org/10.1029/2008GC001978)

[ [table of contents](#) | [back to top](#) ]

---

**Funding**

Funding Source	Award
<a href="#">NSF Division of Ocean Sciences (NSF OCE)</a>	<a href="#">OCE-1634002</a>

[ [table of contents](#) | [back to top](#) ]