Survey locations and times for R/V Centennial trawl surveys in the Hood Canal, WA from 2012-2013 (PelagicHypoxia project)

Website: https://www.bco-dmo.org/dataset/718649 Data Type: Cruise Results Version: 1 Version Date: 2017-11-02

Project

» Consequences of hypoxia on food web linkages in a pelagic marine ecosystem (PelagicHypoxia)

| Contributors | Affiliation | Role |
|---|--|------------------------------------|
| Essington, Timothy | University of Washington (UW) | Principal Investigator, Contact |
| <u>Horne, John K.</u> | University of Washington (UW) | Co-Principal Investigator |
| <u>Keister, Julie E.</u> | University of Washington (UW) | Co-Principal Investigator |
| <u>Parker-Stetter,</u> <u>Sandra</u> | Northwest Fisheries Science Center - Seattle (NOAA NWFSC) | Co-Principal Investigator |
| York, Amber D. | Woods Hole Oceanographic Institution (WHOI BCO- DMO) | BCO-DMO Data Manager |

Abstract

Survey locations and times for R/V Centennial trawl surveys in the Hood Canal, WA from 2012-2013.

Table of Contents

- <u>Coverage</u>
- Dataset Description
 - <u>Methods & Sampling</u>
 - Data Processing Description
- Data Files
- <u>Related Datasets</u>
- Parameters
- Instruments
- Deployments
- <u>Project Information</u>
- <u>Funding</u>

Coverage

Spatial Extent: N:47.8299 **E**:-122.0915 **S**:47.3626 **W**:-123.1324 **Temporal Extent**: 2012-06-11 - 2013-10-03

Dataset Description

This dataset contains trawl survey locations and times from R/V Centennial trawl surveys in the Hood Canal, WA from 2012-2013.

Methods & Sampling

Sampling and analytical procedures:

Samples were chosen to target representative aggregations of fish as detected using multi-beam hydroacoustics. They are not designed to provide quantitative estimates of density, but rather to assess

species and size composition and to collect individuals for tissue and stomach sampling. Net was a Marinovich midwater trawl, deployed using two wires and 2.5 meter FishBuster trawl doors. Trawl was fitted with a 3.2 mm knotless liner in the codend and towed at a vessel speed of 2–3 knots. Vertical opening of the trawl varied between 4.8 and 7.0 m.

Instruments: Trawl depth measured using Kongsberg Marine P150 net monitor. Vessel position measured using on board GPS (Simrad)

Data Processing Description

BCO-DMO Data Manager Processing Notes:

- * added a conventional header with dataset name, PI name, version date
- * modified parameter names to conform with BCO-DMO naming conventions

[table of contents | back to top]

Data Files

File
TrawlLocationTime.csv(Comma Separated Values (.csv), 18.10 KB)
MD5:065e485aaee6d1f3e729aeee093423fb

Primary data file for dataset ID 718649

[table of contents | back to top]

Related Datasets

IsRelatedTo

Essington, T., Horne, J. K., Keister, J. E., Parker-Stetter, S. (2021) **Fish and jellyfish sample data from R/V Centennial trawl surveys in the Hood Canal, WA from 2012-2013 (PelagicHypoxia project).** Biological and Chemical Oceanography Data Management Office (BCO-DMO). (Version 1) Version Date 2017-11-02 doi:10.26008/1912/bco-dmo.718698.1 [view at BCO-DMO] Relationship Description: Fish and jellyfish sample data from R/V Centennial trawl surveys.

Essington, T., Horne, J. K., Keister, J. E., Parker-Stetter, S. (2021) **Fish and jellyfish stomach contents from R/V Centennial trawl surveys in the Hood Canal, WA from 2012-2013 (PelagicHypoxia project).** Biological and Chemical Oceanography Data Management Office (BCO-DMO). (Version 1) Version Date 2017-11-02 doi:10.26008/1912/bco-dmo.718675.1 [view at BCO-DMO] *Relationship Description: Stomach contents from R/V Centennial trawl surveys.*

Essington, T., Horne, J. K., Keister, J. E., Parker-Stetter, S. (2021) **Site information for R/V Centennial trawl surveys in the Hood Canal, WA from 2012-2013 (PelagicHypoxia project).** Biological and Chemical Oceanography Data Management Office (BCO-DMO). (Version 1) Version Date 2017-11-02 doi:10.26008/1912/bco-dmo.718711.1 [view at BCO-DMO] *Relationship Description: Site information for R/V Centennial trawl surveys.*

Essington, T., Horne, J. K., Keister, J. E., Parker-Stetter, S. (2021) **Trawl catch composition from R/V Centennial trawl surveys in the Hood Canal, WA from 2012-2013 (PelagicHypoxia project).** Biological and Chemical Oceanography Data Management Office (BCO-DMO). (Version 1) Version Date 2017-11-02 doi:10.26008/1912/bco-dmo.718662.1 [view at BCO-DMO] Relationship Description: Trawl catch composition from R/V Centennial trawl surveys.

Essington, T., Keister, J. E., Horne, J. K., Parker-Stetter, S. (2017) **Species list from R/V Centennial trawl surveys in the Hood Canal, WA from 2012-2013 (PelagicHypoxia project).** Biological and Chemical Oceanography Data Management Office (BCO-DMO). (Version 1) Version Date 2017-11-02 http://lod.bco-dmo.org/id/dataset/718636 [view at BCO-DMO]

[table of contents | back to top]

Parameters

| Parameter | Description | Units |
|--|---|--------------------|
| Trawl_ID | Unique identifier for each trawl tow | unitless |
| Date | Trawl date in format yyyy-mm-dd | unitless |
| Year | Year of sample in format yyyy | unitless |
| Month | month of sample | unitless |
| Day | Day of month | unitless |
| Start_Time_PDT | Time tow deployed (PDT) | unitless |
| End_Time_PDT | Time that tow retrieval began (PDT) | unitless |
| EQ_Lat | Latitude of vessel when net reached equilibrium depth | Degrees Minutes |
| EQ_Lat_dd | Latitude of vessel when net reached equilibrium depth | decimal degrees |
| EQ_Long | Longitude of vessel when net reached equilibrium depth | Degrees Minutes |
| EQ_Long_dd | Longitude of vessel when net reached equilibrium depth | decimal degrees |
| EQ_depth | Depth of net when reached equilibrium | meters |
| Start_Timestamp_UTC ISO timestamp when net was deployed based on the ISO 8601:2004(E) standard in format YYYY-mm-ddTHH:MMZ (UTC) | | unitless |
| End_Timestamp_UTC | ISO timestamp when tow retrieval began based on the ISO 8601:2004(E) standard in format YYYY-mm-ddTHH:MMZ (UTC) | unitless |

[table of contents | back to top]

Instruments

| Dataset-specific Instrument Name | Simrad GPS | |
|-------------------------------------|---|--|
| Generic Instrument Name | GPS receiver | |
| Dataset-specific Description | Vessel position measured using on board GPS (Simrad) | |
| Generic Instrument Description | Acquires satellite signals and tracks your location. This term has been deprecated. Use instead: <u>https://www.bco-dmo.org/instrument/560</u> | |

| Dataset- specific Instrument Name | Marinovich midwater trawl |
|--|---|
| Generic Instrument Name | Midwater Trawl |
| Generic Instrument Description | la sa kisa sa in fusuk of the use As the twen her as a feature of the slower such the suffere the ast |

| Dataset-specific Instrument Name | Kongsberg Marine P150 net monitor | |
|-------------------------------------|---|--|
| Generic Instrument Name | Water Depth Logger | |
| Dataset-specific Description | Trawl depth measured using Kongsberg Marine P150 net monitor. | |
| Generic Instrument Description | For measuring and recording water levels in rivers, streams, and wells. | |

[table of contents | back to top]

Deployments

PelagicHypoxia_trawlsurveys

| Website | https://www.bco-dmo.org/deployment/718647 |
|-------------|---|
| Platform | R/V Centennial |
| Start Date | 2012-06-11 |
| End Date | 2013-10-03 |
| Description | trawl surveys from 2012-2013 |

[table of contents | back to top]

Project Information

Consequences of hypoxia on food web linkages in a pelagic marine ecosystem (PelagicHypoxia)

Coverage: Puget Sound, WA (47 N, 123 W)

Description from NSF award abstract:

Low dissolved oxygen (hypoxia) is one of the most pronounced, pervasive, and significant disturbances in marine ecosystems. Yet, our understanding of the ecological impacts of hypoxia on pelagic food webs is incomplete because of our limited knowledge of how organism responses to hypoxia affect critical ecosystem processes. In pelagic food webs, distribution shifts of mesozooplankton and their predators may affect predator-prey overlap and dictate energy flow up food webs. Similarly, hypoxia may induce shifts in zooplankton community composition towards species that impede energy flow to planktivorous fish. However, compensatory responses by species and communities might negate these effects, maintaining trophic coupling and sustaining productivity of upper trophic level species. The PIs propose to answer the question

"Does hypoxia affect energy flow from mesozooplankton to pelagic fish?" They approach this question with a nested framework of hypotheses that considers two sets of processes alternatively responsible for either changes or maintenance of pelagic ecosystem energy flows. They will conduct their study in the Hood Canal, WA. Unlike most hypoxia-impacted estuaries, hypoxic regions of Hood Canal are in close proximity to sites that are not affected. This makes it logistically easier to conduct a comparative study and reduces the number of potential confounding factors when comparing areas that are far apart.

Improved understanding of how hypoxia impacts marine ecosystems will benefit the practical application of ecosystem-based management (EBM) in coastal and estuarine ecosystems. Effective application of EBM requires that the impacts of human activities are well understood and that ecological effects can be tracked using indicators. This project will contribute to both of these needs. The PIs will share their findings on local and national levels with Federal, State, Tribal, and County biologists. To increase exposure of science to underrepresented groups, the PIs also will provide Native American youth with opportunities to participate in field collections and laboratory processing through summer internships. The PIs will collaborate with the NSF-funded Pacific Northwest Louis Stokes Alliance for Minority Participation and tribes from the Hood Canal region to recruit and mentor students for potential careers in marine science. This project will support several undergraduate researchers, two Ph.D. students, a post-doc, and two early-career scientists.

[table of contents | back to top]

Funding

| Funding Source | Award |
|--|--------------------|
| NSF Division of Ocean Sciences (NSF OCE) | <u>OCE-1154648</u> |

[table of contents | back to top]