# Sea star sample information from Ketchikan, AK in February of 2017 (Sea Star Microbiology project)

Website: https://www.bco-dmo.org/dataset/719916

Data Type: Other Field Results

Version:

**Version Date**: 2017-12-01

#### Project

» <u>Microbial ecology of sea star wasting disease</u> (Sea Star Microbiology)

Contributors	Affiliation	Role
<u>Hewson, lan</u>	Cornell University (Cornell)	Principal Investigator, Contact
York, Amber D.	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

#### **Table of Contents**

- Coverage
- Dataset Description
  - Methods & Sampling
  - Data Processing Description
- Data Files
- Related Publications
- Parameters
- Deployments
- Project Information
- <u>Funding</u>

#### Coverage

**Spatial Extent**: N:55.44876 **E**:-131.5677 **S**:55.30607 **W**:-131.8306

**Temporal Extent**: 2017-02-09 - 2017-02-12

## **Dataset Description**

This dataset includes sea star sampling information collected for a survey of sea star-associated densovirus (SSaDV) prevalence and load in asymptomatic animals from near Ketchikan, AK in February of 2017. The data include sample number, species, collection time, depth, latitude, and longitude.

The survey was done to determine the presence/load of SSaDV in SE Alaska during a reported incidence of sea cucumber wasting.

#### Methods & Sampling

**Methodology:** This population was surveyed in February 2017 to determine the presence/load of SSaDV in SE Alaska during a reported incidence of sea cucumber wasting.

**Sampling and analytical procedures:** Animals were collected by hand at 3 locations near Ketchikan, AK in February 2017. Body wall tissues were biopsied on site to determine the presence/load of SSaDV. Biopsy punches were immediately frozen in liquid N2 before transport back to the lab at Cornell University.

SSaDV abundance/load will be determined by qPCR following the approach of Hewson et al., 2014 (PNAS).

#### **Data Processing Description**

BCO-DMO Data Manager Processing Notes:

- \* added a conventional header with dataset name, PI name, version date
- \* modified parameter names to conform with BCO-DMO naming conventions
- \* Species name changed from Pycnopodia helianthodies to accepted name Pycnopodia helianthoides 240764. Based on World Register of Marine Species (WoRMS, accessed 2017-10-17) and communication with the data contributor.

[ table of contents | back to top ]

#### **Data Files**

File

Ketchikan.csv(Comma Separated Values (.csv), 9.70 KB)

MD5:105acacbaa2300b58d788bdbf91a898b

Primary data file for dataset ID 719916

[ table of contents | back to top ]

## **Related Publications**

Hewson, I., Button, J. B., Gudenkauf, B. M., Miner, B., Newton, A. L., Gaydos, J. K., ... Harvell, C. D. (2014). Densovirus associated with sea-star wasting disease and mass mortality. Proceedings of the National Academy of Sciences, 111(48), 17278–17283. doi:10.1073/pnas.1416625111

Methods

[ table of contents | back to top ]

#### **Parameters**

Parameter	Description	Units
Sample_num	Sample identifier	unitless
Date	Collection date in format yyyy-mm-dd	unitless
Time	Collection date in format yyyy-mm-dd	unitless
ISO_DateTime_UTC	Collection timestamp using the ISO 8601:2004(E) standard in format YYYY-mm-ddTHH:MM:SS[.xx]Z (UTC)	unitless
Location	Collection location	unitless
Depth	Collection depth	meters
Species	Scientific name of collected seastar	untiless
Lat	Collection latitude	decimal degrees
Long	Collecction longitude	decimal degrees

[ table of contents | back to top ]

# **Deployments**

## SeaStarMicrobiology\_Hewson

Website	https://www.bco-dmo.org/deployment/720080
Platform	shoreside Alaska

# **Project Information**

Microbial ecology of sea star wasting disease (Sea Star Microbiology)

Website: http://seastarwastingdisease.wordpress.com

Coverage: Salish Sea and Alaskan Waters

Beginning in June 2013 and continuing to present (May 2015), over 20 species of sea stars (Asteroidea, Echinodermata) have been affected by sea star wasting disease (SSWD), affecting populations from central Alaska to Baja California. The disease has lead to greatly reduced abundance or disappearance of these keystone predators, which may result in profound alteration to benthic community structure. Recent work has identified the sea star associated densovirus (SSaDV) as the most likely causative agent of the disease. SSaDV is related to densoviruses inhabiting other echinoderms worldwide, and has been present in West Coast asteroid populations for at least 72 years. Hence, there remain significant knowledge gaps in our understanding of how SSaDV actually elicits SSWD symptoms, especially how the echinoderm host, densovirus and microbiome constituents interact. This project will address three major questions: 1) does viral infection change the composition of the sea star microbiome?, 2) what is the variation of viral genomes and their associated virulence?, and 3) does larval dispersal spread the disease between habitats? This project will address these hypotheses through time-course measurements of host, pathogen and associated microorganisms, genome-genome comparisons between historical and contemporary viral strains, and through experiments targeting larvae and juvenile asteroids in aquaria and in nature.

This project will address three fundamental questions relating to Sea Star Wasting Disease (SSWD): 1) How does SSaDV causes SSWD symptoms and how does the disease progress from primary infection through animal mortality; 2) How do current genotypes of SSaDV vary from those present historically, and is virulence related to genome polymorphisms; and 3) Are larvae and juvenile asteroids differentially affected by SSaDV, and are broadcast-spawned bipinarria a viable mechanism for SSaDV dispersal between distant habitats. The first question will be addressed by experimental inoculation of naïve sea stars with SSaDV, then time-course monitoring of host transcription (i.e. transcriptomics via RNAseq), microbiome composition via 16S rRNA sequencing and quantitative PCR, and viral load and prevalence using quantitatice PCR. The second question will be addressed by amplifying the entire genome of SSaDV and related densoviruses, then perform genomegenome comparisons to identify polymorphic DNA in key protein-encoding regions. The third question will be addressed by collecting bipinarria from plankton at field locations adjacent to spawning asteroid populations, and by performing time-course observations of captive juvenile sea stars and monitoring their bacterial and viral loads using quantitative PCR. This work will be performed primarily in the Salish Sea region, with SSaDV - naïve asteroids collected from Alaskan waters.

## [ table of contents | back to top ]

## **Funding**

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-1537111

[ table of contents | back to top ]