

# Wet weight of females and the number of egg capsules from the same individual at Moorea, French Polynesia from April to September 2008 (Vermetids\_Corals project)

Website: <https://www.bco-dmo.org/dataset/724569>

Data Type: Other Field Results

Version: 2017-10-05

## Project

» [Spatial patterns of coral-vermetid interactions: short-term effects and long-term consequences](#) (Vermetids\_Corals)

Contributors	Affiliation	Role
<a href="#">Phillips, Nicole</a>	Victoria University of Wellington	Principal Investigator, Contact
<a href="#">Shima, Jeffrey</a>	Victoria University of Wellington	Co-Principal Investigator
<a href="#">Biddle, Mathew</a>	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

## Table of Contents

- [Coverage](#)
- [Dataset Description](#)
  - [Methods & Sampling](#)
  - [Data Processing Description](#)
- [Data Files](#)
- [Related Publications](#)
- [Parameters](#)
- [Instruments](#)
- [Deployments](#)
- [Project Information](#)
- [Funding](#)

## Coverage

**Spatial Extent:** N:-17.47279 E:-149.78277 S:-17.48365 W:-149.84698

**Temporal Extent:** 2008-04-01 - 2008-09-30

## Dataset Description

These data include information on the reproductive biology and ecology of *Ceraesignum* (formerly *Dendropoma*) *maximum*.

### Related Datasets:

- Reef Locations: <https://www.bco-dmo.org/dataset/645257>
- Phillips and Shima 2010 - Brooding and Size: <https://www.bco-dmo.org/dataset/722287>
- Phillips and Shima 2010 - Development Stage Capsule: <https://www.bco-dmo.org/dataset/722344>
- Phillips and Shima 2010 - Egg Number and Female Size: <https://www.bco-dmo.org/dataset/724569> (The current page)
- Phillips and Shima 2010 - Larvae per Capsule: <https://www.bco-dmo.org/dataset/724586>
- Phillips and Shima 2010 - Size and Sex: <https://www.bco-dmo.org/dataset/724601>

## Methods & Sampling

Individual *Dendropoma* (now *Ceraesignum*) *maximum* were collected haphazardly from seven sites in April and September 2008. Snails were removed with their shells intact using a chisel and hammer. In the lab the diameter of the opening of the shell was measured in samples from April. Snails were removed from the shell, and sex, length and wet mass were determined. Sex was determined by the presence of a mantle slit and appearance of gonads in females. For brooding females, the number of egg capsules were recorded.

## Data Processing Description

### BCO-DMO Processing:

- added conventional header with dataset name, PI name, version date
- modified parameter names to conform with BCO-DMO naming conventions
- empty values were replaced with 'nd' (no data).

[ [table of contents](#) | [back to top](#) ]

## Data Files

File
<b>PhillipsShima_2010_EggNumberAndFemaleSize.csv</b> (Comma Separated Values (.csv), 695 bytes) MD5:c930f95d5a47b02e206aa08cf8474a3d
Primary data file for dataset ID 724569

[ [table of contents](#) | [back to top](#) ]

## Related Publications

Phillips, N. E., & Shima, J. S. (2009). Reproduction of the vermetid gastropod *Dendropoma maximum* (Sowerby, 1825) in Moorea, French Polynesia. *Journal of Molluscan Studies*, 76(2), 133–137. doi:[10.1093/mollus/eyp049](https://doi.org/10.1093/mollus/eyp049)  
*General*

Shima, J. S. 1999a. An evaluation of the processes that influence variability in abundance of a coral reef fish. Dissertation. University of California-Santa Barbara, California, USA.  
[https://www.researchgate.net/profile/Jeffrey\\_Shima/publication/235678400\\_An\\_evaluation\\_of\\_processes\\_that\\_influence\\_variability\\_in\\_abundance\\_of\\_a\\_coral\\_reef\\_fish/links/5701922708a\\_evaluation-of-processes-that-influence-variability-in-abundance](https://www.researchgate.net/profile/Jeffrey_Shima/publication/235678400_An_evaluation_of_processes_that_influence_variability_in_abundance_of_a_coral_reef_fish/links/5701922708a_evaluation-of-processes-that-influence-variability-in-abundance)  
*General*

[ [table of contents](#) | [back to top](#) ]

## Parameters

Parameter	Description	Units
FEMALE_WEIGHT	Blotted wet mass of females	grams (g)
number_EGG_CAPSULES	count of the number of egg capsules for individual snail	unitless

[ [table of contents](#) | [back to top](#) ]

## Instruments

<b>Dataset-specific Instrument Name</b>	length was determined
<b>Generic Instrument Name</b>	Measuring Tape
<b>Dataset-specific Description</b>	In the lab the diameter of the opening of the shell was measured in samples from April.
<b>Generic Instrument Description</b>	A tape measure or measuring tape is a flexible ruler. It consists of a ribbon of cloth, plastic, fibre glass, or metal strip with linear-measurement markings. It is a common tool for measuring distance or length.

<b>Dataset-specific Instrument Name</b>	balance
<b>Generic Instrument Name</b>	scale
<b>Dataset-specific Description</b>	Snails were removed from the shell, and sex, length and wet mass were determined.
<b>Generic Instrument Description</b>	An instrument used to measure weight or mass.

[ [table of contents](#) | [back to top](#) ]

## Deployments

### Osenberg et al Moorea

<b>Website</b>	<a href="https://www.bco-dmo.org/deployment/644752">https://www.bco-dmo.org/deployment/644752</a>
<b>Platform</b>	Osenberg et al Moorea
<b>Start Date</b>	2003-05-19
<b>End Date</b>	2015-07-12

[ [table of contents](#) | [back to top](#) ]

## Project Information

### Spatial patterns of coral-vermetid interactions: short-term effects and long-term consequences (Vermetids\_Corals)

**Coverage:** Moorea, French Polynesia (-17.48 degrees S, -149.82 degrees W)

#### Description from NSF abstract:

Ecological surprises are most likely to be manifest in diverse communities where many interactions remain uninvestigated. Coral reefs harbor much of the world's biodiversity, and recent studies by the investigators suggest that one overlooked, but potentially important, biological interaction involves vermetid gastropods. Vermetid gastropods are nonmobile, tube-building snails that feed via an extensive mucus net. Vermetids reduce coral growth by up to 80%, and coral survival by as much as 60%. Because effects vary among coral taxa, vermetids may substantially alter the structure of coral communities as well as the community of fishes and invertebrates that inhabit the coral reef.

The investigators will conduct a suite of experimental and observational studies that: 1) quantify the effects of four species of vermetids across coral species to assess if species effects and responses are concordant or idiosyncratic; 2) use meta-analysis to compare effects of vermetids relative to other coral stressors and determine the factors that influence variation in coral responses; 3) determine the role of coral commensals that inhabit the branching coral, Pocillopora, and evaluate how the development of the commensal assemblage modifies the deleterious effects of vermetids; 4) determine how vermetid mucus nets affect the local environment of corals and evaluate several hypotheses about proposed mechanisms; and 5) assess the long-term implications of vermetids on coral communities and the fishes and invertebrates that depend on the coral.

**Note:** The Principal Investigator, Dr. Craig W. Osenberg, was at the University of Florida at the time the NSF award was granted. Dr. Osenberg moved to the University of Georgia during the summer of 2014 ([current contact information](#)).

[ [table of contents](#) | [back to top](#) ]

## Funding

Funding Source	Award
<a href="#">NSF Division of Ocean Sciences (NSF OCE)</a>	<a href="#">OCE-1130359</a>

[ [table of contents](#) | [back to top](#) ]