

Dates and locations of colonization sampler deployments and recoveries from East Pacific Rise (EPR) deep-sea vents, 1998-2017

Website: <https://www.bco-dmo.org/dataset/733210>

Data Type: Cruise Results

Version: 3

Version Date: 2020-08-24

Project

» [Effects of Disturbance and Larval Supply on Communities at Hydrothermal Vents](#) (Larval supply at EPR vents)

» [Trajectories in functional diversity after disturbance at vents on the East Pacific Rise](#) (EPR Functional Diversity)

Contributors	Affiliation	Role
Mullineaux, Lauren	Woods Hole Oceanographic Institution (WHOI)	Principal Investigator
Copley, Nancy	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Abstract

This dataset provides dates and locations of colonization sampler deployments and recoveries from East Pacific Rise (EPR) deep-sea vents, 1998-2017.

Table of Contents

- [Coverage](#)
- [Dataset Description](#)
 - [Methods & Sampling](#)
 - [Data Processing Description](#)
- [Data Files](#)
- [Related Publications](#)
- [Related Datasets](#)
- [Parameters](#)
- [Instruments](#)
- [Deployments](#)
- [Project Information](#)
- [Funding](#)

Coverage

Spatial Extent: Lat:9.83 Lon:-104.283

Temporal Extent: 1998-05-10 - 2017-05-15

Dataset Description

This dataset provides dates and locations of colonization sampler deployments and recoveries from East Pacific Rise (EPR) deep-sea vents, 1998-2017.

Methods & Sampling

Colonists were collected on experimental surfaces (sandwiches) constructed from six 0.7-cm-thick Lexan plastic plates separated by 1 cm spacers, creating a lattice 10 cm on a side (Bayer et al, 2011; note in 1998 colonists were collected on basalt blocks). Sandwiches were deployed and recovered by the submersible Alvin. Deployment durations were 4, 2, and 11 months respectively for the recoveries at 9, 11, and 22 months after an eruption that took place in January 2006. The thermal environment at the base of each sandwich was

measured with the Alvin temperature probe on deployment and recovery for ca 1–2 min until a clear maximum value was obtained. Habitat chemistry was measured at 11 and 23 months.

Data Processing Description

BCO-DMO Processing Notes:

version 1 [2018-03-30]

- added conventional header with dataset name, PI name, version date
- re-formatted date from d-Mon-yy to yyyy-mm-dd

version 2 [2020-08-06]:

- includes new row for 1998 cruise, AT0319
- includes new right-most columns: monthsSinceEruption, coordinateUncertaintyInMeters, minimumDepthInMeters, maximumDepthInMeters
- renamed "End" to "eventDate".

version 3 [2020-08-24]:

- changed monthsSinceEruption on cruiseID=AT2623 from 108 to 106.

[[table of contents](#) | [back to top](#)]

Data Files

File
sample_log_chem_v3.csv (Comma Separated Values (.csv), 2.09 KB) MD5:1a2d0e30597b45bedf7fcb10e392572f
Primary data file for dataset ID 733210

[[table of contents](#) | [back to top](#)]

Related Publications

Bayer, S. R., Mullineaux, L. S., Waller, R. G., & Solow, A. R. (2010). Reproductive traits of pioneer gastropod species colonizing deep-sea hydrothermal vents after an eruption. *Marine Biology*, 158(1), 181–192.

doi:[10.1007/s00227-010-1550-1](https://doi.org/10.1007/s00227-010-1550-1)

Methods

Mullineaux, L. S., Le Bris, N., Mills, S. W., Henri, P., Bayer, S. R., Secrist, R. G., & Siu, N. (2012). Detecting the Influence of Initial Pioneers on Succession at Deep-Sea Vents. *PLoS ONE*, 7(12), e50015.

doi:[10.1371/journal.pone.0050015](https://doi.org/10.1371/journal.pone.0050015)

Results

Mullineaux, L. S., Mills, S. W., Le Bris, N., Beaulieu, S. E., Sievert, S. M., & Dykman, L. N. (2020). Prolonged recovery time after eruptive disturbance of a deep-sea hydrothermal vent community. *Proceedings of the Royal Society B: Biological Sciences*, 287(1941), 20202070. doi:[10.1098/rspb.2020.2070](https://doi.org/10.1098/rspb.2020.2070)

Results

[[table of contents](#) | [back to top](#)]

Related Datasets

IsRelatedTo

Dykman, L., Beaulieu, S., Solow, A., Mills, S., Mullineaux, L. (2021) **Functional traits of colonists collected from colonization surfaces at the East Pacific Rise (EPR) deep-sea vents from 1998-2017.** Biological and Chemical Oceanography Data Management Office (BCO-DMO). (Version 1) Version Date 2021-

Mullineaux, L. (2020) **Counts of colonists collected from colonization plates at the East Pacific Rise (EPR) deep-sea vents (1998-2017)**. Biological and Chemical Oceanography Data Management Office (BCO-DMO). (Version 2) Version Date 2020-08-31 doi:10.26008/1912/bco-dmo.733173.2 [[view at BCO-DMO](#)]

Different Version

Mullineaux L, Mills S, Beaulieu S (2021). Macrofauna collected on colonization surfaces at the East Pacific Rise 9 50 N hydrothermal vent field in 1998-2017. Version 1.1. United States Geological Survey. Sampling event dataset <https://doi.org/10.15468/g5bwb9> accessed via GBIF.org

[[table of contents](#) | [back to top](#)]

Parameters

Parameter	Description	Units
Recover_Cruise	recovery cruise local name	unitless
Vessel	recovery vessel name	unitless
Cruise_ID	recovery cruise identification	unitless
Cruise_start	recovery cruise start date	unitless
Cruise_end	recovery cruise end date	unitless
Chf_Sci	recovery cruise chief scientist for cruise	unitless
Vehicle	name of deep dive vehicle used for sampler collection	unitless
Start	deployment date of colonization sampler; formatted as yyyy-mm-dd	unitless
eventDate	recovery date of colonization sampler; formatted as yyyy-mm-dd	unitless
Location	sampling location	unitless
decimalLatitude	latitude; north is postive	decimal degrees
decimalLongitude	longitude; east is positive	decimal degrees
Site	site name	unitless
Habitat	habitat description - major life forms	unitless
Chemistry	whether and when chemical measurements were collected by French colleagues	unitless
monthsSinceEruption	the number of months since the eruption	month
coordinateUncertaintyInMeters	the uncertainty of the coordinate accuracy	meters
minimumDepthInMeters	minimum depth of sampling	meters
maximumDepthInMeters	maximum depth of sampling	meters

[[table of contents](#) | [back to top](#)]

Instruments

Dataset-specific Instrument Name	Lexan plastic plates/sandwiches
Generic Instrument Name	Lexan plastic 6-plate settlement panel
Generic Instrument Description	An artificial colonization substrate, sometimes referred to as a "colonization sandwich", that is made of 6 Lexan plastic sheets separated from each other by spacers. It is used to determine the extent of colonization and/or the diversity of settled organisms in a marine or artificial environment.

Dataset-specific Instrument Name	Dissecting microscope
Generic Instrument Name	Microscope - Optical
Dataset-specific Description	Used to identify specimens found on the colonization plates.
Generic Instrument Description	Instruments that generate enlarged images of samples using the phenomena of reflection and absorption of visible light. Includes conventional and inverted instruments. Also called a "light microscope".

Dataset-specific Instrument Name	temperature recorders (Hobo)
Generic Instrument Name	Temperature Logger
Dataset-specific Description	Used to track the in situ temperature during colonization at the vent zones.
Generic Instrument Description	Records temperature data over a period of time.

[[table of contents](#) | [back to top](#)]

Deployments

AT26-10

Website	https://www.bco-dmo.org/deployment/529031
Platform	R/V Atlantis
Report	http://dmoserv3.bco-dmo.org/data_docs/Microbe_Vent_Communities/AT26-10_Cruise_Report_v2_2015-07-09.pdf
Start Date	2013-12-29
End Date	2014-01-27
Description	Samples were collected by ROV Jason II at the 9N deep-sea hydrothermal vent field on the East Pacific Rise, Pacific Ocean

AT15-38

Website	https://www.bco-dmo.org/deployment/660807
Platform	R/V Atlantis
Start Date	2008-10-13
End Date	2008-11-05

AT26-23

Website	https://www.bco-dmo.org/deployment/550442
Platform	R/V Atlantis
Start Date	2014-11-02
End Date	2014-11-21
Description	Study of in situ metabolism of microorganisms carrying out CO ₂ -fixation at deep-sea hydrothermal vents.

AT15-12

Website	https://www.bco-dmo.org/deployment/734057
Platform	R/V Atlantis
Report	http://datadocs.bco-dmo.org/docs/Larval_Supply_EPR_Vents/data_docs/AT15-12_LADDER-1_Cruise_Report_36250.pdf
Start Date	2006-10-24
End Date	2006-11-18
Description	Part of Ridge Interdisciplinary Global Experiments (Ridge2000).

AT15-14

Website	https://www.bco-dmo.org/deployment/734059
Platform	R/V Atlantis
Report	http://datadocs.bco-dmo.org/docs/Larval_Supply_EPR_Vents/data_docs/AT15-14_LADDER-2_Cruise_Report_39303.pdf
Start Date	2006-12-05
End Date	2007-01-05
Description	Part of Ridge Interdisciplinary Global Experiments (Ridge2000).

AT15-26

Website	https://www.bco-dmo.org/deployment/734071
Platform	R/V Atlantis
Report	http://datadocs.bco-dmo.org/docs/Larval_Supply_EPR_Vents/data_docs/AT15-26_LADDER-3_Cruise_Report_Feb4_36252.pdf
Start Date	2007-11-13
End Date	2007-12-03
Description	Part of Ridge Interdisciplinary Global Experiments (Ridge2000).

AT37-12

Website	https://www.bco-dmo.org/deployment/734074
Platform	R/V Atlantis
Report	http://datadocs.bco-dmo.org/docs/Vent_O2_NO3_Roles/data_docs/AT37-12_Cruise_Report.pdf
Start Date	2017-04-24
End Date	2017-05-15

Atalante-2010-Apr

Website	https://www.bco-dmo.org/deployment/734077
Platform	R/V L'Atalante
Start Date	2010-04-26
End Date	2010-05-07

AT3-19

Website	https://www.bco-dmo.org/deployment/820163
Platform	R/V Atlantis
Start Date	1998-05-10
End Date	1998-06-01

[[table of contents](#) | [back to top](#)]

Project Information**Effects of Disturbance and Larval Supply on Communities at Hydrothermal Vents (Larval supply at EPR vents)**

Coverage: Near 9 50'N on East Pacific Rise: 10 N 107 W

NSF award abstract:

The long-term aim of this project is to understand the effects of disturbance on species occurrence and regional diversity in vent systems. The investigator is working toward that goal by conducting field studies on larval dispersal and colonization processes, and by collaborating with theoretical ecologists. The present project investigates a unique set of field observations gathered from decade-long monitoring of vents before and after a recent catastrophic eruption on the East Pacific Rise (EPR). The specific objectives are to determine whether succession is deterministic (or are there alternative stable states?), and whether disturbance at one vent field can influence community structure on a larger spatial scale. Answering these questions requires characterization of larval exchange between vents and of the effect of pioneer colonists on successional trajectory. The approach is to characterize species composition of larvae and colonists at three vent sites on the EPR: one that was disturbed by the eruption (9 degrees 50 minutes N) and two that remained undisturbed (9 degrees 47 minutes N and 9 degrees 30 minutes N). The investigators are running out of time to process the samples, because they degrade over time and the specimens are at risk of losing morphological detail which is critical for species identification. This award has modest funding to focus specifically on species identification and enumeration, without attempting to interface with models or population genetic analyses. These will come later.

The question of how vent communities persist despite living in patchy, ephemeral habitat has intrigued scientists since the discovery of vents in the late 1970s. A necessary synthesis of the influence of larval connectivity on metacommunity dynamics at the regional scale continues to elude us. This project works toward that synthesis by characterizing critical aspects of larval exchange and community succession at vents

on the well-studied EPR. This study has general application to vent systems globally because it challenges the assumption that vent succession is deterministic, and it will contribute to our understanding of spatial scales of larval connectivity. The data on larval exchange and community resilience that will result from this study are precisely the kind needed for metapopulations modeling, for prediction of vent community response to anthropogenic events such as seafloor mining, and to inform management efforts at the Marianas Trench Marine National Monument.

Trajectories in functional diversity after disturbance at vents on the East Pacific Rise (EPR Functional Diversity)

Coverage: East Pacific Rise

NSF Award Abstract:

Hydrothermal vents support oases of life in the deep sea and are inhabited by unusual organisms that use chemical energy instead of photosynthesis as the basis of their food web. However, because the vents occur in geologically active areas of the seafloor, entire communities can be eradicated by catastrophic natural disturbances such as eruptions. The main objectives of this project are to quantify how quickly these communities recover from catastrophic disturbance and to determine what processes influence their resilience. The project focuses on both the structure (species diversity) and function (trait diversity) of the communities. The investigators will examine vents on an active segment of the East Pacific Rise where eruptive disturbance occurs on decadal time scales. These activities will create an unprecedented long-term (>14-year) quantitative time-series of colonist species composition and function. The application of trait-based analysis to the question of biological succession at vents has the potential to change the way we think about resilience in other patchy, transient and regionally-connected ecosystems. By considering how traits change over time, the researchers can untangle which species-level characteristics most influence abundance and distribution. The project objectives have broad significance with the growing potential for human-caused disturbances at deep-sea vents through deep-sea mining. Additional impacts include strengthening participation of under-represented minorities in marine science and contributing to international database development for functional traits of deep-sea vent species.

The unique, chemosynthesis-fueled fauna inhabiting deep-sea hydrothermal vents are subject to tectonic and eruptive disturbance that can eradicate entire communities. The main objectives of this project are to quantify how quickly these communities recover from catastrophic disturbance and to determine what processes influence their resilience. The focus is on vents on an active segment of the East Pacific Rise where eruptive disturbance occurs on decadal time scales. Field data on colonization and larval supply are used to characterize not only species succession but also the trajectory of functional diversity after a recent (2006) eruption. A new, promising approach to the colonization studies comes from incorporating trait-based analysis of functional diversity. Functional trait analysis is increasingly recognized in terrestrial and freshwater systems as a tool to holistically answer ecological questions, but trait analysis has not been often applied to marine systems. By considering how traits of incoming colonists change over time, the investigators can untangle which species-level factors most influence abundance and distribution. This project will create an unprecedented long-term (>14-year) quantitative time-series of colonist species composition and function. It includes multiple vent sites to encompass the full diversity of habitat conditions, and assesses both local processes and regional connectivity through larval supply. Field observations at individual sites contribute to broader questions when placed in the context of metacommunity theory. In this theoretical framework, field data such as this can be used to answer such questions as how the eradication of the vent community at a particular site affects the persistence of the metacommunity overall, and which vent sites contribute most to regional biodiversity.

[[table of contents](#) | [back to top](#)]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-1356738
NSF Division of Ocean Sciences (NSF OCE)	OCE-1829773

[[table of contents](#) | [back to top](#)]