Metabolomic fingerprints of individual algal cells using the Single-Probe Mass Spectrometry technique from experiments conducted between May and August of 2017

Website: https://www.bco-dmo.org/dataset/746185 Data Type: experimental Version: 1 Version Date: 2018-09-21

Project

» <u>Collaborative Research: Creatine Cycling in Marine Bacterial and Phytoplankton Assemblages</u> (Creatine Cycling)

Contributors	Affiliation	Role
<u>Wawrik, Boris</u>	University of Oklahoma (OU)	Principal Investigator
<u>Yang, Zhibo</u>	University of Oklahoma (OU)	Co-Principal Investigator
York, Amber D.	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Abstract

Single-probe Mass Spectrometry was used to obtain mass to charge ratio (m/z) and relative intensity values of marine dinoflagellate Scrippsiella trochoidea cells grown under different illumination levels and under nitrogen (N) limiting conditions.

Table of Contents

- <u>Coverage</u>
- Dataset Description
 - Methods & Sampling
 - Data Processing Description
- Data Files
- <u>Related Publications</u>
- <u>Related Datasets</u>
- Parameters
- Instruments
- <u>Project Information</u>
- <u>Funding</u>

Coverage

Temporal Extent: 2017-05 - 2017-08

Dataset Description

These data were published in Sun et al., 2018.

A tabular version of this dataset is accessible by clicking the "Get Data" button on this page. The columns of the tabular dataset are described in the "Parameters" section on this page. This dataset is available as standard MS file format (.mzML) files within the following tar.gz file: <u>Algal_Cell_Data_mzML.tar.gz</u> (2.4 GB, contains 20 .mzML files)

.mzML is a standard MS file format that can be viewed using freeware such as mMass (<u>http://www.mmass.org/</u>) and ProteoWizard (<u>http://proteowizard.sourceforge.net/index.shtml</u>).

Methodology

The following are excerpts from Sun et al., 2018. Please refer to this publication for more details.

Non-axenic Scrippsiella trochoidea CCMP 3099 was originally obtained from the National Center for Marine Algae and Microbiota (Provasoil-Guillard NCMA, Boothbay Harbor, ME, United States). For maintenance, cultures were grown in L1 seawater media (Guillard and Ryther, 1962; Guillard et al., 1973; Guillard and Hargraves, 1993). Medium was prepared from natural seawater collected near Key West (salinity of 33), which was aged for at least 6 month in the dark and autoclaved. Maintenance and experimental cultures were grown in a light/dark incubator at 23-24°C and 30-40 µmol quanta·m-2 s-1 light under a 12-h light:12-h dark cycle.

For the light/dark comparisons, cultures were grown under replete conditions in full L1 media containing 880 μ M NaNO3 and 36 μ M NaH2PO4 (N/P ratio 24:1). Experimental cultures were started as a 1:10 inoculum from exponentially growing cultures into 1 L of media in 2.5 L Pyrex Fernbach flasks without shaking and monitored daily via cell counts and chlorophyll measurements. Cell counts were conducted by addition of 1% Lugol's iodine and direct counting of cells in 96-well microtiter plates using a dissection microscope. Dilutions were made as necessary and at least 10 wells containing 100 μ L diluted culture were counted to average cell counts. Chlorophyll a was measured via fluorometry (Welschmeyer, 1994) by filtering 5 mL of culture in triplicate onto GF/F filters, over-night extraction with methanol, and quantification using a Turner Trilogy Laboratory Fluorometer. Cultures were grown into late-log phase (data not shown) and then sampled 3 h before and 3 h after the light was turned on. Cultures were sub-sampled for MS analysis, making sure to keep 'dark' sample exposure to light to a minimum by wrapping sampling tubes in aluminum foil.

N-deplete cultures were generated by first growing cells on L1 media with an N:P ratio of 2.4:1 (88 mM nitrate: 36 mM phosphate) analogous what has been previously described (Harke et al., 2017). This lower ratio stoichiometrically limited cultures in nitrogen and at least three transfers were performed to ensure no carryover from higher nutrient full L1 medium. Cultures were monitored daily via cell counts (see above), chlorophyll a quantification (see above), and quantification of nitrate/nitrite via a Vanadium reduction method (Miranda et al., 2001). Parallel cultures were set up in which one culture was allowed to run out of nitrogenous nutrients (N-deplete), while the culture (control) was fed additional nitrate every second day to bring total nitrate/nitrite concentrations back to starting levels. Once nitrate/nitrite levels dropped below the limit of detection (\sim 1-2 µM) in the N-deplete culture, cultures were grown for an additional 24 h before sampling to ensure that N-depletion was complete. Both the N-deplete and replete cultures were then sampled for MS analysis of single cells.

Individual cells of S. trochoidea were analyzed via the 'Single-probe' MS techniques.

For the analysis, cells were deposited onto 0.2 μ m polycarbonate membranes by gentle filtration, and the cells were rinsed with phosphate buffered saline (PBS; 137 mM NaCl, 2.7 mM KCl, 4.3 mM Na2HPO4, 1.47 mM KH2PO4; pH of 7.4) to remove culture medium. Filters were then placed on a home-built XYZ-translation stage system and spatial motion was controlled by a custom designed LabView software package (Lanekoff et al., 2012). The Single-probe tip (<10 μ m) was then precisely insert into single S. trochoidea cells (typically ~20-30 μ m cellular diameter) using a microscope as a guide. During the experiment, a syringe (250 μ l; Hamilton, Co., Reno, NV, United States) was used to continuously provide the sampling solvent (acetonitrile; Sigma-Aldrich, St. Louis, MO, United States), and a liquid junction formed at the Single-probe tip to perform highly efficient extraction of cellular contents. The analytes were withdrawn by capillary action toward the nano-ESI emitter, and ionized for analysis using a Thermo LTQ Orbitrap XL mass spectrometer (Thermo Scientific, Waltham, MA, United States). Mass analyze parameters were as follows: mass resolution 60,000, +4 kV ionization voltage at positive ion mode (0.05–0.07 μ A of ion current), 1 microscan, 100 ms max injection time, and automatic gain control on.

Data processing:

The Thermo Xcalibur Qual Browser (Thermo Scientific, Waltham, MA, United States) was used to export MS data (m/z values with relative intensities) as tab-delimited data files. As a conservative approach, only relatively abundant peaks with ion intensities > 103 were exported. This approach excluded 6% of low signal peaks as background while retaining 94% of total signal intensity. The relative ion intensities were normalized to the total ion current to minimize the influence induced by fluctuations of ion signals during experiments. The Geena 2 online software tool1 was then used for peak alignment (Romano et al., 2016), and the aligned m/z values were then used for comparisons. Parameters used in Geena 2 include analysis range (from 100 to 1500 m/z), maximum number of isotopic replicas (5), maximum delta between isotopic peaks (0.05 Da), and maximum delta for aligning replicates (0.01 Da). Metaboanalyst 3.02 was used to conduct statistical data analysis, including PLS-DA (partial least squares discriminant analysis) and t-tests (Xia et al., 2015; Xia and Wishart, 2016). PLS-DA was used to visualize differences in chemical composition profiles among treatment groups, while t-tests were applied to extract molecular peaks with significant abundance changes (p < 0.05). Finally, the online database METLIN3 was used to tentatively label all ions of interest (Smith et al., 2005; Guijas et al.,

2018), to perform hierarchical clustering, and to generate heat maps. Lastly, Pathos4 was used to attempt identification of significantly regulated metabolic pathways by considering all KEGG maps in all organisms (Leader et al., 2011).

Single-Probe description:

Detailed fabrication protocols of the Single-probe have been previously described (Pan et al., 2014; Rao et al., 2015; Sun et al., 2017). Briefly, a Single-probe has three components: a dual-bore quartz tubing [outer diameter (OD) 500 μ m; inner diameter (ID) 127 μ m, Friedrich & Dimmock, Inc., Millville, NJ, United States] pulled using a laser pipette puller (P-2000 micropipette puller, Sutter Instrument, Novato, CA, United States), a fused silica capillary (OD 105 μ m; ID 40 μ m, Polymicro Technologies, Phoenix, AZ, United States), and a nano-ESI emitter made from the same type of fused silica capillary. A Single-probe is fabricated by embedding a fused silica capillary and a nano-ESI emitter into both of the channels of the laser-pulled dual-bore quartz needle.

Data Processing Description

BCO-DMO Data Manager Processing Notes:

* added a conventional header with dataset name, PI name, version date

* modified parameter names to conform with BCO-DMO naming conventions

[table of contents | back to top]

Data Files

File

algae_cell_data.csv(Comma Separated Values (.csv), 20.92 MB) MD5:08a1374d7d0dc85ab2d14a2e34fbeaed

Primary data file for dataset ID 746185

[table of contents | back to top]

Related Publications

Guijas, C., Montenegro-Burke, J. R., Domingo-Almenara, X., Palermo, A., Warth, B., Hermann, G., ... Siuzdak, G. (2018). METLIN: A Technology Platform for Identifying Knowns and Unknowns. Analytical Chemistry, 90(5), 3156–3164. doi:<u>10.1021/acs.analchem.7b04424</u> *Methods*

Guillard, R. R. L., & Hargraves, P. E. (1993). Stichochrysis immobilis is a diatom, not a chrysophyte. Phycologia, 32(3), 234–236. doi:<u>10.2216/i0031-8884-32-3-234.1</u> *Methods*

Guillard, R. R. L., & Ryther, J. H. (1962). STUDIES OF MARINE PLANKTONIC DIATOMS: I. CYCLOTELLA NANA HUSTEDT, AND DETONULA CONFERVACEA (CLEVE) GRAN. Canadian Journal of Microbiology, 8(2), 229–239. doi:10.1139/m62-029 Methods

Guillard, R. R. L., Kilham, P., & Jackson, T. A. (1973). KINETICS OF SILICON-LIMITED GROWTH IN THE MARINE DIATOM THALASSIOSIRA PSEUDONANA HASLE AND HEIMDAL (= CYCLOTELLA NANA HUSTEDT)2. Journal of Phycology, 9(3), 233–237. doi:<u>10.1111/j.1529-8817.1973.tb04086.x</u> *Methods*

Harke, M. J., Juhl, A. R., Haley, S. T., Alexander, H., & Dyhrman, S. T. (2017). Conserved Transcriptional Responses to Nutrient Stress in Bloom-Forming Algae. Frontiers in Microbiology, 8. doi:<u>10.3389/fmicb.2017.01279</u> *Methods*

Lanekoff, I., Heath, B. S., Liyu, A., Thomas, M., Carson, J. P., & Laskin, J. (2012). Automated Platform for High-Resolution Tissue Imaging Using Nanospray Desorption Electrospray Ionization Mass Spectrometry. Analytical Chemistry, 84(19), 8351–8356. doi:10.1021/ac301909a

Methods

Leader, D. P., Burgess, K., Creek, D., & Barrett, M. P. (2011). Pathos: A web facility that uses metabolic maps to display experimental changes in metabolites identified by mass spectrometry. Rapid Communications in Mass Spectrometry, 25(22), 3422–3426. doi:<u>10.1002/rcm.5245</u> *Methods*

Miranda, K. M., Espey, M. G., & Wink, D. A. (2001). A Rapid, Simple Spectrophotometric Method for Simultaneous Detection of Nitrate and Nitrite. Nitric Oxide, 5(1), 62–71. doi:<u>10.1006/niox.2000.0319</u> *Methods*

Pan, N., Rao, W., Kothapalli, N. R., Liu, R., Burgett, A. W. G., & Yang, Z. (2014). The Single-Probe: A Miniaturized Multifunctional Device for Single Cell Mass Spectrometry Analysis. Analytical Chemistry, 86(19), 9376–9380. doi:<u>10.1021/ac5029038</u> *Methods*

Pan, N., Rao, W., Standke, S. J., & Yang, Z. (2016). Using Dicationic Ion-Pairing Compounds To Enhance the Single Cell Mass Spectrometry Analysis Using the Single-Probe: A Microscale Sampling and Ionization Device. Analytical Chemistry, 88(13), 6812–6819. doi:<u>10.1021/acs.analchem.6b01284</u> *Methods*

Rao, W., Pan, N., & Yang, Z. (2016). Applications of the Single-probe: Mass Spectrometry Imaging and Single Cell Analysis under Ambient Conditions. Journal of Visualized Experiments, (112). doi:<u>10.3791/53911</u> *Methods*

Smith, C. A., Maille, G. O., Want, E. J., Qin, C., Trauger, S. A., Brandon, T. R., ... Siuzdak, G. (2005). METLIN. Therapeutic Drug Monitoring, 27(6), 747–751. doi:<u>10.1097/01.ftd.0000179845.53213.39</u> *Methods*

Sun, M., Tian, X., & Yang, Z. (2017). Microscale Mass Spectrometry Analysis of Extracellular Metabolites in Live Multicellular Tumor Spheroids. Analytical Chemistry, 89(17), 9069–9076. doi:<u>10.1021/acs.analchem.7b01746</u> *Methods*

Sun, M., Yang, Z., & Wawrik, B. (2018). Metabolomic Fingerprints of Individual Algal Cells Using the Single-Probe Mass Spectrometry Technique. Frontiers in Plant Science, 9. doi:<u>10.3389/fpls.2018.00571</u> *Results*

Welschmeyer, N. A. (1994). Fluorometric analysis of chlorophyll a in the presence of chlorophyll b and pheopigments. Limnology and Oceanography, 39(8), 1985–1992. doi:<u>10.4319/lo.1994.39.8.1985</u> *Methods*

Xia, J., & Wishart, D. S. (2016). Using MetaboAnalyst 3.0 for Comprehensive Metabolomics Data Analysis. Current Protocols in Bioinformatics, 55(1), 14.10.1–14.10.91. doi:<u>10.1002/cpbi.11</u> *Methods*

Xia, J., Sinelnikov, I. V., Han, B., & Wishart, D. S. (2015). MetaboAnalyst 3.0—making metabolomics more meaningful. Nucleic Acids Research, 43(W1), W251–W257. doi:<u>10.1093/nar/gkv380</u> *Methods*

[table of contents | back to top]

Related Datasets

Different Version

Mei, S., Yang, Z., & Wawrik, B. (2018). Mass Spectra For Single Scrippsiella Trochoidea Cells: Light Vs. Dark & Replete Vs. N Limiting Conditions (Version 1) [Data set]. Zenodo. https://doi.org/<u>10.5281/zenodo.1188486</u>

[table of contents | back to top]

Parameters

Parameter	Description	Units

light1_cell1_mz	Mass to charge ratio (m/z) of light contition experiment replicate 1 cell 1	dimensionless
light1_cell1_intensity	Relative intensity of light contition experiment replicate 1 cell 1	unitless
light1_cell2_mz	Mass to charge ratio (m/z) of light contition experiment replicate 1 cell 2	dimensionless
light1_cell2_intensity	Relative intensity of light contition experiment replicate 1 cell 2	unitless
light1_cell3_mz	Mass to charge ratio (m/z) of light contition experiment replicate 1 cell 3	dimensionless
light1_cell3_intensity	Relative intensity of light contition experiment replicate 1 cell 3	unitless
light1_cell4_mz	Mass to charge ratio (m/z) of light contition experiment replicate 1 cell 4	dimensionless
light1_cell4_intensity	Relative intensity of light contition experiment replicate 1 cell 4	unitless
light1_cell5_mz	Mass to charge ratio (m/z) of light contition experiment replicate 1 cell 5	dimensionless
light1_cell5_intensity	Relative intensity of light contition experiment replicate 1 cell 5	unitless
light1_cell6_mz	Mass to charge ratio (m/z) of light contition experiment replicate 1 cell	dimensionless
light1_cell6_intensity	Relative intensity of light contition experiment replicate 1 cell 6	unitless
light2_cell1_mz	Mass to charge ratio (m/z) of light contition experiment replicate 2 cell 1	dimensionless
light2_cell1_intensity	Relative intensity of light contition experiment replicate 2 cell 1	unitless
light2_cell2_mz	Mass to charge ratio (m/z) of light contition experiment replicate 2 cell	dimensionless
light2_cell2_intensity	Relative intensity of light contition experiment replicate 2 cell 2	unitless
light3_cell1_mz	Mass to charge ratio (m/z) of light contition experiment replicate3 cell1	dimensionless
light3_cell1_intensity	Relative intensity of light contition experiment replicate3 cell1	unitless
light3_cell2_mz	Mass to charge ratio (m/z) of light contition experiment replicate3 cell2	dimensionless
light3_cell2_intensity	Relative intensity of light contition experiment replicate3 cell2	unitlace
		uniciess
light3_cell3_mz	Mass to charge ratio (m/z) of light contition experiment replicate3 cell 3	dimensionless
light3_cell3_mz light3_cell3_intensity	Mass to charge ratio (m/z) of light contition experiment replicate3 cell 3 Relative intensity of light contition experiment replicate 3 cell 3	dimensionless unitless
light3_cell3_mz light3_cell3_intensity light3_cell4_mz	Mass to charge ratio (m/z) of light contition experiment replicate3 cell 3 Relative intensity of light contition experiment replicate 3 cell 3 Mass to charge ratio (m/z) of light contition experiment replicate 3 cell 4	dimensionless unitless dimensionless
light3_cell3_mz light3_cell3_intensity light3_cell4_mz light3_cell4_intensity	Mass to charge ratio (m/z) of light contition experiment replicate3 cell Relative intensity of light contition experiment replicate 3 cell 3 Mass to charge ratio (m/z) of light contition experiment replicate 3 cell 4 Relative intensity of light contition experiment replicate 3 cell 4	dimensionless unitless dimensionless unitless
light3_cell3_mz light3_cell3_intensity light3_cell4_mz light3_cell4_intensity light3_cell5_mz	Mass to charge ratio (m/z) of light contition experiment replicate3 cell Relative intensity of light contition experiment replicate 3 cell 3 Mass to charge ratio (m/z) of light contition experiment replicate 3 cell Relative intensity of light contition experiment replicate 3 cell 4 Mass to charge ratio (m/z) of light contition experiment replicate 3 cell 4	dimensionless unitless dimensionless unitless dimensionless
light3_cell3_mz light3_cell3_intensity light3_cell4_mz light3_cell4_intensity light3_cell5_mz light3_cell5_intensity	Mass to charge ratio (m/z) of light contition experiment replicate3 cell Relative intensity of light contition experiment replicate 3 cell 3 Mass to charge ratio (m/z) of light contition experiment replicate 3 cell Relative intensity of light contition experiment replicate 3 cell 4 Mass to charge ratio (m/z) of light contition experiment replicate 3 cell 4 Relative intensity of light contition experiment replicate 3 cell 5 Relative intensity of light contition experiment replicate 3 cell 5	dimensionless unitless dimensionless unitless dimensionless unitless
light3_cell3_mz light3_cell3_intensity light3_cell4_mz light3_cell4_intensity light3_cell5_mz light3_cell5_intensity light3_cell6_mz	Mass to charge ratio (m/z) of light contition experiment replicate3 cell Relative intensity of light contition experiment replicate 3 cell 3 Mass to charge ratio (m/z) of light contition experiment replicate 3 cell Relative intensity of light contition experiment replicate 3 cell 4 Mass to charge ratio (m/z) of light contition experiment replicate 3 cell 5 Relative intensity of light contition experiment replicate 3 cell 5 Mass to charge ratio (m/z) of light contition experiment replicate 3 cell 5	dimensionless unitless dimensionless unitless dimensionless unitless dimensionless
light3_cell3_mz light3_cell3_intensity light3_cell4_mz light3_cell4_intensity light3_cell5_mz light3_cell5_intensity light3_cell6_mz light3_cell6_intensity	Mass to charge ratio (m/z) of light contition experiment replicate3 cell Relative intensity of light contition experiment replicate 3 cell 3 Mass to charge ratio (m/z) of light contition experiment replicate 3 cell Relative intensity of light contition experiment replicate 3 cell 4 Mass to charge ratio (m/z) of light contition experiment replicate 3 cell 4 Relative intensity of light contition experiment replicate 3 cell 5 Relative intensity of light contition experiment replicate 3 cell 5 Relative intensity of light contition experiment replicate 3 cell 6 Relative intensity of light contition experiment replicate 3 cell 6	dimensionless unitless dimensionless unitless dimensionless unitless dimensionless unitless
light3_cell3_mz light3_cell3_intensity light3_cell4_mz light3_cell4_intensity light3_cell5_mz light3_cell5_intensity light3_cell6_mz light3_cell6_intensity light4_cell1_mz	Mass to charge ratio (m/z) of light contition experiment replicate3 cell Relative intensity of light contition experiment replicate 3 cell 3 Mass to charge ratio (m/z) of light contition experiment replicate 3 cell Relative intensity of light contition experiment replicate 3 cell 4 Mass to charge ratio (m/z) of light contition experiment replicate 3 cell 5 Relative intensity of light contition experiment replicate 3 cell 5 Mass to charge ratio (m/z) of light contition experiment replicate 3 cell 6 Relative intensity of light contition experiment replicate 3 cell 6 Relative intensity of light contition experiment replicate 3 cell 6	dimensionless unitless dimensionless unitless dimensionless unitless dimensionless unitless dimensionless

light4_cell2_mz	Mass to charge ratio (m/z) of light contition experiment replicate4 cell2	dimensionless
light4_cell2_intensity	Relative intensity of light contition experiment replicate4 cell2	unitless
light4_cell3_mz	Mass to charge ratio (m/z) of light contition experiment replicate4 cell 3	dimensionless
light4_cell3_intensity	Relative intensity of light contition experiment replicate 4 cell 3	unitless
light4_cell4_mz	Mass to charge ratio (m/z) of light contition experiment replicate 4 cell	dimensionless
light4_cell4_intensity	Relative intensity of light contition experiment replicate 4 cell 4	unitless
light5_cell1_mz	Mass to charge ratio (m/z) of light contition experiment replicate5	dimensionless
light5_cell1_intensity	Relative intensity of light contition experiment replicate5 cell1	unitless
light5_cell2_mz	Mass to charge ratio (m/z) of light contition experiment replicate5 cell2	dimensionless
light5_cell2_intensity	Relative intensity of light contition experiment replicate5 cell2	unitless
light5_cell3_mz	Mass to charge ratio (m/z) of light contition experiment replicate5 cell	dimensionless
light5_cell3_intensity	Relative intensity of light contition experiment replicate 5 cell 3	unitless
light5_cell4_mz	Mass to charge ratio (m/z) of light contition experiment replicate 5 cell 4	dimensionless
light5_cell4_intensity	Relative intensity of light contition experiment replicate 5 cell 4	unitless
light5_cell5_mz	Mass to charge ratio (m/z) of light contition experiment replicate 5 cell 5	dimensionless
light5_cell5_intensity	Relative intensity of light contition experiment replicate 5 cell 5	unitless
light5_cell6_mz	Mass to charge ratio (m/z) of light contition experiment replicate 5 cell 6	dimensionless
light5_cell6_intensity	Relative intensity of light contition experiment replicate 5 cell 6	unitless
dark1_cell1_mz	Mass to charge ratio (m/z) of dark contition experiment replicate1	dimensionless
dark1_cell1_intensity	Relative intensity of dark contition experiment replicate1 cell1	unitless
dark1_cell2_mz	Mass to charge ratio (m/z) of dark contition experiment replicate1	dimensionless
dark1_cell2_intensity	Relative intensity of dark contition experiment replicate1 cell2	unitless
dark2_cell1_mz	Mass to charge ratio (m/z) of dark contition experiment replicate2 cell1	dimensionless
dark2_cell1_intensity	Relative intensity of dark contition experiment replicate2 cell1	unitless
dark2_cell2_mz	Mass to charge ratio (m/z) of dark contition experiment replicate2	dimensionless
dark2_cell2_intensity	Relative intensity of dark contition experiment replicate2 cell2	unitless
dark2_cell3_mz	Mass to charge ratio (m/z) of dark contition experiment replicate2 cell3	dimensionless
dark2_cell3_intensity	Relative intensity of dark contition experiment replicate2 cell3	unitless
dark2_cell4_mz	Mass to charge ratio (m/z) of dark contition experiment replicate2 cell4	dimensionless
dark2_cell4_intensity	Relative intensity of dark contition experiment replicate2 cell4	unitless

dark2_cell5_mz	Mass to charge ratio (m/z) of dark contition experiment replicate2 cell5	dimensionless
dark2_cell5_intensity	Relative intensity of dark contition experiment replicate2 cell5	unitless
dark2_cell6_mz	Mass to charge ratio (m/z) of dark contition experiment replicate2 cell6	dimensionless
dark2_cell6_intensity	Relative intensity of dark contition experiment replicate2 cell6	unitless
dark2_cell7_mz	Mass to charge ratio (m/z) of dark contition experiment replicate2 cell7	dimensionless
dark2_cell7_intensity	Relative intensity of dark contition experiment replicate2 cell7	unitless
dark2_cell8_mz	Mass to charge ratio (m/z) of dark contition experiment replicate2 cell8	dimensionless
dark2_cell8_intensity	Relative intensity of dark contition experiment replicate2 cell8	unitless
dark3_cell1_mz	Mass to charge ratio (m/z) of dark contition experiment replicate3 cell1	dimensionless
dark3_cell1_intensity	Relative intensity of dark contition experiment replicate3 cell1	unitless
dark3_cell2_mz	Mass to charge ratio (m/z) of dark contition experiment replicate3 cell2	dimensionless
dark3_cell2_intensity	Relative intensity of dark contition experiment replicate3 cell2	unitless
dark3_cell3_mz	Mass to charge ratio (m/z) of dark contition experiment replicate3	dimensionless
dark3_cell3_intensity	Relative intensity of dark contition experiment replicate3 cell3	unitless
dark3_cell4_mz	Mass to charge ratio (m/z) of dark contition experiment replicate3 cell4	dimensionless
dark3_cell4_intensity	Relative intensity of dark contition experiment replicate3 cell4	unitless
dark3_cell5_mz	Mass to charge ratio (m/z) of dark contition experiment replicate3 cell5	dimensionless
dark3_cell5_intensity	Relative intensity of dark contition experiment replicate3 cell5	unitless
dark3_cell6_mz	Mass to charge ratio (m/z) of dark contition experiment replicate3 cell6	dimensionless
dark3_cell6_intensity	Relative intensity of dark contition experiment replicate3 cell6	unitless
dark3_cell7_mz	Mass to charge ratio (m/z) of dark contition experiment replicate3	dimensionless
dark3_cell7_intensity	Relative intensity of dark contition experiment replicate3 cell7	unitless
dark4_cell1_mz	Mass to charge ratio (m/z) of dark contition experiment replicate4 cell1	dimensionless
dark4_cell1_intensity	Relative intensity of dark contition experiment replicate4 cell1	unitless
dark4_cell2_mz	Mass to charge ratio (m/z) of dark contition experiment replicate4 cell2	dimensionless
dark4_cell2_intensity	Relative intensity of dark contition experiment replicate4 cell2	unitless
dark4_cell3_mz	Mass to charge ratio (m/z) of dark contition experiment replicate4	dimensionless
dark4_cell3_intensity	Relative intensity of dark contition experiment replicate4 cell3	unitless
dark4_cell4_mz	Mass to charge ratio (m/z) of dark contition experiment replicate4 cell4	dimensionless
dark4_cell4_intensity	Relative intensity of dark contition experiment replicate4 cell4	unitless

dark4_cell5_mz	Mass to charge ratio (m/z) of dark contition experiment replicate4 cell5	dimensionless
dark4_cell5_intensity	Relative intensity of dark contition experiment replicate4 cell5	unitless
n-limited1_cell1_mz	Mass to charge ratio (m/z) of n-limited contition experiment replicate1 cell1	dimensionless
n- limited1_cell1_intensity	Relative intensity of n-limited contition experiment replicate1 cell1	unitless
n-limited1_cell2_mz	Mass to charge ratio (m/z) of n-limited contition experiment replicate1 cell2	dimensionless
n- limited1_cell2_intensity	Relative intensity of n-limited contition experiment replicate1 cell2	unitless
n-limited1_cell3_mz	Mass to charge ratio (m/z) of n-limited contition experiment replicate1 cell3	dimensionless
n- limited1_cell3_intensity	Relative intensity of n-limited contition experiment replicate1 cell3	unitless
n-limited1_cell4_mz	Mass to charge ratio (m/z) of n-limited contition experiment replicate1 cell4	dimensionless
n- limited1_cell4_intensity	Relative intensity of n-limited contition experiment replicate1 cell4	unitless
n-limited1_cell5_mz	Mass to charge ratio (m/z) of n-limited contition experiment replicate1 cell5	dimensionless
n- limited1_cell5_intensity	Relative intensity of n-limited contition experiment replicate1 cell5	unitless
n-limited1_cell6_mz	Mass to charge ratio (m/z) of n-limited contition experiment replicate1 cell6	dimensionless
n- limited1_cell6_intensity	Relative intensity of n-limited contition experiment replicate1 cell6	unitless
n-limited1_cell7_mz	Mass to charge ratio (m/z) of n-limited contition experiment replicate1 cell7	dimensionless
n- limited1_cell7_intensity	Relative intensity of n-limited contition experiment replicate1 cell7	unitless
n_limited2_cell1_mz	Mass to charge ratio (m/z) of n-limited contition experiment replicate2 cell1	dimensionless
n- limited2_cell1_intensity	Relative intensity of n-limited contition experiment replicate2 cell1	unitless
n-limited2_cell2_mz	Mass to charge ratio (m/z) of n-limited contition experiment replicate2 cell2	dimensionless
n- limited2_cell2_intensity	Relative intensity of n-limited contition experiment replicate2 cell2	unitless
n_limited3_cell1_mz	Mass to charge ratio (m/z) of n-limited contition experiment replicate3 cell1	dimensionless
n- limited3_cell1_intensity	Relative intensity of n-limited contition experiment replicate3 cell1	unitless
n_limited4_cell1_mz	Mass to charge ratio (m/z) of n-limited contition experiment replicate4 cell1	dimensionless
n- limited4_cell1_intensity	Relative intensity of n-limited contition experiment replicate4 cell1	unitless
		Ì

n- limited4_cell2_intensity	Relative intensity of n-limited contition experiment replicate4 cell2	unitless
n_limited5_cell1_mz	Mass to charge ratio (m/z) of n-limited contition experiment replicate5 cell1	dimensionless
n- limited5_cell1_intensity	Relative intensity of n-limited contition experiment replicate5 cell1	unitless
n-limited5_cell2_mz	Mass to charge ratio (m/z) of n-limited contition experiment replicate5 cell2	dimensionless
n- limited5_cell2_intensity	Relative intensity of n-limited contition experiment replicate5 cell2	unitless
n_limited6_cell1_mz	Mass to charge ratio (m/z) of n-limited contition experiment replicate6 cell1	dimensionless
n- limited6_cell1_intensity	Relative intensity of n-limited contition experiment replicate6 cell1	unitless
n-limited6_cell2_mz	Mass to charge ratio (m/z) of n-limited contition experiment replicate6 cell2	dimensionless
n- limited6_cell2_intensity	Relative intensity of n-limited contition experiment replicate6 cell2	unitless
replete1_cell1_mz	Mass to charge ratio (m/z) of replte contition experiment replicate1 cell1	dimensionless
replete1_cell1_intensity	Relative intensity of replete contition experiment replicate1 cell1	unitless
replete1_cell2_mz	Mass to charge ratio (m/z) of replete contition experiment replicate1 cell2	dimensionless
replete1_cell2_intensity	Relative intensity of replete contition experiment replicate1 cell2	unitless
replete2_cell1_mz	Mass to charge ratio (m/z) of replte contition experiment replicate2 cell1	dimensionless
replete2_cell1_intensity	Relative intensity of replete contition experiment replicate2 cell1	unitless
replete3_cell1_mz	Mass to charge ratio (m/z) of replte contition experiment replicate3 cell1	dimensionless
replete3_cell1_intensity	Relative intensity of replete contition experiment replicate3 cell1	unitless
replete3_cell2_mz	Mass to charge ratio (m/z) of replete contition experiment replicate3 cell2	dimensionless
replete3_cell2_intensity	Relative intensity of replete contition experiment replicate3 cell2	unitless
replete3_cell3_mz	Mass to charge ratio (m/z) of replte contition experiment replicate3 cell3	dimensionless
replete3_cell3_intensity	Relative intensity of replete contition experiment replicate3 cell3	unitless
replete4_cell1_mz	Mass to charge ratio (m/z) of replte contition experiment replicate4 cell1	dimensionless
replete4_cell1_intensity	Relative intensity of replete contition experiment replicate4 cell1	unitless
replete4_cell2_mz	Mass to charge ratio (m/z) of replete contition experiment replicate4 cell2	dimensionless
replete4_cell2_intensity	Relative intensity of replete contition experiment replicate4 cell2	unitless
replete4_cell3_mz	Mass to charge ratio (m/z) of replte contition experiment replicate4 cell3	dimensionless
replete4_cell3_intensity	Relative intensity of replete contition experiment replicate4 cell3	unitless
replete5_cell1_mz	Mass to charge ratio (m/z) of replte contition experiment replicate5	dimensionless

replete5_cell1_intensity	Relative intensity of replete contition experiment replicate5 cell1	unitless
replete5_cell2_mz	Mass to charge ratio (m/z) of replete contition experiment replicate5 cell2	dimensionless
replete5_cell2_intensity	Relative intensity of replete contition experiment replicate5 cell2	unitless
replete5_cell3_mz	Mass to charge ratio (m/z) of replte contition experiment replicate5 cell3	dimensionless
replete5_cell3_intensity	Relative intensity of replete contition experiment replicate5 cell3	unitless
replete5_cell4_mz	Mass to charge ratio (m/z) of replte contition experiment replicate5 cell4	dimensionless
replete5_cell4_intensity	Relative intensity of replete contition experiment replicate5 cell4	unitless
replete5_cell5_mz	Mass to charge ratio (m/z) of replete contition experiment replicate5 cell5	dimensionless
replete5_cell5_intensity	Relative intensity of replete contition experiment replicate5 cell5	unitless
replete5_cell6_mz	Mass to charge ratio (m/z) of replte contition experiment replicate6 cell6	dimensionless
replete5_cell6_intensity	Relative intensity of replete contition experiment replicate6 cell6	unitless

[table of contents | back to top]

Instruments

Dataset- specific Instrument Name	Thermo LTQ Orbitrap XL mass spectrometer
Generic Instrument Name	Mass Spectrometer
Dataset- specific Description	Thermo LTQ Orbitrap XL mass spectrometer (Thermo Scientific, Waltham, MA, United States). Mass analyze parameters were as follows: mass resolution 60,000, +4 kV ionization voltage at positive ion mode (0.05–0.07 µA of ion current), 1 microscan, 100 ms max injection time, and automatic gain control on.
Generic Instrument Description	General term for instruments used to measure the mass-to-charge ratio of ions; generally used to find the composition of a sample by generating a mass spectrum representing the masses of sample components.

[table of contents | back to top]

Project Information

Collaborative Research: Creatine Cycling in Marine Bacterial and Phytoplankton Assemblages (Creatine Cycling)

Coverage: Atlantic bight

NSF Award Abstract:

High rates of dissolved organic nitrogen (DON) production and utilization in aquatic systems are typically attributed to microbial activity. Though it is known that there is a tight coupling between the production and consumption of biologically available DON, the composition, dynamics, and ecological significance of this rapidly cycled DON pool are less well understood. This proposal focuses on a component of the DON pool, creatine,

which is historically understood as a product of metazoan activity, but appears to be both produced by phytoplankton and consumed by marine bacteria. Creatine is present in seawater in measurable quantities, which led to the hypothesis that creatine may be a significant component of the marine DON cycle. DON cycling likely has a bearing on fundamental marine ecosystem processes with large implications for carbon and nitrogen turnover on a global scale. Broader impacts of this project will include outreach that focuses on connecting scientists with K-12 students through research experiences for teachers and lesson development in collaboration with the K20 Center for Educational and Community Renewal, a statewide education research and development center at the University of Oklahoma. The project will integrate the research with inquiry-based teaching of rural secondary science teachers through Authentic Research Experiences in oceanographic science and microbial ecology. The K20 network includes 96% of Oklahoma schools, providing a unique opportunity to impact STEM education in Oklahoma.

The results of this project will help develop a better understanding of DON cycling, the ecological context of creatine uptake activity, and identify both creatine-producing and consuming organisms in the marine environment. The importance of creatine cycling will be assessed via 15N tracer studies along the natural coastal-to-offshore productivity gradient observed in the North Atlantic. Tracer and molecular approaches will be used to investigate the importance of phytoplankton vs. bacteria in creatine uptake and, the taxonomic identities of creatine-utilizing bacteria will be interrogated via molecular, stable isotope probing (SIP), and RT-qPCR approaches.

[table of contents | back to top]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	<u>OCE-1634630</u>

[table of contents | back to top]