Partial pressure of carbon dioxide (pCO2) from in-situ flume experiments to manipulate pCO2 on shallow tropical coral reef communities at UCB Gump Research Station Moorea, French Polynesia in May of 2018

Website: https://www.bco-dmo.org/dataset/812882 Data Type: experimental Version: 1 Version Date: 2020-05-26

Project

» Moorea Coral Reef Long-Term Ecological Research site (MCR LTER)

» Collaborative Research: Ocean Acidification and Coral Reefs: Scale Dependence and Adaptive Capacity (OA coral adaptation)

Programs

» Long Term Ecological Research network (LTER)

» Science, Engineering and Education for Sustainability NSF-Wide Investment (SEES): Ocean Acidification (formerly CRI-OA) (SEES-OA)

Contributors	Affiliation	Role
Carpenter, Robert	California State University Northridge (CSUN)	Principal Investigator
Edmunds, Peter J.	California State University Northridge (CSUN)	Co-Principal Investigator
<u>Srednick, Griffin</u>	California State University Northridge (CSUN)	Technician
York, Amber D.	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Abstract

Partial pressure of carbon dioxide (pCO2) from in-situ flume experiments to manipulate pCO2 on shallow tropical coral reef communities at UCB Gump Research Station Moorea, French Polynesia in May of 2018. These data are for a proof of trial experiment for the Shallow COral REef Free Ocean Carbon Enrichment (SCORE FOCE), outlined in Srednick et al. (2020).

Table of Contents

- Coverage ٠
- Dataset Description
- Methods & Sampling Data Processing Description
- Data Files
- **Related Publications**
- Parameters
- Instruments
- **Project Information**
- Program Information •
- Funding

Coverage

Spatial Extent: Lat:-17.49048 Lon:-149.826367 Temporal Extent: 2018-05-09 - 2018-05-11

Dataset Description

Partial pressure of carbon dioxide (pCO2) from in-situ flume experiments to manipulate pCO2 on shallow tropical coral reef communities at UCB Gump Research Station Moorea, French Polynesia in May of 2018. These data are for a proof of trial experiment for the Shallow COral REef Free Ocean Carbon Enrichment (SCORE FOCE), outlined in Srednick et al. (2020).

Related datasets (all from the same in-situ flume experiment):

- Srednick et al. 2020 L&O Methods PAR: <u>https://www.bco-dmo.org/dataset/812853</u> Srednick et al. 2020 L&O Methods pH seafet: <u>https://www.bco-dmo.org/dataset/812864</u>
- Srednick et al. 2020 L&O Methods temperature: https://www.bco-dmo.org/dataset/812873 Srednick et al. 2020 L&O Methods taperature: https://www.bco-dmo.org/dataset/812891 Srednick et al. 2020 L&O Methods TA_SAL: https://www.bco-dmo.org/dataset/812891 Srednick et al. 2020 L&O Methods DO_flux: https://www.bco-dmo.org/dataset/812900

- Srednick et al. 2020 L&O Methods Biological: https://www.bco-dmo.org/dataset/812909
- Srednick et al. 2020 L&O Methods Flow: <u>https://www.bco-dmo.org/dataset/812918</u> Srednick et al. 2020 L&O Methods DO: <u>https://www.bco-dmo.org/dataset/812927</u>

Methods & Sampling

Seawater pCO2 was calculated from TA, pH, salinity, and temperature using the R package seacarb (Lavigne and Gattuso, 2013).

Data sources used for calculations: pH from "Srednick et al. 2020 - L&O Methods - TA_SAL" <u>https://www.bco-dmo.org/dataset/812891</u> pH from "Srednick et al. 2020 - L&O Methods - pH seafet" <u>https://www.bco-dmo.org/dataset/812864</u> temperature from "Srednick et al. 2020 - L&O Methods - temperature https://www.bco-dmo.org/dataset/812873 "

The full methodology can be found in Srednick et al. (2020).

Data Processing Description

Data were processed using seacarb, seawater carbonate chemistry, R package version 2. 4. 10 (Lavigne H and Gattuso, 2013).

BCO-DMO Data Manager Processing Notes:

- * Original data submitted as in Excel file L&O_2019_data.xlsx sheet "pCO2" extracted to csv.
- * added a conventional header with dataset name, PI name, version date
- * modified parameter names to conform with BCO-DMO naming conventions (spaces, +, and changed to underscores). Units in parentheses removed and added to Parameter Description metadata section.
- * blank values in this dataset are displayed as "nd" for "no data." nd is the default missing data identifier in the BCO-DMO system. * Added ISO_DateTime_UTC column in ISO 8601 format yyyy-mm-ddTIHI:MMZ from local date and time provided in local time, Tahiti, UTC-10.

Data Files

File
pc02.csv(Comma Separated Values (.csv), 14.42 KB)
MD5:9362b24c94ee60138f554a3c5e27cd8c
Primary data file for dataset ID 812882

[table of contents | back to top]

Related Publications

Lavigne H, Gattuso J (2013) Seacarb: seawater carbonate chemistry with R. R package version 2.4.10. Available from http://CRAN.R-project.org/package=seacarb Software

Srednick, G., Bergman, J. L., Doo, S. S., Hawthorn, M., Ferree, J., Rojas, R., ... Carpenter, R. C. (2020). Shallow coral reef free ocean carbon enrichment: Novel in situ flumes to manipulate pCO2 on shallow tropical coral reef communities. Limnology and Oceanography: Methods, 18(3), 116–128. doi:<u>10.1002/lom3.10349</u> Results

[table of contents | back to top]

Parameters

Parameter	Description	Units
Date	Local date and time in Tahiti (UTC-10) in ISO 8601 format yyyy-mm-dd HH:MM. Thirty minute intervals.	unitless
ISO_DateTime_UTC	Datetime (UTC) in 8601 format yyyy-mm-ddTHH:MMZ. Thirty minute intervals.	unitless
Flume	Flume number	unitless
pCO2	Partial pressure of carbon dioxidee (pCO2)	uatm
Time_of_day	Time of day "Day" or "Night"	unitless

[table of contents | back to top]

Instruments

Dataset-spe	ecific Instrument Name	Mettler Toledo T50
Generic Inst	nstrument Name Automatic titrator	
Dataset-spe	repecific Description TA generated using a Mettler Toledo T50 fitted with a DG 115-SC electrode.	
Generic Inst	nstrument Description Instruments that incrementally add quantified aliquots of a reagent to a sample until the end-point of a chemical reaction is reached.	
Dataset- specific Instrument Name	HOBO U22-001	
Generic Instrument Name	Onset HOBO Pro v2 temperature logger	
Dataset- specific Description	The temperature was measured with a Hobo Pro v2 (\pm 0.2 °C), HOBO U22-001,Onset, Bourne, MA.	
Generic		ro v2 temperature logger, manufactured by Onset Computer Corporation, has 12-bit resolution and a precision sensor for $\pm 0.2^{\circ}$ C aperature range. It is designed for extended deployment in fresh or salt water. Operation range: -40° to 70°C (-40° to 158°F) in air;

 Generic Instrument
 accuracy over a wide temperature range. It is designed for extended deployment in fresh or salt water. Operation range: -40° to 70°C (-40° to 158°F) in air;

 Instrument
 maximum sustained temperature of 50°C (122°F) in water Accuracy: 0.2°C over 0° to 50°C (0.36°F over 32° to 122°F) Resolution: 0.02°C at 25°C (0.04°F at 77°F)

 Description
 Response time: (90%) 5 minutes in water; 12 minutes in air moving 2 m/sec (typical) Stability (drift): 0.1°C (0.18°F) per year Real-time clock: ± 1 minute per month 0° to 50°C (32° to 122°F) Additional information (<u>http://www.onsetcomp.com/</u>) Onset Computer Corporation 470 MacArthur Blvd Bourne, MA 02532

Dataset-specific Instrument Name	SeaFET pH sensor	
Generic Instrument Name	pH Sensor	
Generic Instrument Description	An instrument that measures the hydrogen ion activity in solutions. The overall concentration of hydrogen ions is inversely related to its pH. The pH scale ranges from 0 to 14 and indicates whether acidic (more H+) or basic (less H+).	
Dataset-specific Instrument Name		conductivity cell
Generic Instrument Name Sali		Salinity Sensor
Dataset-specific Desci	Dataset-specific Description Salinity of the samples was measured using a conductivity cell (Orion Star A212 conductivity meter, Thermo-Scientific, Waltham, M	
Generic Instrument Description		Category of instrument that simultaneously measures electrical conductivity and temperature in the water column to provide temperature and salinity data.

[table of contents | back to top]

Project Information

Moorea Coral Reef Long-Term Ecological Research site (MCR LTER)

Website: http://mcr.lternet.edu/

Coverage: Island of Moorea, French Polynesia

From http://www.lternet.edu/sites/mcr/ and http://mcr.lternet.edu/sites/mcr/

The Moorea Coral Reef LTER site encompasses the coral reef complex that surrounds the island of Moorea, French Polynesia (17°30'S, 149°50'W). Moorea is a small, triangular volcanic island 20 km west of Tahiti in the Society Islands of French Polynesia. An offshore barrier reef forms a system of shallow (mean depth ~ 5-7 m), narrow (~0.8-1.5 km wide) lagoons around the 60 km perimeter of Moorea. All major coral reef types (e.g., fringing reef, lagoon patch reefs, back reef, barrier reef and fore reef) are present and

accessible by small boat.

The MCR LTER was established in 2004 by the US National Science Foundation (NSF) and is a partnership between the University of California Santa Barbara and California State University, Northridge. MCR researchers include marine scientists from the UC Santa Barbara, CSU Northridge, UC Davis, UC Santa Cruz, UC San Diego, CSU San Marcos, Duke University and the University of Hawaii. Field operations are conducted from the UC Berkeley Richard B. Gump South Pacific Research Station on the island of Moorea, French Polynesia.

MCR LTER Data: The Moorea Coral Reef (MCR) LTER data are managed by and available directly from the MCR project data site URL shown above. The datasets listed below were collected at or near the MCR LTER sampling locations, and funded by NSF OCE as ancillary projects related to the MCR LTER core research themes.

This project is supported by continuing grants with slight name variations:

LTER: Long-Term Dynamics of a Coral Reef Ecosystem

LTER: MCR II - Long-Term Dynamics of a Coral Reef Ecosystem

LTER: MCR IIB: Long-Term Dynamics of a Coral Reef Ecosystem LTER: MCR III: Long-Term Dynamics of a Coral Reef Ecosystem

LTER: MCR IV: Long-Term Dynamics of a Coral Reef Ecosystem

Collaborative Research: Ocean Acidification and Coral Reefs: Scale Dependence and Adaptive Capacity (OA coral adaptation)

Website: http://mcr.lternet.edu

Coverage: Moorea, French Polynesia

Extracted from the NSF award abstract:

This project focuses on the most serious threat to marine ecosystems, Ocean Acidification (OA), and addresses the problem in the most diverse and beautiful ecosystem on the planet, coral reefs. The research utilizes Moorea, French Polynesia as a model system, and builds from the NSF investment in the Moorea Coral Reef Long Term Ecological Research Site (LTER) to exploit physical and biological monitoring of coral reefs as a context for a program of studies focused on the ways in which OA will affect corals, calcified algae, and coral reef ecosystems. The project builds on a four-year NSF award with research in five new directions: (1) experiments of year-long duration, (2) studies of coral reefs to 20-m depth, (3) experiments in which carbon dioxide will be administered to plots of coral reef underwater, (4) measurements of the capacity of coral reef organisms to change through evolutionary and induced responses to improve their resistance to OA, and (5) application of emerging theories to coral reefs that are the poster child for demonstrating climate change effects in the marine environment, and which provide income, food, and coastal protection to millions of people living in coastal areas, including in the United States.

This project focuses on the effects of Ocean Acidification on tropical coral reefs and builds on a program of research results from an existing 4-year award, and closely interfaces with the technical, hardware, and information infrastructure provided through the Moorea Coral Reef (MCR) LTER. The MCR-LTER, provides an unparalleled opportunity to partner with a study of OA effects on a coral reef with a location that arguably is better instrumented and studied in more ecological detail than any other coral reef in the world. Therefore, the results can be both contextualized by a high degree of ecological and physical relevance, and readily integrated into emerging theory seeking to predict the structure and function of coral reefs in warmer and more acidif durue oceans. The existing award has involved a program of study in Moorea that has focused mostly on short-term organismic and ecological responses of corals and calified algae, experiments conducted in mesocosms and flumes, and measurements of reef-scale calcification. This new award involves three new technical advances: for the first time, experiments will be conducted of year-long duration in replicate outdoor flumes; CO2 treatments will be administered to fully intact reef ecosystems in situ using replicated underwater flumes; and replicated common garden cultivation techniques will be used to explore within-species genetic variation in the response to OA conditions. Together, these tools will be used to support research on corals and calified algae in three thematic areas: (1) tests for long-term (1 year) effects of OA on reef communities at 20-m depth where light regimes are attenuated compared to shallow water, and (3) tests for beneficial responses to OA through intrinsic, within-species genetic variability and phenotypic plasticity. Some of the key experiments in these thematic areas will be designed to exploit the use of the metabolic theory of ecology (MTE) to address scale-dependence of OA effects on coral areef organisms and the function of the c

The following publications and data resulted from this project:

Comeau S, Carpenter RC, Lantz CA, Edmunds PJ. (2016) Parameterization of the response of calcification to temperature and pCO2 in the coral Acropora pulchra and the alga Lithophyllum kotschyanum. Coral Reefs 2016. DOI <u>10.1007/s00338-016-1425-0</u>. <u>calcification rates</u> (2014)

calcification rates (2010)

Comeau, S., Carpenter, R.C., Edmunds, P.J. (2016) Effects of pCO2 on photosynthesis and respiration of tropical scleractinian corals and calcified algae. ICES Journal of Marine Science doi:<u>10.1093/icesjms/fsv267</u>. respiration and photosynthesis I

respiration and photosynthesis I respiration and photosynthesis II

Evensen, N.R. & Edmunds P. J. (2016) Interactive effects of ocean acidification and neighboring corals on the growth of Pocillopora verrucosa. Marine Biology, 163:148. doi: <u>10.1007/s00227-016-2921-z</u> coral growth

seawater chemistry coral colony interactions

[table of contents | back to top]

Program Information


Long Term Ecological Research network (LTER)

Website: http://www.lternet.edu/

Coverage: United States

adapted from http://www.lternet.edu/

The National Science Foundation established the LTER program in 1980 to support research on long-term ecological phenomena in the United States. The Long Term Ecological Research (LTER) Network is a collaborative effort involving more than 1800 scientists and students investigating ecological processes over long temporal and broad spatial scales. The LTER Network promotes synthesis and comparative research across sites and ecosystems and among other related national and international research programs. The LTER research sites represent diverse ecosystems with emphasis on different research themes, and cross-site communication, network publications, and research-planning activities are coordinated through the LTER Network Office.



Site Codes AND Andrews Forest LTER

AND	Andrews Forest LIER
ARC	Arctic LTER
BES	Baltimore Ecosystem Stu
BLE	Beaufort Lagoon
	Ecosystems LTER
BNZ	Bonanza Creek LTER
CCE	California Current
	Ecosystem LTER
CDR	Cedar Creek Ecosystem
	Science Reserve
CAP	Central Arizona-
	Phoenix LTER
CWT	Coweeta LTER
FCE	Florida Coastal
	Everglades LTER
GCE	Georgia Coastal
	Ecosystems LTER
HFR	Harvard Forest LTER
HBR	Hubbard Brook LTER
JRN	Jornada Basin LTER
KBS	Kellogg Biological
	Station LTER
KNZ	Konza Prairie LTER
LUQ	Luquillo LTER
MCM	McMurdo Dry Valleys LT
MCR	Moorea Coral Reef LTEF
NWT	Niwot Ridge LTER
NTL	North Temperate Lakes I
NES	Northeast U.S. Shelf LTE
NGA	Northern Gulf of Alaska I
PAL	Palmer Antarctica LTER
PIE	Plum Island
	Ecosystems LTER
SBC	
SEV	Sevilleta LTER
VCR	Virginia Coast Reserve L

2017 LTER research site map obtained from https://ternet.edu/site/lter-network/

Science, Engineering and Education for Sustainability NSF-Wide Investment (SEES): Ocean Acidification (formerly CRI-OA) (SEES-OA)

Website: <u>https://www.nsf.gov/funding/pgm_summ.jsp?pims_id=503477</u>

Coverage: global

NSF Climate Research Investment (CRI) activities that were initiated in 2010 are now included under Science, Engineering and Education for Sustainability NSF-Wide Investment (SEES). SEES is a portfolio of activities that highlights NSF's unique role in helping society address the challenge(s) of achieving sustainability. Detailed information about the SEES program is available from NSF (<u>https://www.nsf.gov/funding/pgm_summ.jsp?pims_id=504707</u>).

In recognition of the need for basic research concerning the nature, extent and impact of ocean acidification on oceanic environments in the past, present and future, the goal of the SEES: OA program is to understand (a) the chemistry and physical chemistry of ocean acidification; (b) how ocean acidification interacts with processes at the organismal level; and (c) how the earth system history informs our understanding of the effects of ocean acidification on the present day and future ocean.

Solicitations issued under this program: NSF 10-530, FY 2010-FY2011 NSF 12-500, FY 2012 NSF 12-600, FY 2013 NSF 13-586, FY 2014 NSF 13-586 was the final solicitation that will be released for this program.

PI Meetings:

15t U.S. Ocean Acidification PI Meeting(March 22-24, 2011, Woods Hole, MA) 2nd U.S. Ocean Acidification PI Meeting(Sept. 18-20, 2013, Washington, DC) 3rd U.S. Ocean Acidification PI Meeting (June 9-11, 2015, Woods Hole, MA - Tentative)

NSF media releases for the Ocean Acidification Program:

Press Release 10-186 NSF Awards Grants to Study Effects of Ocean Acidification

Discovery Blue Mussels "Hang On" Along Rocky Shores: For How Long?

Discovery nsf.gov - National Science Foundation (NSF) Discoveries - Trouble in Paradise: Ocean Acidification This Way Comes - US National Science Foundation (NSF)

Press Release 12-179 nsf.gov - National Science Foundation (NSF) News - Ocean Acidification: Finding New Answers Through National Science Foundation Research Grants - US National Science Foundation (NSF)

Press Release 13-102 World Oceans Month Brings Mixed News for Oysters

Press Release 13-108 nsf.gov - National Science Foundation (NSF) News - Natural Underwater Springs Show How Coral Reefs Respond to Ocean Acidification - US National Science Foundation (NSF)

Press Release 13-148 Ocean acidification: Making new discoveries through National Science Foundation research grants

Press Release 13-148 - Video nsf.gov - News - Video - NSF Ocean Sciences Division Director David Conover answers questions about ocean acidification. - US National Science Foundation (NSF)

Press Release 14-010 nsf.gov - National Science Foundation (NSF) News - Palau's coral reefs surprisingly resistant to ocean acidification - US National Science Foundation (NSF)

Press Release 14-116 nsf.gov - National Science Foundation (NSF) News - Ocean Acidification: NSF awards \$11.4 million in new grants to study effects on marine ecosystems - US National Science Foundation (NSF)

[table of contents | back to top]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-1415268
NSF Division of Ocean Sciences (NSF OCE)	OCE-1637396

[table of contents | back to top]