Bubble images captured at 1 fetch and over a sub-surface depth in the SUSTAIN tank at the University of Miami Rosenstiel School of Marine and Atmospheric Science, Key Biscayne, FL in 2018.

Website: https://www.bco-dmo.org/dataset/816806 Data Type: experimental Version: 1 Version Date: 2020-06-26

Project

» <u>Collaborative Research: RUI: Investigating Gas Exchange Processes using Noble Gases in a Controlled</u> <u>Environment</u> (Gas Exchange at SUSTAIN)

Contributors	Affiliation	Role
<u>Haus, Brian</u>	University of Miami Rosenstiel School of Marine and Atmospheric Science (UM-RSMAS)	Principal Investigator
<u>Stanley, Rachel</u>	Wellesley College	Co-Principal Investigator
<u>Smith, Andrew</u> <u>Wyatt</u>	University of Miami Rosenstiel School of Marine and Atmospheric Science (UM-RSMAS)	Student
York, Amber D.	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Abstract

Bubble images captured at 1 fetch and over a sub-surface depth in the SUSTAIN tank at the University of Miami Rosenstiel School of Marine and Atmospheric Science, Key Biscayne, FL in 2018

Table of Contents

- <u>Coverage</u>
- Dataset Description
- Data Processing Description
- Supplemental Files
- <u>Related Datasets</u>
- Parameters
- Instruments
- <u>Project Information</u>
- Funding

Coverage

Temporal Extent: 2018-07-10 - 2018-07-14

Dataset Description

Bubble images captured at 1 fetch and over a sub-surface depth in SUSTAIN tank at the University of Miami Rosenstiel School of Marine and Atmospheric Science, Key Biscayne, FL in 2018.

SUSTAIN = SUrge STructure Atmosphere INteraction (SUSTAIN) Laboratory / SUSTAIN Wind-Wave Tank

BCO-DMO data manager processing notes:

* Image inventory data table created with the image size, relative folder path in the file bundle, and image name. Inventory to be added in "Supplemental Files" section.

* Images bundled in .zip file to be added to "Data Files" section.

[table of contents | back to top]

Supplemental Files

File

SUSTAIN Tank Instrument Inventory

filename: TankInstrumentationInventory_SUSTAIN_Wellesley_2018.pdf^{(Portable Document Format (.pdf), 176.38 KB)} MD5:50585954dcb1443882b519c4b829c23a

A diagram of the SUSTAIN tank and list of the instruments. Instrument locations are given in centimeters.

[table of contents | back to top]

Related Datasets

IsRelatedTo

Haus, B., Stanley, R., Smith, A. W. (2020) **Water depth at 3 locations in an equilateral triangular array in the SUSTAIN tank at the University of Miami Rosenstiel School of Marine and Atmospheric Science, Key Biscayne, FL in 2018.** Biological and Chemical Oceanography Data Management Office (BCO-DMO). (Version 1) Version Date 2020-02-28 http://lod.bco-dmo.org/id/dataset/816812 [view at BCO-DMO] *Relationship Description: Data from the same experiment.*

Haus, B., Stanley, R., Smith, A. W. (2022) **Conductivity, temperature, and water depth at 4 locations in the SUSTAIN tank at the University of Miami Rosenstiel School of Marine and Atmospheric Science, Key Biscayne, FL in 2018.** Biological and Chemical Oceanography Data Management Office (BCO-DMO). (Version 1) Version Date 2022-02-08 http://lod.bco-dmo.org/id/dataset/816799 [view at BCO-DMO] *Relationship Description: Data from the same experiment.*

Haus, B., Stanley, R., Smith, A. W. (2022) **Distance to air-sea interface at 6 locations in the SUSTAIN tank at the University of Miami Rosenstiel School of Marine and Atmospheric Science, Key Biscayne, FL in 2018.** Biological and Chemical Oceanography Data Management Office (BCO-DMO). (Version 1) Version Date 2022-02-15 http://lod.bco-dmo.org/id/dataset/816821 [view at BCO-DMO] *Relationship Description: Data from the same experiment.*

[table of contents | back to top]

Parameters

Parameters for this dataset have not yet been identified

[table of contents | back to top]

Instruments

Dataset- specific Instrument Name	avA2300-25gm-Basler aviator
Generic Instrument Name	Camera
Dataset- specific Description	Manufacturer: OHMSETT, Leonardo, NJ (imager housing/frame) Basler (camera) Type(s): avA2300-25gm-Basler aviator (camera model) Calibrations: Camera calibrated using either 1- mm or 100-micron equal area 2D calibration grid imaged by the camera to convert pixel space to x-y space; calibration square distance from either node of the imager was optimized with the camera focus simultaneously to achieve best field of view. Specifications: Up to 26 Hz sampling rate (frames per second captured) CCD type camera; 12.8 mm x 9.6 mm in size (sensor) Resolution: 2330 pixels x 1750 pixels (H x V); overall 4 MP Pixel Size: 5.5 micron x 5.5 micron Monochromatic (no color) Uses Gigabit Ethernet (GigE) interface with hardware triggers
Generic Instrument Description	All types of photographic equipment including stills, video, film and digital systems.

[table of contents | back to top]

Project Information

Collaborative Research: RUI: Investigating Gas Exchange Processes using Noble Gases in a Controlled Environment (Gas Exchange at SUSTAIN)

Coverage: SUSTAIN wind-wave tank at University of Miami

NSF Abstract:

An exact description of gas exchange between the atmosphere and the ocean is not fully developed, yet it is a critical process for understanding climate change and ecosystem dynamics. This is particularly problematic when evaluating the important role of bubbles in air-sea gas exchange, especially in remote ocean locations where high winds and waves make direct measurements extremely difficult. This project seeks to provide needed fundamental, high wind/wave gas-exchange measurements by using a large, state-of-the-art, windwave tank. Here the PIs can apply their novel measurements of noble gases (neon, argon, krypton, and xenon) to calculate overall gas fluxes under precisely controlled conditions. This tank setting allows a systematic approach to define the physical and chemical parameters (temperature, salinity, pH, wind speed, turbulence, bubble size distribution, etc.) required to construct more accurate models without the great uncertainties inherent in making similar measurements from a ship in storm conditions. A significant outcome of this study, beyond improved understanding of air-sea gas exchange, could be greatly improved estimates of the critical ecological balance between photosynthesis and respiration. Current methods use carbon dioxide and oxygen dissolved in seawater as an indication of biological activity, but cannot distinguish between biological processes and atmospheric exchange, and estimates are especially inaccurate under high wind and wave conditions with strong bubble injection. This study will improve our ability to separate biological and physical processes in evaluation of dissolved gasses in seawater.

Also, this project will provide 15 female undergraduate students at Wellesley College with an exciting, on-site research experience using a state-of-the-art tank facility at the University of Miami, and results will be incorporated into general and advanced chemistry classes. The production of student-created, short format videos, and other public outreach activities will also be supported to disseminate information on the importance of marine gas exchange.

The study of gas exchange processes between the ocean and the atmosphere has been hindered by the lack of data required to define quantitative relationships that account for bubble processes under a variety of wind, wave, and temperature conditions. Current gas exchange models tend to be highly unreliable in their parameterization of bubble processes. In large part, this is due to the difficulty of making traditional measurements at sea in remote locations within well-defined conditions, especially with high winds and waves. By using the large SUSTAIN wind-wave tank (23 m x 6 m x 2 m), the researchers in this project plan to greatly advance our understanding of the effect of wind, wave, and temperature variability on gas transfer. The use of a recently developed, field-portable equilibrator mass spectrometer that allows nearly continuous measurements of noble gas ratios (Ne, Ar, Kr, and Xe) will result in these SUSTAIN tank experiments providing precisely characterized gas flux data under varying wind speeds from 10 to 40 m/s. In addition, an underwater shadowgraph system will image bubbles, allowing the researchers to quantify bubble size distributions, a key factor missing from bubble models. Current models use a greatly simplified, two size-class representation of bubbles; an approach that this research will re-evaluate in hopes of creating better parameterizations of the role of bubble size on gas flux, and consequently improved air-sea gas exchange models for oceanic and climatic applications.

[table of contents | back to top]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	<u>OCE-1634467</u>
NSF Division of Ocean Sciences (NSF OCE)	<u>OCE-1634432</u>

[table of contents | back to top]