

# Sediment delta-13C methane and concentrations from pushcore samples collected at Guaymas Basin hydrothermal vents via Alvin dives on RV/Atlantis cruise AT42-05, Nov. 2018

**Website:** <https://www.bco-dmo.org/dataset/825169>

**Data Type:** Cruise Results

**Version:** 1

**Version Date:** 2020-09-21

## Project

» [Collaborative Research: Hydrothermal Fungi in the Guaymas Basin Hydrocarbon Ecosystem](#) (HOTFUN)

Contributors	Affiliation	Role
<a href="#">Edgcomb, Virginia P.</a>	Woods Hole Oceanographic Institution (WHOI)	Principal Investigator
<a href="#">Teske, Andreas</a>	University of North Carolina at Chapel Hill (UNC-Chapel Hill)	Co-Principal Investigator
<a href="#">Copley, Nancy</a>	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

## Abstract

Sediment delta-13C methane and concentrations from pushcore samples collected at Guaymas Basin hydrothermal vents via Alvin dives on RV/Atlantis cruise AT42-05, Nov. 2018.

## Table of Contents

- [Coverage](#)
- [Dataset Description](#)
  - [Methods & Sampling](#)
  - [Data Processing Description](#)
- [Data Files](#)
- [Parameters](#)
- [Instruments](#)
- [Deployments](#)
- [Project Information](#)
- [Funding](#)

## Coverage

**Spatial Extent:** N:27.01267 E:-111.405 S:27.00783 W:-111.40712

**Temporal Extent:** 2018-11-17 - 2018-11-30

## Dataset Description

Sediment delta-13C methane and concentrations from pushcore samples collected at Guaymas Basin hydrothermal vents via Alvin dives on RV/Atlantis cruise AT42-05, Nov. 2018.

## Methods & Sampling

Alvin pushcores dedicated to hydrocarbon and methane analyses were sectioned to recover the 0-6cm, 6-12, and 12-18cm fractions, or the 0-10, 10-20, and 20-30cm fractions. 7 ml of sediment from each horizon was sampled for methane concentration and isotopic 13C methane analysis. The samples were collected at 10 ml serum vials and treated with 2.8 ml of NaOH 1M. The serum vials were sealed with black stoppers and stored inverted at -20oC

## Data Processing Description

### BCO-DMO Processing:

- data submitted in Excel files "DATASET\_HOTFUN\_13C\_methane.xlsx" and "DATASET\_HOTFUN\_methane concentrations.xlsx" were joined and extracted to csv
- added conventional header with dataset name, PI name, version date
- modified parameter names to conform with BCO-DMO naming conventions
- converted date from mm-ddd-yy to yyyy-mm-dd
- split lat and lon into separate columns and converted from degrees decimal minutes to decimal degrees
- removed extra hyphen from Sample\_ID 617-14 for consistency and joining

[ [table of contents](#) | [back to top](#) ]

---

## Data Files

File
<b>sediment_methane.csv</b> (Comma Separated Values (.csv), 2.15 KB) MD5:dafcf47f9181f3deb89c488b36676df1
Primary data file for dataset ID 825169

[ [table of contents](#) | [back to top](#) ]

---

## Parameters

Parameter	Description	Units
Site	sampling site	unitless
lat	latitude; north is positive	decimal degrees
lon	longitude; east is postivie	decimal degrees
Sampling_Date	sampling date (UTC); formatted as yyyy-mm-dd	unitless
Alvin_Dive	Alvin dive number	unitless
core	Alvin pushcore identifier	unitless
Sample_ID	sample identifier	unitless
methane_conc	methane concentration	mmol/ul/gr of wet sediment
methane_conc_stdev	methane concentration standard deviation	mmol/ul/gr of wet sediment
d13C_CH4	13C to 12C ratio of methane	per mil (o/oo)
d13C_CH4_stdev	13C to 12C ratio of methane standard deviation	per mil (o/oo)

[ [table of contents](#) | [back to top](#) ]

---

## Instruments

<b>Dataset-specific Instrument Name</b>	Alivn pushcore
<b>Generic Instrument Name</b>	Alvin tube core
<b>Generic Instrument Description</b>	A plastic tube, about 40 cm (16 inches) long, is pushed into the sediment by Alvin's manipulator arm to collect a sediment core.

<b>Dataset-specific Instrument Name</b>	Agilent 6890 gas chromatograph and an Hewlett Packard 5890 gas chromatograph with an FID detector
<b>Generic Instrument Name</b>	Gas Chromatograph
<b>Dataset-specific Description</b>	Used to measure carbon isotopes (Agilent) and to measure methane concentrations (HP 5890)
<b>Generic Instrument Description</b>	Instrument separating gases, volatile substances, or substances dissolved in a volatile solvent by transporting an inert gas through a column packed with a sorbent to a detector for assay. (from SeaDataNet, BODC)

<b>Dataset-specific Instrument Name</b>	Thermo Finnigan Delta plusXL Isotope Ratio Mass Spectrometer
<b>Generic Instrument Name</b>	Isotope-ratio Mass Spectrometer
<b>Dataset-specific Description</b>	Used to measure carbon isotopes.
<b>Generic Instrument Description</b>	The Isotope-ratio Mass Spectrometer is a particular type of mass spectrometer used to measure the relative abundance of isotopes in a given sample (e.g. VG Prism II Isotope Ratio Mass-Spectrometer).

[ [table of contents](#) | [back to top](#) ]

---

## Deployments

### AT42-05

<b>Website</b>	<a href="https://www.bco-dmo.org/deployment/773347">https://www.bco-dmo.org/deployment/773347</a>
<b>Platform</b>	R/V Atlantis
<b>Start Date</b>	2018-11-15
<b>End Date</b>	2018-11-29
<b>Description</b>	Alvin dives to hydrothermal vent area.

### AT42-05 Alvin Dives

<b>Website</b>	<a href="https://www.bco-dmo.org/deployment/773374">https://www.bco-dmo.org/deployment/773374</a>
<b>Platform</b>	Alvin
<b>Start Date</b>	2018-11-17
<b>End Date</b>	2018-11-25
<b>Description</b>	Alvin dives 4991-5001at Guaymas Basin

[ [table of contents](#) | [back to top](#) ]

---

## Project Information

### Collaborative Research: Hydrothermal Fungi in the Guaymas Basin Hydrocarbon Ecosystem (HOTFUN)

**Coverage:** Guaymas Basin, Gulf of CA, Mexico

#### NSF Award Abstract:

Fungi that can derive energy from chemicals, yet consume other organisms or organic material to obtain carbon have been reported from diverse marine subsurface samples, including from hundreds of meters below the seafloor. Evidence exists that Fungi are active in subsurface marine sediments globally, yet there is a dearth of knowledge on their role in the marine subsurface, and specifically on their role(s) in hydrocarbon degradation within deep-sea sediments. This team is isolating a broad collection of environmentally relevant filamentous Fungi and yeasts from hydrothermally-influenced and hydrocarbon-rich seep sediments of Guaymas Basin using high-throughput culture-based approaches. They aim to reveal the diversity of Fungi and Bacteria in these hydrothermal sediments, how temperature and hydrocarbon composition shape their distribution, and how Fungi cooperate to enhance the degradation of hydrocarbons by Bacteria. By hosting six undergraduates through the WHOI Summer Student Fellows program and the Woods Hole Partnership Education Program, the project contributes to increasing diversity in marine science by offering opportunities for promising undergraduates from disadvantaged populations. High school students are involved in summer projects and in intensive summer workshops. One postdoc, a graduate student, and two Research Associates are supported, and international collaborations are strengthened. The postdoc and graduate student are gaining valuable cruise-based experience. An e-lecture on Fungi and their role(s) in biodegradation of hydrocarbons will be made publicly available by the end of the project. Fungal isolates with accompanying information will be secured in a reference culture collection for long-term storage and are available to any interested researcher throughout the project.

The PIs are isolating a broad collection of environmentally relevant filamentous Fungi and yeasts from hydrothermally-influenced and hydrocarbon-rich seep sediments of Guaymas Basin using high-throughput culture-based approaches, with the aim to reveal their ability to degrade individual hydrocarbons under in situ pressures and temperatures. Culture independent methods marker gene analyses are used to characterize in situ fungal and bacterial diversity and to examine how temperature and hydrocarbon composition shape fungal community composition and distribution. Traditional and comprehensive two-dimensional gas chromatographic analyses are used to examine the complexities and subtle changes in inventories of hydrocarbons within sediment cores, and provide evidence for in situ microbial alteration of individual hydrocarbons. Incubation experiments are used to test the ability of fungal isolates to utilize different hydrocarbons as a sole or auxiliary carbon source under in situ pressures and temperatures and their ability to stimulate biodegradation of hydrocarbons by hydrocarbon-degrading bacteria. Expressed genes within these incubation studies tell us how Fungi and Bacteria couple metabolisms to increase overall specificity and extent of biodegradation of hydrocarbons.

This award reflects NSF's statutory mission and has been deemed worthy of support through evaluation using the Foundation's intellectual merit and broader impacts review criteria.

[ [table of contents](#) | [back to top](#) ]

---

## Funding

Funding Source	Award
<a href="#">NSF Division of Ocean Sciences (NSF OCE)</a>	<a href="#">OCE-1829680</a>

[ [table of contents](#) | [back to top](#) ]