

Microsatellite and chloroplast 23S genotypes of *Breviolum* sp. symbionts within *Orbicella faveolata* adults from reefs in the Florida Keys from 2009-2011 (SymBioSys project)

Website: <https://www.bco-dmo.org/dataset/882086>

Data Type: experimental, Other Field Results

Version: 1

Version Date: 2022-10-10

Project

» [Ontogenic change in Cnidarian-algal symbioses: A genomic and ecologic perspective](#) (SymBioSys)

Contributors	Affiliation	Role
Coffroth, Mary Alice	State University of New York at Buffalo (SUNY Buffalo)	Principal Investigator, Contact
Miller, Margaret W.	NOAA Southeast Fisheries Science Center (NOAA SEFSC)	Co-Principal Investigator
Sheets, David	Canisius College	Co-Principal Investigator
Leigh, Noel J.	State University of New York at Buffalo (SUNY Buffalo)	Student
McIlroy, Shelby E.	State University of New York at Buffalo (SUNY Buffalo)	Student
Newman, Sawyer	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Abstract

Microsatellite genotypes and chloroplast 23S genotypes (based on length heteroplasmy in domain V of chloroplast large subunit (cp23S) ribosomal DNA sequences) of *Breviolum* sp. symbionts within *Orbicella faveolata* adults in the Florida Keys.

Table of Contents

- [Coverage](#)
- [Dataset Description](#)
 - [Methods & Sampling](#)
 - [Data Processing Description](#)
- [Data Files](#)
- [Related Publications](#)
- [Parameters](#)
- [Project Information](#)
- [Funding](#)

Coverage

Spatial Extent: N:25.1167 E:-80.2833 S:24.5449 W:-81.4094

Temporal Extent: 2009 - 2011

Methods & Sampling

Sampling and Analytical Methodology

Tissue samples were collected from the top, middle and bottom portions of adult *Orbicella faveolata* colonies using the syringe method as described in Correa et al. (2009) and DNA extracted following Coffroth et al. (1992).

Genotypes of the algal symbionts within the genus *Breviolum* were characterized using three polymorphic microsatellite loci, B7Sym34, B7Sym36 and CA6.38, which were adapted for use with *O. faveolata* (Thornhill et

al. 2009).

Cp-23S genotypes of the algal symbionts within the genus *Breviolum* were characterized following the protocol of Santos et al. (2003).

Locations in the Florida Keys (Table of reef abbreviations)

Reef
Abbreviation

Alligator
AR

Coral Garden
CG

Cheeca Rocks
CR

East Turtle
ET

Grecian Rocks
GR

Looe Key
LK

Sand Island
SI

Tennessee
TR

Data Processing Description

Processing Notes from Researcher:

- For parameters B7Sym34, B7Sym36, CA6.38 (CA_6_38), Assigned_Genotype, and CP_type, NA indicates "no amp - did not amplify after multiple attempts," and ND indicates "not determined because one or more loci did not amplify."

BCO-DMO Processing Notes:

- Special characters and spaces replaced by underscores ("_") in parameter names
- Longitude and latitude are split into separate columns and converted to decimal degrees
- Separate data tables related to *Orbicella faveolata* adults merged into one data table

[[table of contents](#) | [back to top](#)]

Data Files

File
microsatellite_genotypes_adults-1.csv (Comma Separated Values (.csv), 42.51 KB) MD5:666becc6ca7babd3eb46b0ee7cd8b969
File processed with laminar pipeline "882086_v1_breviolum_symbiont_microsatellite_genotypes" at path 882086/1/data/microsatellite_genotypes_adults-1.csv

Related Publications

Coffroth, M. A., Lasker, H. R., Diamond, M. E., Bruenn, J. A., & Bermingham, E. (1992). DNA fingerprints of a gorgonian coral: a method for detecting clonal structure in a vegetative species. *Marine Biology*, 114(2), 317–325. doi:10.1007/bf00349534 <https://doi.org/10.1007/BF00349534>

Methods

Coffroth, M. A., Leigh, N. J., McIlroy, S. E., Miller, M. W., & Sheets, H. D. (2022). Genetic structure of dinoflagellate symbionts in coral recruits differs from that of parental or local adults. *Ecology and Evolution*, 12(9). Portico. <https://doi.org/10.1002/ece3.9312>

Results

Correa, A. M. S., Brandt, M. E., Smith, T. B., Thornhill, D. J., & Baker, A. C. (2009). Symbiodinium associations with diseased and healthy scleractinian corals. *Coral Reefs*, 28(2), 437–448. <https://doi.org/10.1007/s00338-008-0464-6>

Methods

Santos, S. R., Gutierrez-Rodriguez, C., & Coffroth, M. A. (2003). Phylogenetic identification of symbiotic dinoflagellates via length heteroplasmy in Domain V of chloroplast Large Subunit (cp23S)-Ribosomal DNA Sequences. *Marine Biotechnology*, 5(2), 130–140. doi:[10.1007/s10126-002-0076-z](https://doi.org/10.1007/s10126-002-0076-z)

Methods

Parameters

Parameter	Description	Units
Sample_ID	Identification of tissue sample collected from adult <i>Orbicella faveolata</i> colonies.	unitless
Year	Year in which sample was collected.	unitless
Site	Reef where sample was collected see abbreviation key above.	unitless
Latitude_decimal_degrees	Latitude of reef where samples were taken in decimal degrees. A positive value indicates a Northern coordinate value.	decimal degrees
Longitude_decimal_degrees	Longitude of reef where samples were taken in decimal degrees. A negative value indicates a Western coordinate value.	decimal degrees
B7Sym34	Fragment size of the B7Sym34 microsatellite allele. NA indicates "No Amp - did not amplify after multiple attempts", and ND indicates "Not Determined - because one or more loci did not amplify.	basepair
B7Sym36	Fragment size of the B7Sym36 microsatellite allele. NA indicates "No Amp - did not amplify after multiple attempts", and ND indicates "Not Determined - because one or more loci did not amplify.	basepair
Colony_Number	Identification number for colony.	unitless
Location_in_colony	Location within the colony where the sample was taken; T: Top, M: Middle, B: Bottom.	unitless
Depth_m	Depth where sample was taken.	meters (m)
CA_6_38	Fragment size of the CA6.38 microsatellite allele. NA indicates "No Amp - did not amplify after multiple attempts", and ND indicates "Not Determined - because one or more loci did not amplify.	basepair
Assigned_Genotype	Genotype assigned based on the combination of microsatellite alleles at the three loci. Numbering is arbitrary.	unitless
CP_type	Fragment size of the hypervariable region of domain B of chloroplast large subunit rDNA (cp23S) allele.	unitless

Project Information

Ontogenic change in Cnidarian-algal symbioses: A genomic and ecologic perspective (SymbioSys)

Coverage: Florida Keys, Bahamas, Panama, Mexico

PROJECT SUMMARY:

The symbiosis between corals (Cnidaria:Hexacorallia:Scleractinia) and photosynthetic dinoflagellate symbionts (Alveolata: Dinophyceae: Symbiodinium) provides the foundation and structure of the coral reef ecosystem, as well as significant contributions to global carbon and biogeochemical cycles. Given the importance of this symbiosis to the coral-algal holobiont and the reef ecosystem, understanding the mechanisms governing the establishment and long term maintenance of this symbiosis is essential. The overall aim of this project is to identify the mechanisms and selective processes that lead to the final assemblage of symbionts harbored by adult hosts. This question will be approached from two perspectives, ecologic and genomic, with the specific aims of determining (1) if different Symbiodinium strains differentially affect fitness of corals as the adult settles into a mature symbiosis (2) if competition among symbionts or environmental conditions contribute to the final host-symbiont pairing and (3) how host/symbiont transcriptomes vary as the symbiont community within a host is winnowed to the final assemblage found in the adult host. Traits that directly affect coral fitness (i.e. growth, survivorship, energy production) will be measured under different environmental conditions over the ontogeny of coral recruits that are experimentally infected with different types of Symbiodinium. Concurrently, high throughput gene expression profiling will be used to follow changes in gene expression between host and symbiont. Together, these data will be used to validate or falsify the hypotheses that the final symbiont assemblage found in the adult host is determined by (a) host selection (b) competition among symbionts and/or (c) environmental condition.

This study pools the expertise of two labs that have focused on these aspects of the symbiosis. The Coffroth lab pioneered the studies on early ontogeny of the symbiosis and symbiont diversity and will continue to take the lead in the ecological studies. The Medina lab is at the forefront in the development and utilization of genomic technology to study transcriptomic changes during the establishment and breakdown of the symbiosis. Furthermore, the Medina lab has the coral microarrays to be used in this study and in 2009 will also have oligo arrays for two Symbiodinium species based on 454 EST data. Although several groups have initial studies of the host transcriptome, none have combined an approach that examines the host and the symbiont in a single experiment. This will be a powerful approach as it will allow the investigators to track complementary changes in gene expression between host and symbiont and relate those to turnover in the symbiont community as the final symbiont complement is established.

The data resulting from the study will bridge an important gap in our understanding of the establishment and maintenance of coral-Symbiodinium symbiosis. Understanding the mechanism(s) regulating the establishment of the symbiosis will broaden our knowledge and help to predict the response of this symbiosis to future climate conditions. As in the past, the genomic tools (arrays, ESTs) will be made readily available to researchers via array distribution at cost, microarray analysis training, or sequence data, providing valuable resources to continue exploring these systems.

In conjunction with the Aquarium of Niagara, Coffroth will develop educational and outreach programs to train and disseminate information on coral reefs to local area teachers and the general public. The Medina lab will continue to produce science and environment podcasts in multiple languages (English, Spanish and Hmong) with undergraduate students at UC Merced and will continue to collaborate with the California Academy of Sciences (CAS) in their coral reef outreach efforts. Additionally, this work will result in the training and mentoring of a postdoctoral fellow, at least one graduate student and at least 2 undergraduates. Through this project these students will have the opportunity to participate in research in both a lab and field setting, learning a range of ecological, molecular and algal culturing techniques. The extensive culture collection housed at the University at Buffalo is an important resource that is available to researchers worldwide which the proposed funding will help to maintain. Our EST annotations are publicly available through our EST database (<http://montastraea.psu.edu/SymbioSys/>).

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-0926822

[[table of contents](#) | [back to top](#)]