

Cellular carbon (C) and nitrogen (N) data of the *Karlodinium veneficum* growth experiment conducted in the Horn Point Laboratory between June 2021- January 2022.

Website: <https://www.bco-dmo.org/dataset/907463>

Data Type: experimental

Version: 1

Version Date: 2023-09-01

Project

» [Ecology and Oceanography of Harmful Algal Blooms](#) (EcoHAB)

Contributors	Affiliation	Role
Glibert, Patricia A.	University of Maryland Center for Environmental Science (UMCES/HPL)	Principal Investigator
Vidyarathna, Nayani	University of Maryland Center for Environmental Science (UMCES/HPL)	Scientist, Contact
Ahn, So Hyun	University of Maryland Center for Environmental Science (UMCES/HPL)	Student
Soenen, Karen	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Abstract

Using a multifactorial design, we studied the interactive effects of temperature (15, 20, 25, 28 and 30 0C), salinity (5, 10, 15, 20 and 30) and light (low-100 and high-300 $\mu\text{mol photons m}^{-2} \text{s}^{-1}$) on growth, thermal niche properties and cellular carbon (C) and nitrogen (N) of the toxic dinoflagellate, *Karlodinium veneficum*, originated from the Chesapeake Bay. Here we report the daily growth data measured as raw fluorescence at each experimental combination in quadruplicates and the C and N cell quota data measured in the final samples for each experimental combination in duplicates.

Table of Contents

- [Coverage](#)
- [Dataset Description](#)
 - [Methods & Sampling](#)
 - [Data Processing Description](#)
- [Data Files](#)
- [Related Publications](#)
- [Related Datasets](#)
- [Parameters](#)
- [Instruments](#)
- [Project Information](#)
- [Funding](#)

Coverage

Temporal Extent: 2021-06-11 - 2021-11-12

Dataset Description

These data (after processing) were published in Vidyarathna et al (2023) as Figure 1, Figure 3 and supplementary table 1 and 3.

Methods & Sampling

Samples (15 mL) for cellular organic C and N were filtered onto 25 mm pre-combusted glass-fiber filters (2h at 450 °C, GF/F, Whatman), dried at 60 °C for 24 h and then stored in a desiccator prior to analyses. Cellular C and N were then quantified with a CHN elemental analyzer (ECS 4010 Elemental combustion system; Costech Instruments, USA), with phenylalanine and EDTA used as standards.

Data Processing Description

No data processing, these are the raw data.

[[table of contents](#) | [back to top](#)]

Data Files

File
907463_v1_chn.csv (Comma Separated Values (.csv), 8.20 KB) MD5:5a468afbfa831313c18a59c85059c0da Primary data file for dataset 907463.

[[table of contents](#) | [back to top](#)]

Related Publications

Vidyarathna, N. K., Ahn, S. H. (Sophia), & Glibert, P. M. (2023). Thermal niche of the dinoflagellate *Karlodinium veneficum* across different salinity and light levels. *Journal of Plankton Research*, 45(4), 604–613.
<https://doi.org/10.1093/plankt/fbad019>
Results

[[table of contents](#) | [back to top](#)]

Related Datasets

IsRelatedTo

Vidyarathna, N., Glibert, P. A., Ahn, S. H. (2023) **Daily growth data of the *Karlodinium veneficum* growth experiment conducted in the Horn Point Laboratory between June 2021- January 2022.** Biological and Chemical Oceanography Data Management Office (BCO-DMO). (Version 1) Version Date 2023-09-01
doi:10.26008/1912/bco-dmo.907393.1 [[view at BCO-DMO](#)]
Relationship Description: Data are part of same experiment.

[[table of contents](#) | [back to top](#)]

Parameters

Parameter	Description	Units
sample_no	Sample number (id)	unitless
treatment	Culture condition (salinity, light and temperature). LL=Low light (100), HL=High light (300)	unitless
filtered_volume	Volume filtered from each culture replicate	milliliters (mL)
Cell_density	Final cell density of each culture	cells per mL (cells/mL)
N_percent	Percentage of N in the sample (filter) analyzed	percent (%)
C_percent	Percentage of C in the sample (filter) analyzed	percent (%)
N_mg	weight of N in the sample (filter) analyzed	milligrams (mg)
C_mg	weight of C in the sample (filter) analyzed	milligrams (mg)
Carbon_blank_corrected	blank corrected weight of C in the sample (filter) analyzed	milligrams (mg)
C_to_N_mass	C/N ratio (mass)	unitless
C_umol	C content converted to umol	micromoles (umol)
N_umol	Ncontent converted to umol	micromoles (umol)
C_to_N_atomic	C/N ratio (atomic)	unitless
C_per_cell	C content nnormalized per cell	picograms of Carbon per cell (pg/cell)
N_per_cell	Ncontent nnormalized per cell	picograms of Nitrogen per cell (pg/cell)

[[table of contents](#) | [back to top](#)]

Instruments

Dataset-specific Instrument Name	CHN elemental analyzer- ECS 4010 Elemental combustion system; Costech Instruments, USA
Generic Instrument Name	CHN Elemental Analyzer
Generic Instrument Description	A CHN Elemental Analyzer is used for the determination of carbon, hydrogen, and nitrogen content in organic and other types of materials, including solids, liquids, volatile, and viscous samples.

[[table of contents](#) | [back to top](#)]

Project Information

Ecology and Oceanography of Harmful Algal Blooms (EcoHAB)

Website: <https://coastalscience.noaa.gov/science-areas/habs/ecohab/>

[[table of contents](#) | [back to top](#)]

Funding

Funding Source	Award
National Oceanic and Atmospheric Administration (NOAA)	NA17NOS4780180

[[table of contents](#) | [back to top](#)]