

Invertebrate data from fish and seagrass surveys on clusters of artificial reefs at the Abaco Islands, Bahamas in 2021 and 2022

Website: <https://www.bco-dmo.org/dataset/922236>

Data Type: Other Field Results

Version: 1

Version Date: 2024-03-14

Project

» [Using novel ecosystem-scale experiments to quantify drivers of reef productivity in a heavily impacted coastal ecosystem](#) (Reef Production Drivers)

Contributors	Affiliation	Role
Allgeier, Jacob	University of Michigan	Principal Investigator
Munsterman, Katrina	University of Michigan	Student
York, Amber D.	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Abstract

Invertebrate data from fish and seagrass surveys on clusters of artificial reefs at the Abaco Islands, Bahamas in May of 2022. Data are presented for site PN, which was constructed in May 2021 at the Bight of Old Robinson, Great Abaco. At the site three clusters of nine reefs were constructed. Each cluster was separated by at least 150 m and were constructed at ~3 m depth.

Table of Contents

- [Coverage](#)
- [Dataset Description](#)
 - [Methods & Sampling](#)
 - [BCO-DMO Processing Description](#)
- [Data Files](#)
- [Supplemental Files](#)
- [Related Datasets](#)
- [Parameters](#)
- [Project Information](#)
- [Funding](#)

Coverage

Location: Abaco Islands, The Bahamas

Spatial Extent: N:26.34648 E:-77.00752 S:26.341 W:-77.01037

Temporal Extent: 2021-05-30 - 2022-12-25

Dataset Description

See "Related Datasets" section for access to data and metadata from other datasets from the same surveys.

Methods & Sampling

During the fish surveys were also recorded large invertebrates on the reefs with particular focus on any lobster (*Panulirus argus*, urn:lsid:marinespecies.org:taxname:382891) for which we recorded only if the individual was of "legal" size (which is any individual with a tail > 5 inches - noted as "legal" or "not legal" in a separate column in dataset). We also recorded "crabs" - typically spider crabs (*Mithrax spinosissimus*, urn:lsid:marinespecies.org:taxname:421994) for which we opportunistically recorded carapace width.

BCO-DMO Processing Description

* Sheet "invert data" of submitted file FishSurveys2022_FinalNSF.xlsx (submitted to BCO-DMO 2024-04-18) rows 1-198 were imported into the BCO-DMO data system for this dataset. Excel rows 199-395 were exact duplicates and not included (decision discussed with the original submitter to verify this is correct action).

* Sheet "metadata" contained multiple tables.

** The table with columns "date, notes" was exported added to the dataset as supplemental file fish_and_invert_survey_notes.csv."

** The note with heading "Survey overview" was added to the Methods & Sampling section of the metadata.

** The site information with columns "reef name, GPS data" was exported as a separate supplemental file reef_cluster_site_list.csv. Additional columns were added for the site description, and the separate lat, lon in decimal degree format.

* Column names adjusted to conform to BCO-DMO naming conventions designed to support broad re-use by a variety of research tools and scripting languages. [Only numbers, letters, and underscores. Can not start with a number]

* Date converted to ISO 8601 format, additional column ISO_DateTime_UTC added (using source columns Date, Time which were local time Abaco, Eastern Time (EST/EDT)).

* columns cluster_lat, cluster_lon added to the fish data table from the site information (using reef name provided in "Cluster" column).

* Note: These data include currently unaccepted synonyms of the accepted taxon names. The supplemental file fish_and_invert_species_list.csv which includes names and identifiers for both the names used in the dataset and the equivalent currently accepted names (as of 2024-02-26).

* One name appears only in the metadata "...typically spider crabs (Mithrax spinosissimus..." LSID (urn:lsid:marinespecies.org:taxname:421994) has the currently accepted name "Maguimithrax spinosissimus" LSID (urn:lsid:marinespecies.org:taxname:987079)

[[table of contents](#) | [back to top](#)]

Data Files

File
922236_v1_invert-data.csv (Comma Separated Values (.csv), 15.10 KB) MD5:1483ee2d4298346b93ce7d7bae1456e9
Primary data file for dataset ID 922236, version 1

[[table of contents](#) | [back to top](#)]

Supplemental Files

File

Fish and Invertebrate Species List (with Taxon IDs)

filename: fish_and_invert_species_list.csv

(Comma Separated Values (.csv), 4.89 KB)
MD5:12bf9ccb6ca461259cf841ff70c59cc8

A supplemental table containing organism identifications (common and latin names). These were matched at the World Register of Marine Species (WoRMS) and the taxon status (accepted, unaccepted) and taxon identifiers were added. Some are not the currently accepted synonyms, an additional column containing the currently accepted synonyms (as of 2024-02-26) was added.

Column information (name, definition):

type, organism type (fish or invert)

common_name, common name as used in the main data table for the dataset.

species_or_lowest_identifiable_taxon, Scientific name or lowest identifiable taxon for the common_name category.

AphiaID, taxon identifier (AphiaID, see WoRMS) for the "species_or_lowest_identifiable_taxon"

LSID, Lifescience Identifier (LSID) for the "species_or_lowest_identifiable_taxon"

Fish and Invertebrate Survey Notes

filename: fish_and_invert_survey_notes.csv

(Comma Separated Values (.csv), 1.31 KB)
MD5:9602c4f537e21ec6b78ab1fef0520d64

Notes from the fish and invertebrate survey. Columns : date, notes.

Reef Cluster Site List

filename: reef_cluster_site_list.csv

(Comma Separated Values (.csv), 499 bytes)
MD5:c1c109da3d9dd8eec65fca35dcf3f838

Artificial reef cluster site list for fish and invertebrate surveys conducted in 2022. Two different sites: reefs with name PN# were constructed in May 2021, and CM# were constructed in May 2022. At each site three clusters of nine reefs were constructed. Each cluster was separated by at least 150 m and were constructed at ~3 m depth.

Column name, description, units:

reef_name, Reef cluster identifier

lat_dd, site latitude, decimal degrees

lon_dd, site longitude, decimal degrees

Construction_Month, Month of reef construction (format: %b, .e.g. "May")

Construction_Year, Year of reef construction (format: %Y, e.g. "2021")

Site_Description, Description of the site location and island.

[[table of contents](#) | [back to top](#)]

Related Datasets

IsRelatedTo

Allgeier, J., Munsterman, K. (2024) **Fish data from fish and seagrass surveys on clusters of artificial reefs at the Abaco Islands, Bahamas in 2022**. Biological and Chemical Oceanography Data Management Office (BCO-DMO). (Version 1) Version Date 2024-03-14 doi:10.26008/1912/bco-dmo.922228.1 [[view at BCO-DMO](#)]

Relationship Description: Datasets part of the same fish and seagrass surveys conducted in 2022 on artificial reef clusters in the Abaco Islands (created in 2021 and 2022).

Allgeier, J., Munsterman, K. (2024) **Seagrass blade height from fish and seagrass surveys on clusters of artificial reefs at the Abaco Islands, Bahamas in May of 2022**. Biological and Chemical Oceanography Data Management Office (BCO-DMO). (Version 1) Version Date 2024-03-14 doi:10.26008/1912/bco-dmo.922242.1 [[view at BCO-DMO](#)]

Relationship Description: Datasets part of the same fish and seagrass surveys conducted in 2022 on artificial reef clusters in the Abaco Islands (created in 2021 and 2022).

Allgeier, J., Munsterman, K. (2024) **Species density from Braun-Blanquet seagrass surveys on clusters of artificial reefs at the Abaco Islands, Bahamas in May of 2022**. Biological and Chemical Oceanography Data Management Office (BCO-DMO). (Version 1) Version Date 2024-03-14 doi:10.26008/1912/bco-dmo.922248.1 [[view at BCO-DMO](#)]

Relationship Description: Datasets part of the same fish and seagrass surveys conducted in 2022 on artificial reef clusters in the Abaco Islands (created in 2021 and 2022).

[[table of contents](#) | [back to top](#)]

Parameters

Parameter	Description	Units
Observer	observer	unitless
Date	start date of survey (local time zone, Eastern Time EST/EDT)	unitless
Time	start time of survey (local time zone, Eastern Time EST/EDT)	unitless
Assembly_day	days after being built	unitless
Cluster	unique cluster ID	unitless
cluster_lat	latitude of cluster location	decimal degrees
cluster_lon	longitude of cluster location	decimal degrees
Reef	unique reef ID	unitless
Species	Organism identification category (this is the "common_name" column in Supplemental File: "Fish and Invertebrate Species List (with Taxon IDs)")	unitless
Count	Abundance (count per individual)	unitless
Legal	"Legal" and "Not-legal" refer to the legal harvest size of lobster in the surveys which is any individual with a tail > 5 inches.	unitless
Not_legal	"Legal" and "Not-legal" refer to the legal harvest size of lobster in the surveys which is any individual with a tail > 5 inches.	unitless
Notes	notes from datasheet, etc	unitless
ISO_DateTime_UTC	Survey start DateTime with timezone (UTC, ISO 8601 format)	unitless

[[table of contents](#) | [back to top](#)]

Project Information

Using novel ecosystem-scale experiments to quantify drivers of reef productivity in a heavily impacted coastal ecosystem (Reef Production Drivers)

Coverage: Caribbean coastal ecosystems

NSF Award Abstract:

Tropical coastal marine ecosystems (e.g., coral reefs, seagrass beds, and mangroves) are among the most productive ecosystems in the world providing important services, such as fisheries, to millions of people. Despite this, they are also among the most impaired ecosystems, necessitating improved understanding of the mechanisms that underpin their productivity. This project seeks to understand the key factors that drive ecosystem production in a degraded coastal ecosystem in Haiti using artificial reefs. Past research has shown that artificial reefs have substantial potential to increase the number and diversity of plants and animals, but the extent to which this can be achieved at scales relevant to society remains unknown. This project is constructing clusters of artificial reefs to test how (1) spatial arrangement and (2) fishing pressure (fished/not fished) influence the productivity of seagrass, coral, and fish over the course of four years. The fishing treatment is being implemented through collaborations with local fishers whereby small-scale no-take zones are created around three of the six artificial reef clusters. A unique aspect of the research is that it capitalizes on the experimental design to simultaneously achieve an important conservation initiative, while testing ecological theory. Community engagement and outreach are integrated directly into the research and local fishers are being surveyed to assess the extent to which fishing occurred on any of the artificial reefs. This research represents a novel effort to integrate experimentation with cutting-edge community-based conservation initiatives in one of the most impoverished regions of the world. The project is improving strategies for conservation and reef management.

Identifying the factors that regulate the structure and function of ecosystems is a fundamental challenge for ecological theory and applied science. This challenge is often framed within the context of Top-Down (TD) versus Bottom-Up (BU) regulation, but the extent to which this framework can predict processes in complex,

real-world ecosystems is not fully understood. It is now widely recognized that TD/BU factors do not act in isolation. For example, in many ecosystems, consumers contribute to both TD (via consumption) and BU (via excretion) pathways. Environmental factors, including human-induced change, can further alter the nature of these interactions. Quantifying the strength of TD and BU pathways and the extent to which they regulate the structure and function in highly dynamic ecosystems requires an experimental system that is sufficiently tractable that all its components can be quantified, while still being representative of real ecosystems. To address this challenge, this research project creates a unique ecosystem-scale artificial reef (AR) experiment in Haiti to test how two factors (AR structure, and fishing pressure) alter the strength of independent and interactive TD and BU pathways to regulate the structure and function of real-world reef ecosystems. Over the course of four years, the production of seagrass (surrounding the ARs), coral (transplanted onto the ARs), and fish (in and around the ARs) is being measured, providing a quantitative assessment of ecosystem-level production across the two treatments. Linear and structural equation models are used to measure the independent and interactive strengths TD and BU pathways, and to identify the suite of directional relationships between each trophic level that best predict overall ecosystem production. Harnessing the ability to use ecosystem-scale experiments and quantify production across all trophic levels in a highly complex, real-world system enables an unprecedented test of TD/BU theory.

This award reflects NSF's statutory mission and has been deemed worthy of support through evaluation using the Foundation's intellectual merit and broader impacts review criteria.

[[table of contents](#) | [back to top](#)]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-1948622

[[table of contents](#) | [back to top](#)]