

Event log of all over the side deployments on R/V Roger Revelle cruise RR2311 in the Eastern Tropical South Pacific from November to December 2023

Website: <https://www.bco-dmo.org/dataset/925001>

Data Type: Cruise Results

Version: 1

Version Date: 2024-05-17

Project

» [Nitrite Oxidation in Oxygen Minimum Zones](#) (NO₂O_x_OMZs)

Contributors	Affiliation	Role
Ward, Bess B.	Princeton University	Principal Investigator
Rauch, Shannon	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Abstract

This dataset is an event log of all over the side deployments on R/V Roger Revelle cruise RR2311 in the Eastern Tropical South Pacific, off the coast of Chile and Peru, from November to December 2023.

Table of Contents

- [Coverage](#)
- [Dataset Description](#)
 - [Methods & Sampling](#)
 - [BCO-DMO Processing Description](#)
- [Data Files](#)
- [Related Datasets](#)
- [Parameters](#)
- [Deployments](#)
- [Project Information](#)
- [Funding](#)

Coverage

Location: Eastern Tropical South Pacific, off the coast of Chile and Peru

Spatial Extent: N:-13.9998 E:-71.08945 S:-22.9003 W:-81.8001

Temporal Extent: 2023-11-21 - 2023-12-19

Methods & Sampling

This event log was recorded during R/V Roger Revelle cruise RR2311 in the Eastern Tropical South Pacific, off the coast of Chile and Peru, during November and December 2023. The cruise track included five process stations, three of which were designated oxygen-deficient zone (ODZ) stations (contained a relatively thick interval of oxygen-depleted water, PS1, PS2, PS3) and two of which were outside the strong oxygen minimum zone (PS4, PS5). Experimental manipulations to measure nitrogen (N) cycle processes were carried out at these stations. The sampling strategy was tailored to the process under investigation, e.g., photosynthesis in surface waters, denitrification in oxygen depleted layers. Complete depth profiles were measured for a few processes (nitrification) but most experiments targeted a few critical features (e.g., oxycline, core of the ODZ).

Nine transect stations were included at approximately evenly spaced intervals between the process stations and the end point of the cruise in Arica, Chile. Depth profiles of dissolved inorganic nitrogen nutrients and nitrous oxide were measured at the transect stations.

BCO-DMO Processing Description

- Imported original file "bco_RR2311_ETSP_2023_EventLog_correctedMay2024.xlsx" into the BCO-DMO system.
- Created a local date-time field in ISO 8601 format.
- Created a UTC date-time field in ISO 8601 format.
- Moved the comment from the local time column on row 116 to the Events & Notes column.
- Event CTD083 had longitude entered as "-18"; changed to "-81".
- Event 'Deploy BGC ARGO4' had longitude entered as "74"; changed to "-74".
- Converted latitude and longitude to decimal degrees and rounded to 5 decimal places.
- Renamed fields to comply with BCO-DMO naming conventions.
- Saved the final file as "925001_v1_rr2311_event_log.csv".

[[table of contents](#) | [back to top](#)]

Data Files

File
925001_v1_rr2311_event_log.csv (Comma Separated Values (.csv), 21.42 KB) MD5:27be99faea11515abb9b8bebf4aba747
Primary data file for dataset ID 925001, version 1

[[table of contents](#) | [back to top](#)]

Related Datasets

IsRelatedTo

Ward, B. B. (2024) **Ammonium (NH₄) and Nitrite (NO₂) concentrations from R/V Roger Revelle cruise RR2311 in the Eastern Tropical South Pacific from November to December 2023**. Biological and Chemical Oceanography Data Management Office (BCO-DMO). (Version 1) Version Date 2024-07-31 doi:10.26008/1912/bco-dmo.931516.1 [[view at BCO-DMO](#)]

[[table of contents](#) | [back to top](#)]

Parameters

Parameter	Description	Units
Date	date; local time zone (UTC-3:00)	unitless
Local_Time_in_water	local time (UTC-3:00)	unitless
ISO_DateTime_Local	local date and time (UTC-3:00) in ISO 86001 format	unitless
UTC	UTC time	unitless
ISO_DateTime_UTC	Date and time (UTC) in ISO 8601 format	unitless
Event	event number	unitless
Station	Station designation	unitless
Latitude	Latitude, N is positive (source: Ship)	decimal degrees
Longitude	Longitude, E is positive (source: Ship)	decimal degrees
Air_Temp	air temperature (source: Ship)	degrees Celsius
Surface_Temp	surface water temperature (source: CTD)	degrees Celsius
Rosette	indicates the type of rosette use: 24-bottles (10-L) or 12-bottles (30-L)	unitless
Log_Taker	person in charge of the log for that event	unitless
Events_and_Notes	event type, brief description of event	unitless

[[table of contents](#) | [back to top](#)]

Deployments

RR2311

Website	https://www.bco-dmo.org/deployment/924949
Platform	R/V Roger Revelle
Start Date	2023-11-18
End Date	2023-12-20
Description	See additional cruise information at R2R: https://www.rvdata.us/search/cruise/RR2311

Project Information

Nitrite Oxidation in Oxygen Minimum Zones (NO₂Ox_OMZs)

Coverage: Eastern Tropical South Pacific and Chesapeake Bay

NSF Award Abstract:

This research is grounded in the fundamental role of nitrogen in limiting production in the ocean. Nitrite is a pivotal compound in the nitrogen cycle: it can be oxidized to nitrate, and thus retained as an available nutrient, or it can be reduced to dinitrogen gas, and thus lost from the bioavailable nitrogen pool. Oxidation of nitrite by nitrite oxidizing bacteria (NOB) is the only biological pathway by which nitrate is produced, and all known NOB require oxygen for life. The reduction pathway is also carried out by microbes, in this case, bacteria that thrive only in the absence of oxygen. In previous experiments, however, both oxidation and reduction of nitrite were detected in the same samples from ocean waters in the absence of oxygen. We will investigate three explanations for the apparent oxidation of nitrite in the absence of oxygen on a research cruise to the low oxygen waters off the coast of Peru: 1) The presence of unknown kinds of NOB that do not require oxygen; 2) a new reaction called dismutation, which is possible but never detected in nature; 3) an artifact associated with oxygen stress in NOB. This research could lead to discovery of novel mechanisms and or novel organisms that determine the fate of nitrite and the availability of nitrogen to support primary production in the long run. This project will advance discovery and understanding while promoting teaching, training and learning by providing opportunities for Princeton students to get involved in and have hands on experience in research in the lab and potentially at sea. Both undergraduate and graduate students will participate in the research through internships and field experiences. We will also integrate our work at sea into teaching in the classroom via videos and assignments based on data collected during the cruise.

Nitrite oxidation is the only known biological process that produces nitrate, which comprises the largest fixed nitrogen reservoir in the ocean. Nitrite oxidation is carried out by nitrite oxidizing bacteria (NOB), and all known species are obligate aerobes. Nitrite reduction to N₂ occurs in multiple microbial pathways, generally under anoxic conditions. Despite their apparent incompatibility regarding oxygen, both processes are detected in the low oxygen or anoxic waters of oxygen minimum zones (OMZs). Thus, the fate of nitrite in OMZs has implications for the global fixed N budget. Nitrite oxidation is detected at high rates in essentially zero oxygen water in the most oxygen depleted depth intervals in OMZ regions, which suggests that some nitrite oxidizers might possess anaerobic metabolic capabilities. Nitrite disproportionation (or dismutation), in which nitrite is simultaneously oxidized to nitrate and reduced to N₂, is a thermodynamically favorable reaction, which would link the two processes in one organism – but it has never been observed in nature. The research proposed here will address two big questions about nitrite in the ocean: 1) How does anaerobic nitrite oxidation work? 2) What determines the fate of nitrite? The experimental approach will investigate three possible explanations for anaerobic nitrite oxidation: 1) Nitrite is oxidized to nitrate by different clades of NOB, which exhibit different tolerances/requirements for oxygen; 2) Nitrite dismutation, also performed by NOB, partially explains the cooccurrence of oxidation and reduction of nitrite; 3) Apparently anaerobic nitrite oxidation is indeed biologically mediated but does not always represent net production of nitrate from nitrite; rather it results from isotopic equilibration during enzyme-catalyzed interconversion of nitrite and nitrate. These questions will be addressed by performing a suite of ¹⁵N-tracer incubations at stations located within and outside of one of the major OMZs in the ocean, the Eastern Tropical South Pacific. The dependence of the rate processes on oxygen concentrations will be determined, and the composition of the microbial assemblages will be assessed in order to determine whether different microbial components are involved under different environmental conditions. The expression of genes involved in oxidation/reduction/ respiratory metabolisms at low oxygen concentrations will be measured across oxygen gradients and in oxygen manipulations to identify their potential role in supporting “anaerobic” nitrite oxidation. The possibility that the apparently anaerobic nitrite oxidation is due to an enzyme level interconversion between nitrite and nitrate, which does not lead to net nitrate production and is not linked to growth of nitrite oxidizing bacteria, will also be investigated.

This award reflects NSF's statutory mission and has been deemed worthy of support through evaluation using the Foundation's intellectual merit and broader impacts review criteria.

[[table of contents](#) | [back to top](#)]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	OCE-1946516

[[table of contents](#) | [back to top](#)]