Nitrate dual isotope (d15N and d18O) measurements from R/V Knorr cruise KN192-05 in the South Atlantic subtropical gyre and Benguela upwelling region in 2007 (CoFeMUG project)

Website: https://www.bco-dmo.org/dataset/630246 Data Type: Cruise Results Version: 1 Version Date: 2015-12-28

Project

» Cobalt, Iron and Micro-organisms from the Upwelling zone to the Gyre (GAc01) (CoFeMUG)

Programs

- » Ocean Carbon and Biogeochemistry (OCB)
- » U.S. GEOTRACES (U.S. GEOTRACES)

Contributors	Affiliation	Role
<u>Casciotti, Karen L.</u>	Stanford University	Principal Investigator
<u>Frame, Caitlin</u>	University of Basel (Universitat Basel)	Co-Principal Investigator
Rauch, Shannon	Woods Hole Oceanographic Institution (WHOI BCO-DMO)	BCO-DMO Data Manager

Abstract

Nitrate dual isotope (d15N and d18O) measurements made from samples from acid-cleaned, Teflon-coated X-Niskin sampling bottles on the CoFeMUG cruise (KN192-05).

Table of Contents

- <u>Coverage</u>
- Dataset Description
 - Methods & Sampling
 - Data Processing Description
- Data Files
- <u>Related Publications</u>
- Parameters
- Instruments
- Deployments
- <u>Project Information</u>
- <u>Program Information</u>
- <u>Funding</u>

Coverage

Spatial Extent: N:-11 **E**:12.2 **S**:-17.5 **W**:-30 **Temporal Extent**: 2007-11-16 - 2007-12-13

Dataset Description

Nitrate dual isotope (d15N and d18O) measurements made from samples from acid-cleaned, Teflon-coated X-Niskin sampling bottles on the CoFeMUG cruise (KN192-05).

Methods & Sampling

Single water samples for nitrate isotopic analyses were collected from acid-cleaned, Teflon-coated X-Niskin sampling bottles (OceanTest Equipment) of 8-liter capacity deployed on an epoxy-coated rosette (Sea-Bird

Electronics) rosette as described in Noble et al. (2012). Samples were collected into triple-rinsed 60 mL HDPE bottles and stored frozen at -20 degrees C until analysis. Isotopic analyses of NO3 were made with a Finnigan DELTA PLUS XP IRMS using the denitrifier method (Sigman et al., 2001; Casciotti et al., 2002; McIlvin and Casciotti, 2011). Both d15N-NO3 and d18O-NO3 analyses were made in duplicate and data are reported as means +/- 1 standard deviation.

Data Processing Description

Data Processing:

Samples were calibrated on the atmospheric N2 (d15N) and VSMOW (d18O) reference scales using nitrate isotope reference materials USGS-32, USGS-34, and USGS-35 (Bohlke et al., 2003), analyzed in replicate with each batch of samples (McIlvin and Casciotti, 2011).

BCO-DMO Processing Notes:

- Modified original parameter names to conform with BCO-DMO naming conventions;
- Missing values (blank) were replaced with 'nd' to indicate 'no data';
- Calculated lon from original lon 360 field;
- 28 Feb 2018: removed emargo on dataset.

[table of contents | back to top]

Data Files

File	
	nitrate isotopes.csv(Comma Separated Values (.csv), 21.25 KB)

MD5:b324e812243a3ebeb79ddb087a24289f

Primary data file for dataset ID 630246

[table of contents | back to top]

Related Publications

Casciotti, K. L., Sigman, D. M., Hastings, M. G., Böhlke, J. K., & Hilkert, A. (2002). Measurement of the Oxygen Isotopic Composition of Nitrate in Seawater and Freshwater Using the Denitrifier Method. Analytical Chemistry, 74(19), 4905–4912. doi:<u>10.1021/ac020113w</u> *Methods*

McIlvin, M. R., & Casciotti, K. L. (2011). Technical Updates to the Bacterial Method for Nitrate Isotopic Analyses. Analytical Chemistry, 83(5), 1850–1856. doi:<u>10.1021/ac1028984</u> *Methods*

Noble, A. E., Lamborg, C. H., Ohnemus, D. C., Lam, P. J., Goepfert, T. J., Measures, C. I., ... Saito, M. A. (2012). Basin-scale inputs of cobalt, iron, and manganese from the Benguela-Angola front to the South Atlantic Ocean. Limnology and Oceanography, 57(4), 989–1010. doi:<u>10.4319/lo.2012.57.4.0989</u> *Methods*

Sigman, D. M., Casciotti, K. L., Andreani, M., Barford, C., Galanter, M., & Böhlke, J. K. (2001). A Bacterial Method for the Nitrogen Isotopic Analysis of Nitrate in Seawater and Freshwater. Analytical Chemistry, 73(17), 4145–4153. doi:<u>10.1021/ac010088e</u> *Methods*

[table of contents | back to top]

Parameters

Parameter	Description	Units
cruise_id	Official cruise identifier.	dimensionless
sta	Station number.	dimensionless
lat	Latitude; North is positive.	decimal degrees
lon	Longitude; East is positive. Calculated by BCO-DMO from the original PI- provided lon_360 values.	decimal degrees
lon_360	Longitude measured from 0 to 360 degrees.	decimal degrees
press	Pressure.	decibars (db)
ev_code	Event code; type and number of sampling event; matches cruise event log.	dimensionless
event	Event number from the cruise event log.	dimensionless
d15N_NO3	d15N-NO3 = ([15N]/[14N]NO3 / [15N]/[14N]standard -1) x 1000‰; referenced to atmospheric N2.	per mil (‰)
d15N_NO3_stdev	Standard deviation (in per mil units) of replicate d15N-NO3 analyses.	per mil (‰)
d180_NO3	d180-NO3 = ([180]/[160]NO3 / [180]/[160]standard -1) x 1000‰; referenced to VSMOW	per mil (‰)
d180_NO3_stdev	Standard deviation (in per mil units) of replicate d180-NO3 analyses.	per mil (‰)

[table of contents | back to top]

Instruments

Dataset- specific Instrument Name	Finnigan DELTA PLUS XP IRMS
Generic Instrument Name	Isotope-ratio Mass Spectrometer
Dataset- specific Description	Isotopic analyses of NO3 were made with a Finnigan DELTA PLUS XP IRMS using the denitrifier method.
Generic Instrument Description	The Isotope-ratio Mass Spectrometer is a particular type of mass spectrometer used to measure the relative abundance of isotopes in a given sample (e.g. VG Prism II Isotope Ratio Mass-Spectrometer).

Dataset- specific Instrument Name	Teflon-coated X-Niskin sampling bottles (OceanTest Equipment)
Generic Instrument Name	Trace Metal Bottle
Dataset- specific Description	Single water samples for nitrate isotopic analyses were collected from acid-cleaned, Teflon- coated X-Niskin sampling bottles (OceanTest Equipment) of 8-liter capacity deployed on an epoxy-coated rosette (Sea-Bird Electronics) rosette.
Generic Instrument Description	Trace metal (TM) clean rosette bottle used for collecting trace metal clean seawater samples.

[table of contents | back to top]

Deployments

KN192-05

Website	https://www.bco-dmo.org/deployment/57852	
Platform	R/V Knorr	
Report	http://bcodata.whoi.edu/CoFeMUG/CruiseReport_KN192-5.pdf	
Start Date	2007-11-16	
End Date	2007-12-13	
Description	The South Atlantic subtropical gyre and Benguela Upwelling region were sampled for chemistry and biological properties relating to the trace metal nutrition and phytoplankton diversity and productivity. Specifically cobalt and iron dissolved seawater concentrations will be measured and related to the abundance of cyanobacteria including nitrogen fixers and eukaryotic phytoplankton. The phytoplankton of the Benguela Upwelling region were also examined to determine if their growth was iron or cobalt limited. A total of 27 station locations were occupied in the study area to collect the water chemistry and biological samples for these analyses (see cruise track). Iron and cobalt analyses will be conducted using inductively coupled plasma mass spectrometry and cathodic stripping voltammetry electrochemical methods. The sample preparation and subsequent analyses are technically demanding, but data generated from the cruise samples are being contributed beginning in mid 2009. The CoFeMUG KN192-5 cruise was supported by NSF OCE award # 0452883 http://www.nsf.gov/awardsearch/showAward.do?AwardNumber=0452883 A station map showing the 27 sampling locations is available as a PDF file. Original cruise data are available from the NSF R2R data catalog CoFeMUG - South Atlantic 2007 Cruise Participant List 1. Mak Saito (Chief Scientist/WHOI) 2. Abigail Noble (Saito/WHOI) 3. Alysia Cox (Saito/WHOI) 4. Whitney Krey (Delong/Saito/MIT/WHOI) 5. Carl Lamborg (clamborg AT whoi.edu/WHOI) 6. Phoebe Lam (pijam AT whoi.edu WHOI) 7. Chad Hammerschmidt (chammerschmidt AT whoi.edu, Wright State) 8. Caitlin Frame (cframe AT whoi.edu, WHOI/Casciotti Student) 9. Tyler Goepfert (tgoepfert AT whoi.edu Web/Saito) 10. Jill Sohm (sohm AT usc.edu) 11. Maria Intermaggio 12. Jack DiTullio U. Charleston) 15. Amanda McLenan (amanda.mclennon AT gmail.com, DiTullio U. Charleston) 16. Mike Seracki (Bigelow) 17. Nicole Poulton (Bigelow) 18. Juan Alba, juanalba AT usp.br (Bigelow) 19. Jane Heywood (Bigelow) 20. Gabrielle Rocap (rocap AT whoi.edu, U. Washingt	

[table of contents | back to top]

Project Information

Cobalt, Iron and Micro-organisms from the Upwelling zone to the Gyre (GAc01) (CoFeMUG)

Coverage: South Atlantic subtropical gyre and Benguela upwelling region

The geochemistries of dissolved cobalt (Co) and iron (Fe) in the oceanic water column share several characteristics such as extremely low concentrations, redox chemistry, low solubility, and utilization as micronutrients by marine microbes. Iron has been the subject of considerable research focus in recent years due to its role in limiting phytoplankton productivity in oceanic and coastal upwelling environments. Cobalt has been much less studied, but recent data show it may be important in influencing primary productivity or phytoplankton community composition in certain geographical areas.

The CoFeMUG project predated GEOTRACES, so while it is not formally recognized as a GEOTRACES section, it is considered a GEOTRACES-related project and the CoFeMUG data are GEOTRACES compliant.

State-of-the-art geochemical and molecular biological techniques were used to address biogeochemical questions in the South Atlantic, and focus especially on the two trace metals, cobalt and iron. The 27-day cruise in November and December 2007 to the South Atlantic was designed to study cobalt and iron biogeochemistry and focus on four major hypotheses.

(1) Large fluxes of labile cobalt are associated with upwelling systems even in Aeolian dominated environments.
(2) Cobalt and phosphate show correlations in (and only in) surface waters due to micronutrient utilization and rapid remineralization. The slope of the correlation is dependent on the chemical speciation of cobalt.
(3) The absence of Trichodesmium populations in the subtropical and tropical South Atlantic is caused by iron limitation.

(4) Based on work from the California and Peru Upwelling regimes, primary productivity in the Benguela upwelling regime off of South West Africa may be iron limited or iron-cobalt colimited.

A combination of geochemical and biological/molecular analyses were made across an oligotrophic-upwelling transition to examine how changing metal regimes affect the physiology and growth of the important primary producers Trichodesmium and Synechococcus.

CoFeMUG project results are published in:

Noble, Abigail E., Carl H. Lamborg, Dan C. Ohnemus, Phoebe J. Lam, Tyler J. Goepfert, Chris I. Measures, Caitlin H. Frame, Karen L. Casciotti, Giacomo R. DiTullio, Joe Jennings, and Mak A. Saito (2012) Basin-scale inputs of cobalt, iron, and manganese from the Benguela-Angola front to the South Atlantic Ocean. Limnology & Oceanography. Vol. 57(4), July 2012. pgs 989-1010. doi:10.4319/lo.2012.57.4.0989 (www.aslo.org/lo/toc/vol_57/issue_4/0989.pdf)

[table of contents | back to top]

Program Information

Ocean Carbon and Biogeochemistry (OCB)

Website: <u>http://us-ocb.org/</u>

Coverage: Global

The Ocean Carbon and Biogeochemistry (OCB) program focuses on the ocean's role as a component of the global Earth system, bringing together research in geochemistry, ocean physics, and ecology that inform on and advance our understanding of ocean biogeochemistry. The overall program goals are to promote, plan, and coordinate collaborative, multidisciplinary research opportunities within the U.S. research community and with international partners. Important OCB-related activities currently include: the Ocean Carbon and Climate Change (OCCC) and the North American Carbon Program (NACP); U.S. contributions to IMBER, SOLAS, CARBOOCEAN; and numerous U.S. single-investigator and medium-size research projects funded by U.S. federal agencies including NASA, NOAA, and NSF.

The scientific mission of OCB is to study the evolving role of the ocean in the global carbon cycle, in the face of environmental variability and change through studies of marine biogeochemical cycles and associated ecosystems.

The overarching OCB science themes include improved understanding and prediction of: 1) oceanic uptake and release of atmospheric CO2 and other greenhouse gases and 2) environmental sensitivities of biogeochemical cycles, marine ecosystems, and interactions between the two.

The OCB Research Priorities (updated January 2012) include: ocean acidification; terrestrial/coastal carbon fluxes and exchanges; climate sensitivities of and change in ecosystem structure and associated impacts on biogeochemical cycles; mesopelagic ecological and biogeochemical interactions; benthic-pelagic feedbacks on biogeochemical cycles; ocean carbon uptake and storage; and expanding low-oxygen conditions in the coastal and open oceans.

U.S. GEOTRACES (U.S. GEOTRACES)

Website: http://www.geotraces.org/

Coverage: Global

GEOTRACES is a <u>SCOR</u> sponsored program; and funding for program infrastructure development is provided by the <u>U.S. National Science Foundation</u>.

GEOTRACES gained momentum following a special symposium, S02: Biogeochemical cycling of trace elements and isotopes in the ocean and applications to constrain contemporary marine processes (GEOSECS II), at a 2003 Goldschmidt meeting convened in Japan. The GEOSECS II acronym referred to the Geochemical Ocean Section Studies To determine full water column distributions of selected trace elements and isotopes, including their concentration, chemical speciation, and physical form, along a sufficient number of sections in each ocean basin to establish the principal relationships between these distributions and with more traditional hydrographic parameters;

* To evaluate the sources, sinks, and internal cycling of these species and thereby characterize more completely the physical, chemical and biological processes regulating their distributions, and the sensitivity of these processes to global change; and

* To understand the processes that control the concentrations of geochemical species used for proxies of the past environment, both in the water column and in the substrates that reflect the water column.

GEOTRACES will be global in scope, consisting of ocean sections complemented by regional process studies. Sections and process studies will combine fieldwork, laboratory experiments and modelling. Beyond realizing the scientific objectives identified above, a natural outcome of this work will be to build a community of marine scientists who understand the processes regulating trace element cycles sufficiently well to exploit this knowledge reliably in future interdisciplinary studies.

Expand "Projects" below for information about and data resulting from individual US GEOTRACES research projects.

[table of contents | back to top]

Funding

Funding Source	Award
NSF Division of Ocean Sciences (NSF OCE)	<u>OCE-0452883</u>
NSF Division of Ocean Sciences (NSF OCE)	<u>OCE-1031271</u>
NSF Division of Ocean Sciences (NSF OCE)	<u>OCE-0928414</u>
NSF Division of Ocean Sciences (NSF OCE)	<u>OCE-0752291</u>

[table of contents | back to top]